

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Learn how to grant permission to an Amazon SQS queue so that the Selling Partner API can publish notifications to your queue.

To receive notifications from the Selling Partner API (SP-API) through [Amazon Simple Queue Service](#) (Amazon SQS), you must grant the SP-API permission to write to your Amazon SQS queue.

This tutorial covers how to accomplish this task in two ways: by using an AWS CloudFormation template or manually by using the Amazon SQS console.

Grant the SP-API permission to an Amazon SQS queue by using an AWS CloudFormation template

The following tutorial shows how to grant permission to your Amazon SQS queue by using an AWS CloudFormation template. The AWS CloudFormation template automatically creates and configures the Amazon SQS queue.

Step 1. Copy the AWS CloudFormation template

Copy the following YAML code to a file.

```
YAML
AWSTemplateFormatVersion: 2010-09-09
Description: >-
  AWS CloudFormation Template to
  create a new SQS queue used to
  receive notifications from
  Notifications API.
```

https://developer-docs.amazon/sp-api/docs/tutorial-grant-permission-to-sqs-queue

1/15

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Parameters:

DestinationQueueName:

Type: String

Description: The name of the SQS queue to be created.

Resources:

DestinationQueue:

Type: 'AWS::SQS::Queue'

Properties:

QueueName: !Ref

DestinationQueueName

DestinationQueuePolicy:

Type: 'AWS::SQS::QueuePolicy'

Properties:

Queues:

- !Ref DestinationQueue

PolicyDocument:

Version: 2012-10-17

Statement:

- Sid: AllowSPAPIAccess

Effect: Allow

Principal:

AWS: '437568002678'

Action:

-

'sqs:GetQueueAttributes'

- 'sqs:SendMessage'

Resource: !GetAtt

- DestinationQueue

- Arn

Step 2. Sign in to the AWS CloudFormation console

Sign in to the [AWS CloudFormation console](#).

Step 3. Specify an AWS CloudFormation template

To specify an AWS CloudFormation template, take the following steps:

1. In the [AWS CloudFormation console](#), choose **Create stack**, and then select **With new resources (standard)**.
2. On the **Create stack** page, under **Specify template**, select **Upload a template file**, and then choose the template that you copied at the beginning of this procedure.
3. Choose **Next**.

Step 4. Enter a name for the stack

For **Provide a stack name**, enter a name for the stack to create based on the AWS CloudFormation template that you uploaded.

Step 5. Enter a name for the destination Amazon SQS queue

Special Authorization Types

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

- > For **DestinationQueueName**, enter a name for the Amazon SQS queue, and then choose **Next**.

Step 6. Configure stack options

To configure stack options, take the following steps:

- > 1. On the **Configure stack options** page, keep the default settings, and then choose **Next**.
- 2. Review the configuration, and then choose **Submit**.
- 3. Wait until the stack is created successfully.

The stack is created successfully when, on the **Stacks** detail page, the status of the stack is **CREATE_COMPLETE**.

Step 7. Get the ARN of the Amazon SQS queue

Take the following steps to get the Amazon Resource Name (ARN) of the Amazon SQS queue that you created.

- 1. Go to the [Amazon SQS console](#).

You should see your new queue in the list.

- 2. Choose the queue.

- 3. Under **ARN**, copy the Amazon Resource Name (ARN) for the queue.

In [Step 3](#) of the tutorial [Set up notifications using the Amazon Simple Queue Service workflow](#), you pass the ARN to the `createDestination` operation by using the `arn` parameter.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

- >

Call Structure

- >

Development Tools

- >
- The following tutorial shows how to grant permission to your Amazon SQS queue by manually configuring permissions in the Amazon SQS console.

Performance Management

- >

Step 1. Sign in to the Amazon SQS console

Sign in to the [Amazon SQS console](#).

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

[Tutorial: Grant the SP-API Permission to an Amazon SQS Queue](#)

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Step 2. Select the Amazon SQS queue

Select the standard queue where you want to receive notifications.

Step 3. Open the policy editing page

To set permissions:

1. Choose the **Queue Policies** tab.
2. From the **Access policy (Permissions)** section, choose **Edit**.

The **Edit Queue** page opens.

Step 4. Edit the queue policy

To edit the policy:

1. Scroll down to **Access policy** section, and then select the **Policy generator** link.

The AWS Policy Generator opens in a new tab.

2. In Step 1 of the policy generator, select **SQS Queue Policy**.
3. In Step 2 of the policy generator, choose the following values, and then select **Add Statement**:
 1. Set **Effect** to **Allow**.
 2. Set **Principal** to `437568002678`.
 3. Set **Actions** to `SendMessage` and `GetQueueAttributes`.
 4. Enter the SQS ARN value in **Amazon Resource Name (ARN)**.
 5. Choose **Add Statement** and verify the details.

4. In Step 3 of the policy generator, choose **Generate Policy**.

A dialog box with the new policy opens.

Step 5. Copy and paste the policy

Take the following steps:

1. From the **Policy JSON Document** dialog box, confirm that the policy includes at least the following permissions:

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
```

[Edit Your Appstore Listing](#)[Check Listing Status](#)[Appstore Ratings and Reviews](#)[Press Releases and Promotions](#)**SERVICE PROVIDER NETWORK**[List Your Service](#)**SECURITY AND COMPLIANCE**[SP-API Security and Compliance Overview](#)[Amazon Selling Partner API Guard Implementation Guide](#) >

```

{
  "Sid":
    "AllowSPAPIAccess",
    "Effect": "Allow",
    "Principal": {
      "AWS":
        "arn:aws:iam::437568002678:root"
    },
    "Action": [
      "sqs:GetQueueAttributes",
      "sqs:SendMessage"
    ],
    "Resource": "*"
  }
}

```

2. Copy the policy, and then choose **Close**.

3. In your browser, navigate back to the Amazon SQS queue, open the **Access policy** tab, and then paste the policy into the **Access Policy (Permissions)** section.

4. Choose **Save**.

Step 6. Note the ARN

Reference the queue's **Details** section and note the ARN for this queue. You will pass this value using the `arn` parameter when you call the `createDestination` operation in [Step 3. Create a destination](#).

[VAT Calculation Service](#) >

Step 7. Get the ARN of the Amazon SQS queue

In the queue details page, under **ARN**, copy the Amazon Resource Name (ARN) for the queue.

In [Step 3](#) of the tutorial [Set up notifications using the Amazon Simple Queue Service workflow](#), you pass the ARN to the `createDestination` operation by using the `arn` parameter.

[Amazon Seller Data Access](#)[Best Practices](#) >

Conclusion

In these tutorials, you learned how to grant the SP-API permission to your Amazon SQS queue in two ways: by using an AWS CloudFormation template or by using the Amazon SQS console. After you grant permissions, refer to [Set up notifications using the Amazon Simple Queue Service workflow](#) to learn how to call the Selling Partner API to send notifications to your queue.

 Updated 18 days ago

A+ CONTENT API

A+ Content API



Tutorial:
Retrieve
Merchant
Shipping
Templates



Tutorial:
Retrieve and
Pass a Purchase
Order Number
to a Carrier



A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API



Did this page help you?  Yes  No

Policies and Agreements

[Privacy notice](#) | [Conditions of use](#)

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API

App Integrations API



APPLICATION MANAGEMENT API

Application Management API



CATALOG ITEMS API

Catalog Items API



Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API



Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >