

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#)[Terminology](#)[Frequently Asked Questions](#)

CHANGELOG

[SP-API Release Notes](#)[SP-API Deprecation Schedule](#)

Vendor Direct Fulfillment Dynamic Sandbox Guide

Use the Selling Partner API dynamic sandbox to test vendor direct fulfillment operations.

The Selling Partner API dynamic sandbox environment allows you to test your applications without affecting production data or triggering real-world events. The dynamic sandbox routes requests to a sandbox backend that can return realistic responses based on the request parameters. By sending requests to the sandbox endpoints instead of the production endpoints, you can test standard workflows without impacting production data. Sandbox testing performs syntax and semantic validation but does not perform business validation. Testing with production data is not currently supported.

This guide introduces the available dynamic sandbox operations for the Vendor Direct Fulfillment APIs. For more information about the Selling Partner API sandbox environments, refer to [Selling Partner API sandbox](#).

Note

The Selling Partner API dynamic sandbox environment is only available in the following marketplaces:

- Canada (CA)
- United States of America (US)
- Mexico (MX)
- Spain (ES)
- United Kingdom (UK)
- France (FR)

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

Vendor Direct Fulfillment Dynamic Sandbox Guide

- Netherlands (NL)
- Germany (DE)
- Italy (IT)
- Australia (AU)
- Japan (JP)

Dynamic sandbox support in the Vendor Direct Fulfillment APIs

The following Vendor Direct Fulfillment API sections support the dynamic sandbox:

- The [Vendor Direct Fulfillment Orders API v2021-12-28](#) supports all of the equivalent V1 production operations.

Note

Production calls for Vendor Direct Fulfillment Orders API include additional response parameters beyond `scenarioId` and `orderId` sandbox parameters. You must update your request to specify these additional parameters prior to making production calls.

- The [Vendor Direct Fulfillment Shipping API v2021-12-28](#) supports all of the equivalent V1 production operations.

Static responses

The dynamic sandbox backend service does not yet return dynamic responses for *all* Vendor Direct Fulfillment Shipping operations. The service returns static responses for the `submitShipmentStatusUpdates`, `getCustomerInvoices`, `getCustomerInvoice`, `getPackageSlips`, and `getPackageSlip` operations. Any successful call to one of these operations always returns

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Vendor Direct Fulfillment Dynamic Sandbox Guide

the same static response for that operation.

- The [Vendor Direct Fulfillment Transactions API v2021-12-28](#) supports all of the equivalent V1 production operations.

Use the [Vendor Direct Fulfillment Sandbox Test Data API v2021-10-28](#) to generate fictional orders to use while testing with these APIs.

Testing using the supported Direct Fulfillment APIs

Follow these high-level steps to test using the supported Direct Fulfillment APIs:

1. Generate fictional orders for testing. The orders that you generate are designed to accommodate the specific business test scenarios described under [Scenarios](#).
2. Use the generated orders to perform business test scenarios with the supported [Vendor Direct Fulfillment APIs](#) and operations.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Important

You **must** direct your sandbox requests to the [Selling Partner API sandbox endpoints](#). If you are using a SP-API sandbox environment to test a call that requires a Restricted Data Token (RDT), you must get the RDT from the production environment and pass it to your sandbox call. For more information about RDT, refer to the [Token API Use Case Guide](#).

Scenarios

The following business scenarios are supported in the generated orders for testing purposes. These are the only use cases supported by the test orders, and are focused primarily on label generation for shipping. Unless otherwise indicated, the label scenarios return a fixed, standardized, fictional label.

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Vendor Direct Fulfillment Dynamic Sandbox Guide

- **LIFECYCLE** : Use these test orders to simulate order lifecycle testing. The response to an operation that employs these orders *can vary*. For example, a ship label request made for a multi-box order results in a multiple label response. Similarly, a ship label request made with a package dimension change can result in a ship method change in the response.
- **LABEL_CASE-SHIP_METHOD_UNASSIGNABLE** : Use these test orders to simulate a ship method unassignable error, which occurs when Amazon is not able to assign a ship method for an order.
- **LABEL_CASE-INCONSISTENT_METHODS** : Use these test orders to simulate an "inconsistent ship method" error, which occurs when Amazon is not able to assign the same ship method to all of the boxes for a multi-box or multi-package order.
- **LABEL_CASE-CARRIER_INTERNAL_FAILURE** : Use these test orders to simulate a "carrier internal failure" error, which occurs when the carrier throws an error during label generation.
- **LABEL_CASE-SYS_INTERNAL_FAILURE** : Use these test orders to simulate a "system internal failure" error, which occurs when an unexpected failure happens in Amazon's systems.
- **LABEL_CASE-DEST_ADDRESS_WRONG** : Use these test orders to simulate a "destination address is wrong" error, which happens when a customer address falls outside of a carrier's service area.
- **LABEL_CASE-SERVICE_NOT_AVAILABLE** : Use these test cases to simulate a "service not available" error, which occurs when the selected carrier service is not available or applicable.
- **SHIP_CONFIRM_CASE-SHIP_METHOD_UNASSIGNABLE** : Use these test orders to simulate a ship method unassignable error, which occurs when Amazon is not able to assign a ship method for an order. This applies to vendor own label shipments.
- **SHIP_CONFIRM_CASE-SYS_INTERNAL_FAILURE** : Use these test

orders to simulate a "system internal failure" error, which occurs when an unexpected failure happens in Amazon's systems.

Test order ASINs

The generated fictional orders use the set of test ASINs (Amazon Standard Identification Numbers) and associated parcel characteristics shown in the following table.

Parcel type	ASIN	Package characteristics
small parcel	TESTASIN001	Package dimensions (HxWxL): 1 in. x 1 in. x 2 in. Weight: 1 lb.
small parcel	TESTASIN004	Package Dimensions (HxWxL): 5 in. x 2 in. x 8 in. Weight: 3 lb.
heavy-bulky	TESTASIN002	Package Dimensions (HxWxL): 50 in. x 50 in. x 30 in. Weight: 100 lb.
multi-piece	TESTASIN003	Package1 Dimensions (HxWxL): 36 in. x 37 in. x 24 in. Weight: 7 lb. Package2 Dimensions (HxWxL): 10 in. x 30 in. x 40 in. Weight: 3 lb.

Tutorial: Generate fictional orders for testing

Use this tutorial to generate test orders for the preceding scenarios to test the Vendor Direct Fulfillment APIs.

Follow these steps to generate test orders and related label scenarios:

Edit Your Appstore Listing	
Check Listing Status	
Appstore Ratings and Reviews	
Press Releases and Promotions	
SERVICE PROVIDER NETWORK	
List Your Service	
SECURITY AND COMPLIANCE	
SP-API Security and Compliance Overview	
Amazon Selling Partner API Guard Implementation Guide	>
VAT Calculation Service	
	>
Amazon Seller Data Access	
Best Practices	>

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

1. Call the `generateOrderScenarios` operation, specifying the required party identifiers.

Amazon receives the test data request. If the operation is successful, the response includes a `transactionId` value. Upon receiving a successful response, wait approximately 30-40 minutes before proceeding.

2. Periodically call the `getOrderScenarios` operation, passing the `transactionId` value from the previous step, until you receive a successful response and the `status` value in the response indicates that processing has ended. Processing ends when the status equals `SUCCESS` or `FAILURE`. At this point the response includes either the test orders if the status is `SUCCESS`, or an error array with details about the errors if the status is `FAILURE`.

Prerequisites

To complete this tutorial, you will need:

- Authorization from the selling partner for whom you are making calls.
- Approval for the **Direct-to-Consumer Shipping** role in your developer profile.
- The **Direct-to-Consumer Shipping** role selected in the App registration page for your application.

Step 1: Request fictional test orders

Request the test orders by providing the required party identifiers. To request generation of test orders, call the `generateOrderScenarios` operation.

After receiving a successful response that contains `transactionId`, wait approximately 30-40 minutes before proceeding to Step 2.

Step 2: Return the status and the requested fictional orders if ready

To retrieve the status of the `generateOrderScenarios` transaction, and the requested test order data if available, call the `getOrderScenarios` operation and pass the required `transactionId` parameter. You must call this operation periodically until you receive either a successful response that

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Vendor Direct Fulfillment Dynamic Sandbox Guide

contains the generated test orders, or a failure response that contains an error array with details about the errors.

After you receive the test orders, use them to perform dynamic ship label testing with the supported [Vendor Direct Fulfillment APIs](#) and operations.

Response examples

A successful response contains the generated scenario test data with order numbers:

JSON

```
{
  "transactionStatus": {
    "transactionId": "ff35f39e-e69f-499e-903e-6c4f6c32609f-20210827003315",
    "status": "Success",
    "testCaseData": {
      "scenarios": [
        {
          "scenarioId": "LIFECYCLE",
          "orders": [
            {
              "orderId": "T1111N"
            },
            {
              "orderId": "T1111P"
            }
          ]
        },
        {
          "scenarioId": "LABEL_CASE-SHIP_METHOD_UNASSIGNABLE",
          "orders": [
            {
              "orderId": "T5555N"
            },
            {
              "orderId": "T5555P"
            }
          ]
        },
        {
          "scenarioId": "LABEL_CASE-INCONSISTENT_METHODS",
          "orders": [
            {
              "orderId": "T2222N"
            },
            {
              "orderId": "T2222P"
            }
          ]
        }
      ]
    }
  },
}
```

Feeds API	>	<pre>{ "scenarioId": "LABEL_CASE- CARRIER_INTERNAL_FAILURE", "orders": [{ "orderId": "T3333N" }, { "orderId": "T3333P" }] }</pre>
Feed Type Values	>	
Feeds JSON Schemas	↗	A 404 response means that the request is processing and the generation of the test data is not yet complete:
Feeds API Best Practices		<pre>{ "scenarioId": "LABEL_CASE-CVC-INTERNAL-FAILURE" }</pre>
Feeds API FAQ		<pre>JSON { "errors": [{ "code": "ResourceNotFound", "message": "Cannot find resource by the given URI" }] }</pre>
Feeds API Rate Limits		
FINANCES		
Finances API	>	An unsuccessful response with HTTP code 200 means that the test data failed to generate. Refer to the <code>errors</code> array for more information. <pre>{ "scenarioId": "SHIP_CONFIRM_CASE- SHIP_METHOD_UNASSIGNABLE", "orderId": "buw38" }</pre>
Transfers API	>	<pre>JSON { "transactionStatus": { "transactionId": "ee8363d3- d061-4b17-b218-d3c80e014c2f- 20220105231359", "status": "FAILED", "testCaseData": { "scenarios": [{ "scenarioId": "", "orders": [] }] }, "errors": [{ "code": "INVALID_WAREHOUSE_CODE", "details": "Invalid Warehouse Code. Retry request with correct Warehouse code" }] } }</pre>
FULLFILLMENT INBOUND API		
Fulfillment Inbound API	>	
Fulfillment Inbound API FAQ		
Migrating Fulfillment Inbound workflows		
Fulfillment Inbound API Rate Limits		
FULLFILLMENT OUTBOUND API		
Fulfillment Outbound Dynamic Sandbox Guide		
Fulfillment Outbound API	>	<pre>"orderId": "T7777N"</pre>

Updated 19 days ago

orderId": "T7777P"

← Vehicles API Rate Limits

Vendor Direct Fulfillment Workflow Guide →

Did this page help you?

Yes

No

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

[Vendor Direct Fulfillment Dynamic Sandbox Guide](#)

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

