

searchContentDocuments ↕

- English Home Documentation <> API Reference
- 🔧 Code Samples 📢 Announcements Models Release Notes
- FAQ GitHub Videos

JUMP TO



searchContentDocuments

GET `https://sellingpartnerapi-na.amazon.com/aplus/2020-11-01/contentDocuments`

Returns a list of all A+ Content documents, including metadata, that are assigned to a selling partner. To get the actual contents of the A+ Content documents, call the `getContentDocument` operation.

Usage Plan:

Rate (requests per second)	Burst
10	10

The `x-amzn-RateLimit-Limit` response header contains the usage plan rate limits for the operation, when available. The preceding table contains the default rate and burst values for this operation. Selling partners whose business demands require higher throughput might have higher rate and burst values than those shown here. For more information, refer to [Usage Plans and Rate Limits](#).

Query Params

marketplaceId

string required length ≥ 1

The marketplace ID is the globally unique identifier of a marketplace. To find the ID for your marketplace, refer to [Marketplace IDs](#).

pageToken

string length ≥ 1

A token that you use to fetch a specific page when there are multiple pages of results.

Responses

200

Success.

RESPONSE BODY

object

LANGUAGE

Shell

Node

Ruby

PHP

Python

```
cURL Request
1 curl --request GET \
2   --url https://sellingpartnerapi-na.amazon.com/aplu
3   --header 'accept: application/json'
```

```
200
{
  "warnings": [
    {
      "code": "string",
      "message": "string",
      "details": "string"
    }
  ]
}
```

The base response data for all A+ Content operations when a request is successful or partially successful. Individual operations can extend this with additional data.	
warnings array of objects A set of messages to the user, such as warnings or comments.	
object	
The error response that is returned when the request is unsuccessful.	
code string required length ≥ 1	An error code that identifies the type of error that occurred.
message string required length ≥ 1	A message that describes the error condition.
details string length ≥ 1	Additional details that can help the caller understand or fix the issue.
nextPageToken string length ≥ 1 A token that you use to fetch a specific page when there are multiple pages of results.	
contentMetadataRecords array of objects required A list of A+ Content metadata records.	
object	
The metadata for an A+ Content document, with additional information for content management.	
contentReferenceKey string required length ≥ 1	A unique reference key for the A+ Content document. A content reference key cannot form a permalink and might change in the future. A content reference key is not guaranteed to match any A+ content identifier.
contentMetadata object required	The A+ Content document's metadata.
CONTENTMETADATA OBJECT +	
HEADERS	
object	
x-amzn-RateLimit-Limit string	Your rate limit (requests per second) for this operation.
x-amzn-RequestId string	Unique request reference identifier.
— 400	Request has missing or invalid parameters and cannot be parsed. >
— 401	The request's Authorization header is not formatted correctly or does not contain a valid token. >
— 403	Indicates that access to the resource is forbidden. Possible reasons include Access Denied, Unauthorized, Expired Token, or Invalid Signature. >
— 404	The specified resource does not exist. >
— 410	The specified resource no longer exists. >

— 429 The frequency of requests was greater than allowed. >
— 500 An unexpected condition occurred that prevented the server from fulfilling the request. >
— 503 Temporary overloading or maintenance of the server. >

 Updated over 1 year ago

←

A+ Content Management
v2020-11-01

createContentDocument

→

Did this page help you?

👍

Yes

👎

No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

https://developer-docs.amazon/sp-api/reference/searchcontentdocuments

4/4