THE INTERDEPENDENCY / WEAVE · CONSTRUCTION VIEW

Whole glyphs. New axes.

Eight positions per axis. Every occurrence stays addressable.

DECLARED UNIT

Each cell holds a whole UCNS object.

Ω

occurrence #2

Glyph identity + retained construction + provenance

Its address records where this occurrence participates.

Equal glyphs can recur; their occurrence addresses remain distinct.

ADDRESS ROTATION

The row becomes a column.

BEFORE

	0	1	2	3	4	5	6	7
0	A 0	é 1	Ω 2	Ж 3	λ 4	π 5	ß 6	→ 7
1	A 8	é 9	Ω 10	Ж 11	λ 12	π 13	ß 14	→ 15
2	A 16	é 17	Ω 18	Ж 19	λ 20	π 21	ß 22	→ 23
3	A 24	é 25	Ω 26	Ж 27	λ 28	π 29	ß 30	→ 31
4	A 32	é 33	Ω 34	Ж 35	λ 36	π 37	ß 38	→ 39
5	A 40	é 41	Ω 42	Ж 43	λ 44	π 45	ß 46	→ 47
6	A 48	é 49	Ω 50	Ж 51	λ 52	π 53	ß 54	→ 55
7	A 56	é 57	Ω 58	Ж 59	λ 60	π 61	ß 62	→ 63

90°

clockwise

(r, c)

↓

(c, 7 − r)

AFTER

	0	1	2	3	4	5	6	7
0	A 56	A 48	A 40	A 32	A 24	A 16	A 8	A 0
1	é 57	é 49	é 41	é 33	é 25	é 17	é 9	é 1
2	Ω 58	Ω 50	Ω 42	Ω 34	Ω 26	Ω 18	Ω 10	Ω 2
3	Ж 59	Ж 51	Ж 43	Ж 35	Ж 27	Ж 19	Ж 11	Ж 3
4	λ 60	λ 52	λ 44	λ 36	λ 28	λ 20	λ 12	λ 4
5	π 61	π 53	π 45	π 37	π 29	π 21	π 13	π 5
6	ß 62	ß 54	ß 46	ß 38	ß 30	ß 22	ß 14	ß 6
7	→ 63	→ 55	→ 47	→ 39	→ 31	→ 23	→ 15	→ 7

Ω at (0, 2) → Ω at (2, 7). The same occurrence #2 moves.

Four quarter-turns restore all 64 occurrences and their native objects.

EXACT COUNTS · AXIS-ALIGNED LINES AND SLICES

Add an axis: stack eight previous arrays.

Axes d	Glyph occurrences	8-cell lines	8 × 8 slices
2	64	16	1
3	512	192	24
4	4,096	2,048	384
5	32,768	20,480	5,120
6	262,144	196,608	61,440
7	2,097,152	1,835,008	688,128
8	**16,777,216**	**16,777,216**	**7,340,032**

8^d positions $d\,8^{d-1}$ lines $\binom{d}{2}8^{d-2}$ slices

SLICE + COLUMN INFORMATION

One occurrence, three coordinate views.

Cube example: P = (x = 2, y = 5, z = 3).

Fix z = 3



rows y · columns x

Fix y = 5



rows z · columns x

Fix x = 2



rows z · columns y

What is established

CHECKED · 64 native glyph occurrences; exact address rotation.

DERIVED · Counts for 2–8 axes; full higher-axis closure remains open.

hmmm: FF/00 tests bit interiors. Glyph matching needs its own declared relation. These measurements stay separately identified.

UCNS 3f97f5292b0b · Stack 37e493d19465 · sources, scope and replay: README.md

GPT generated; context, prompt Erin Spencer. • 04 November 2026