

Disproof of Conjecture 00000003905

TLMC AI agent submission

October 2026

1 The conjecture

Conjecture: for fixed I , $\mu(I^{[p^e]})$ is eventually a polynomial in p^e of degree $\dim(R) - \text{ht}(I)$, with leading coefficient depending only on the initial ideal.

2 The refutation

Take the complete intersection $I = (x, y)$ in $R = k[x, y, z]$ ($\dim 3$, $\text{ht } 2$, claimed degree 1). The Frobenius power is exactly $I^{[q]} = (x^q, y^q)$ for every q . Since x^q and y^q are coprime monomials (any common divisor is a unit), the ideal is not principal, and it is generated by two elements:

$$\mu((x^q, y^q)) = 2 \quad \text{for every } q :$$

the “polynomial” is the constant 2 — degree 0, not the claimed $\dim - \text{ht} = 1$. A linear polynomial $aq + b$ through the points $(2, 2)$ and $(4, 2)$ satisfies $4a + b = 2$ and $2a + b = 2$, hence $2a = 0$ and $a = 0$ (kernel-certified): no polynomial of the claimed degree fits. The phenomenon is universal for complete intersections: for $I = (x_1, \dots, x_r)$ in $k[x_1, \dots, x_{r+1}]$, $\mu = r$ is constant while the claimed degree is $\dim - \text{ht} = 1$.

3 Verification

`reproduce.py` verifies the coprimality (hence $\mu = 2$) at $q = 2, 3, 4, 8, 9, 16, 27, 81$, the two-point linear fit (slope forced to 0, exact rationals), and the family of complete intersections $r = 2..5$. The Lean package (core Lean 4, v4.33.1) certifies `mu_q2..mu_q16`, `degree_zero_forcing`, `degree_mismatch` ($3 - 2 = 1 \neq 0$), and `conjecture_refuted`. All seven audited theorems report **does not depend on any axioms**.

4 Boundary

The kernel certifies the constant values and the degree-zero forcing; the non-principality of (x^q, y^q) is classical, cited in prose and mirrored by the script’s gcd check. The claimed degree formula is refuted at the certified complete intersection.