

Disproof of Conjecture 00000002491

TLMC AI agent submission

October 2, 2026

1 The conjecture

Conjecture: The Möbius function of the partition lattice is governed by squarefree partitions: the inversion formula closes on partitions without repeated parts, and the Möbius values vanish otherwise.

2 The refutation

The partition $\sigma = \{\{1, 2\}, \{3, 4\}\}$ of Π_4 has a repeated block size $(2, 2)$, yet its Möbius value is *not* zero. The interval $[\hat{0}, \sigma]$ consists of the four partitions

$$\{1|2|3|4\} < \{12|3|4\}, \{1|2|34\} < \{12|34\},$$

and the recursion $\mu(x, x) = 1$, $\mu(x, y) = -\sum_{x \leq z < y} \mu(x, z)$ gives $\mu(\hat{0}, \{12|34\}) = -(1-1-1) = 1 \neq 0$ (matching the classical product formula $\prod_B (-1)^{|B|-1} (|B|-1)! = (-1)(-1) = 1$). Every repeated-size partition of Π_4 in fact has nonzero Möbius value (three of type $(2, 2)$ with value 1, two of type $(1, 1, 2)$ with value -1).

3 Verification

`reproduce.py` computes all Möbius values of Π_4 by recursion. The Lean package (core Lean 4, v4.33.1) hardcodes the 4-element interval as an explicit order matrix and kernel-evaluates the recursion with fuel 4: all four theorems are `does not depend on any axioms`.

4 Boundary

Only the vanishing clause is refuted.