

































[


[








































1. Actors can only talk to boundary objects.
2. Boundary objects can only talk to controllers and actors.
3. Entity objects can only talk to controllers.
4. Controllers can talk to boundary objects and entity objects, and to other controllers, but not to actors





















.



sd Display Public Transit Info











SideRoutePanel




















sd Search Location Auto-Suggest







sd Validate Location







sd Save Route







sd Display Convenience Level Score







sd Display Interactive Map












sd Login











Basis Set of Path:

- Path 1: 1, 2, 3, 5, 7, 11
- Path 2: 1, 2, 3, 4, 2
- Path 3: 1, 2, 3, 5, 6, 2
- Path 4: 1, 2, 3, 5, 7, 8, 9, 11
- Path 5: 1, 2, 3, 5, 7, 8, 9, 10, 2


Path 1: User prompted to input start and end location. Start and end location are exact matches. The application will display the results on the Results Panel.


Path 2: User prompted to input start and end location. Start location is empty. User is prompted to input the address again.


Path 3: User prompted to input start and end location. Start location is not recognised by OneMap API. User is prompted to input the address again.

Path 4: User prompted to input start and end location. Start and End location are recognised by OneMap API but are not exact matches. Application displays dropdown list of suggested locations. User selects a suggested location from the dropdown list. System displays results on the Results Panel

Path 5: User prompted to input start and end location. Start and End location are recognised by OneMap API but are not exact matches. Application displays dropdown list of suggested locations. User does not select a location from the suggested dropdown list. User is prompted to address again.









are valid and exist in database. Application to load the information

y. System to display error message to prompt user to fill in both

omplete or ambiguous. System to display all locations relevant to
result from database.

it valid and do not exist in database. Application to display error





Account





me, Last Name,
s, Password)





ilid

id









1, 2, 3, 5, 7, 9, 10, 11, 12, 13, 14

True

15

Validation successful
System provides a login session token
and redirects user to main page

User to input login credentials and clicks the login button. System checks and detects email field is of the wrong type. System to display error message to prompt user to check and re-enter email field. Returns user to login page.

User to input login credentials and clicks the login button. System checks and detects password field is empty. System to display error message to prompt user to fill in password field. Returns user to login page.

Path 4: User to input login credentials and clicks the login button. System checks for empty email or password fields. No empty fields detected, system to check and validate account details in accordance to input and validation. Validation is unsuccessful, system to return user to login page if login attempt is less than 5 times.

Path 5: User to input login credentials and clicks the login button. System checks for empty email or password fields. No empty fields detected, system to check and validate account details in accordance to input and validation. Validation is unsuccessful and login attempt is more than 5 times, system to temporarily lock account and email user on suspicious activity suggesting to reset password.