



The Limit

Artist's Proof 12

Uncertainty

The uncertainty principle and $\hbar$ from Stone's theorem

0 — Dependency and Scope

What this paper does

AP12 derives the uncertainty principle from the axioms.

Three results.

1: $\hbar$ is forced as the action-scale of the minimum record. The five-step forcing argument closes KS-Q.8 (left LIVE — HARD by AP09 7.3), conditional on KS-L.4 (a new and strictly smaller exposure).

2: The position-momentum commutation relation $[\hat{x}, \hat{p}] = i\hbar$ is derived from Stone's theorem applied to the local translation group on the AP09 manifold. The Heisenberg uncertainty bound $\Delta x \Delta p \geq \hbar/2$ follows from Cauchy-Schwarz.

3: The energy-time uncertainty relation $\Delta E \cdot \Delta t_A \geq \hbar/2$ is derived in its Mandelstam-Tamm form, using Axiom R as the time direction and Stone's theorem applied to time evolution.

The uncertainty principle is a theorem of the record algebra read on the derived manifold. No physics imported.

Dependencies

AP20 4 (axioms; fenced KS-P.1 / KS-P.2). Load-bearing for the indivisibility of ε (Axiom B) and the single time direction (Axiom R).

AP10 4 (the Lorentzian signature; formal metric-level derivation fenced KS-D.4). Load-bearing for the manifold structure.

AP09 3.2 (Hilbert space from axioms). Load-bearing for the operator algebra.

AP09 7.3 (Stone's theorem applied to time evolution; Schrödinger equation). Load-bearing for the Hamiltonian as generator and for the form $U(t) = e^{-iHt/\hbar}$.

AP10 (N = 3 spatial dimensions, AS = manifold). Load-bearing for the translation group structure.

AP20 5 (AS = manifold, EH and QRA proven). Load-bearing for the smooth manifold structure on which translations act.

AP06 4 (Landauer bound). Referenced for the thermodynamic cost of records ($k_{BT} \ln 2$ per bit), companion to the quantum cost $\hbar$.

Axiom mapping

Axiom S $\rightarrow$ not directly load-bearing in 1–3. Enters the Cauchy-Schwarz factor of $\frac{1}{2}$ indirectly via the two-sector structure.

Axiom B $\rightarrow \hbar$. The minimum viable splinter ε is indivisible; the action of one minimum record is $\hbar$. Forced by Stone + the indivisibility of ε + the absence of dimensionless parameters in $\{S, B, R, C\}$.

Axiom R $\rightarrow$ time evolution. Time is the direction of record accumulation. The Hamiltonian is the generator of time evolution. The Mandelstam-Tamm energy-time bound follows.

Axiom C $\rightarrow$ finite causal bound. Operates indirectly through the Lorentzian manifold structure on which translations act.

Kill switch summary

KS-L.1 (CLOSED — was KS-Q.8): $\hbar$ is derived as the action-scale of the minimum record. The five-step forcing argument shows: Stone's theorem gives a unique scale factor, the axioms produce a unique action scale, no dimensionless parameter intervenes, and the indivisibility of ε pins the correspondence.

KS-L.2 (NEW): The commutation relation $[\hat{x}, \hat{p}] = i\hbar$ depends on the manifold admitting a well-defined local translation group. If the manifold has structure that modifies the translation generator at the Planck scale, the relation might receive corrections. LIVE.

KS-L.3 (NEW): The energy-time uncertainty relation depends on the Mandelstam-Tamm derivation, which requires the Heisenberg equation of motion. If the axioms produce corrections to unitary evolution, the energy-time relation inherits those corrections. LIVE.

KS-L.4 (NEW): Step 3 of the 1.3 forcing argument claims no dimensionless parameter is available from the axioms to modify the relation $\alpha = (\text{minimum action})$. If a dimensionless constant derivable from $\{S, B, R, C\}$ is shown to enter the relation, the forcing argument weakens. LIVE — strictly smaller exposure than KS-Q.8.

Structural relationships

AP06 (Leakage Constant): $\varepsilon > 0$ is the minimum break. AP12 1.3 uses the indivisibility of ε to force $\hbar$.

AP09 (Quantum mechanics): provides the Hilbert space, the Born rule, the Schrödinger equation. AP12 closes the $\hbar$ identification AP09 left open (KS-Q.8).

AP10 (Dimension): $N = 3$ is load-bearing for the translation group structure in 2.

AP15 (Connection): the photon's wavelength is bounded below by the uncertainty bound. $\hbar$ is the scale factor in the path sum.

AP20 (Proof): EH and QRA proven. The AS IS the manifold; translations are well-defined.

The minimum record

Every measurement you have ever made — every reading of a thermometer, every glance at a clock, every photograph of a distant star — involved a minimum.

Something was distinguished from something else.

A zero became a one. A record was written.

And that record could not have been smaller than it was.

The axioms say why.

What $\hbar$ is

Axiom B: one element $\varepsilon \in \mathcal{L}$ with no σ -image. ε is the minimum viable splinter — the smallest possible break.

Not two elements. Not a fraction of an element. One.

Every actualisation event — every time the now writes a record — involves at least one ε .

One coupling. One break. One distinction between 0 and 1 for one degree of freedom.

That is the minimum you can write.

Chapter 1 derived the Schrödinger equation from the axioms via Wigner's theorem and Stone's theorem. Stone's theorem gave $U(t) = e^{-iHt/\hbar}$ for the unitary evolution operator.

$\hbar$ entered as the scale factor between the Hamiltonian's eigenvalues and the time parameter.

The identification: $\hbar$ is the action-scale of the minimum record.

One record = one $\hbar$ of action.

Chapter 1 treated this as an identification — form forced, constant identified. KS-Q.8 was left LIVE — HARD.

This chapter closes it.

The identification is forced by the axiom structure. There is no alternative scale factor compatible with $\{S, B, R, C\}$.

What that means

You cannot write half a record.

You cannot make half a distinction.

The now either distinguishes 0 from 1 for a degree of freedom, or it does not.

There is no intermediate state. No partial measurement. No fractional record.

The minimum is one. The scale of one is $\hbar$.

Any measurement — any act of writing a record — involves at least $\hbar$ of action.

You cannot extract information from the pre-state without at least $\hbar$.

Not because your instruments are too crude.

Because the break has a minimum size.

The now writes in quanta scaled by $\hbar$ because ε is the minimum, and ε cannot be subdivided.

Each record carries two minimum costs.

A thermodynamic cost: $k_B T \ln 2$, from the Landauer bound.

And a quantum cost: $\hbar$, from Stone's theorem.

Both trace to Axiom B. One record, one ε , one minimum.

Why the identification is forced

Chapter 1 left $\hbar$ as an identification, not a derivation.

KS-Q.8 asked whether a different scale factor could be equally compatible with the axioms.

The answer is no.

The argument proceeds in five steps. Follow each one. If any step fails, the argument fails — and you hold the kill switch that says so.

Step 1 — Stone's theorem forces a unique scale factor.

For any strongly continuous one-parameter unitary group $U(t)$ on a Hilbert space, Stone's theorem gives $U(t) = \exp(-iHt/\alpha)$ for a unique self-adjoint generator H and a unique constant α with dimensions of action.

Pure mathematics on the derived Hilbert space.

There is exactly one α . Not a family. Not a choice. One.

Step 2 — The axioms produce exactly one quantity with dimensions of action.

Action has dimensions of energy $\times$ time.

The axioms give exactly one time-direction (Axiom R, record accumulation) and exactly one minimum energy event (Axiom B, one ϵ , one break).

Their product is the action of one minimum record.

There is no second independent combination of axiom-derived quantities that produces a quantity with dimensions of action.

The only dimensional scales the axioms contain are c (from Axiom C, velocity) and the minimum action (from $B \times R$, one break persisting for one unit of the R-direction).

No third scale is derivable from $\{S, B, R, C\}$ without combining the first two.

Step 3 — No dimensionless parameter modifies the relation.

If the axioms produced a dimensionless constant k , then α could equal $k \times$ (minimum action), and the identification would be ambiguous.

What dimensionless numbers do the axioms contain?

Two candidates: 2 (from Axiom S, two sectors) and 1 (from Axiom B, one element). The monoid (Axiom R) introduces no intrinsic dimensionless parameter. The bound (Axiom C) gives one rate, not a ratio.

The 2 from S does not enter the scale factor.

Stone's theorem relates the generator to the time parameter on the full Hilbert space — both sectors contribute. The Born rule (Chapter 1) is $|\psi|^2 = \psi\psi^*$. Both sectors.

The scale factor is the action of one complete record — one ϵ , one distinction, one full break — not half a record per sector.

The 2 from S enters the uncertainty bound (via Cauchy-Schwarz, giving $\hbar/2$) but not the scale factor itself.

No dimensionless modification is available. $\alpha =$ (action of one minimum record) $\times 1$.

Step 4 — The minimum record IS the minimum non-trivial evolution.

Here is the step that pins the identification from below and above.

Axiom B says ϵ cannot be subdivided. You cannot write half a record.

On the Hilbert space, the minimum non-trivial unitary evolution is one full ϵ .

If α were larger than the minimum action — say $\alpha = 2 \times (\text{minimum action})$ — then there would exist a unitary evolution of action $\alpha/2 = (\text{minimum action})$ that corresponds to half of Stone's natural unit.

But that half-unit IS one ϵ , which IS the minimum break.

One ϵ would be sub- α . The generator's fundamental quantum would not correspond to the fundamental break.

The axioms would contain a structural mismatch: the algebraic minimum (ϵ) and the dynamical minimum (α) would differ, requiring an unexplained gap between them.

But the axioms produce no structure to fill that gap. No mechanism to generate a second scale.

Conversely, if α were smaller than the minimum action, then one ϵ would correspond to more than one unit of the generator. But B says ϵ is one element, indivisible.

One element, one unit of action, one unit of the generator.

$\alpha = \text{minimum action}$. Forced.

Step 5 — Therefore $\alpha = \hbar$.

α is unique (Step 1). The minimum action is unique (Step 2). No dimensionless parameter modifies the relation (Step 3). The minimum record is the minimum evolution (Step 4).

Therefore $\alpha = \hbar = \text{action of one minimum record}$.

Not an identification. A consequence of the axiom structure.

$\hbar$ is forced by $\{S, B, R, C\}$ in the same way that c is forced by Axiom C — the axiom produces the scale, Stone's theorem locates where it enters, and the minimality of B prevents any alternative.

Kill switch KS-L.4 (NEW). Step 3 claims no dimensionless parameter is available from the axioms to modify the relation $\alpha = (\text{minimum action})$. If a dimensionless constant derivable from $\{S, B, R, C\}$ is shown to enter the relation — a topological invariant of the derived manifold, or a representation-theoretic factor from the Hilbert space construction — then the forcing argument weakens and $\alpha = k \times (\text{minimum action})$ for some $k \neq 1$. Step 4 would then need to rule out k independently. Here is the weapon. The argument hands it to you. LIVE.

Kill switch KS-Q.8 (was LIVE — HARD): CLOSED (conditional on KS-L.4). The identification of $\hbar$ with the action-scale of the minimum record is forced by the axiom structure. The forcing argument replaces identification with derivation. The residual vulnerability is isolated in KS-L.4 — strictly smaller exposure than KS-Q.8, which questioned the entire identification.

The manifold and its translations

Something remarkable happens when you ask: what does it mean to move along a manifold that was not built by hand, but derived from axioms?

The manifold exists. The Hilbert space exists. Both are consequences of {S, B, R, C}.

And the manifold admits translations. You can shift along its surface.

The generator of those translations does not commute with position.

The non-commutativity is not a postulate. It is geometry.

Watch.

The Actualization State IS the smooth manifold (Notebook I Chapter 3, where the embedding hypothesis is proven).

Not a limit. Not an approximation. The AS is the surface from which records are written.

The manifold is Lorentzian with signature $(-, +, +, +)$, derived from the axioms (Notebook II Chapter 3).

The manifold's smoothness is structural — guaranteed by the constancy of the collapse rate and the immeasurability of the AS as an object.

A smooth Lorentzian manifold admits continuous symmetry groups locally.

In any coordinate chart on the AS, spatial translations form a one-parameter group: shift every point by distance a along a spatial axis.

The derivation that follows is local. It operates in a coordinate patch on the manifold, where translations are well-defined regardless of the global topology.

On a generic curved manifold, global translation symmetry is not automatic; the commutation relation derived below holds locally, which is where records are written.

On the Hilbert space (Chapter 1), these spatial translations are represented as unitary operators.

Not imported from standard physics — the consequence of having a smooth manifold (derived) and a Hilbert space (derived) that describes records written on that manifold.

The translation group on the manifold follows from the combination of Axiom C (Constraint — locality; the finite propagation it produces creates spatial distance), Axiom S (Symmetry — the sector structure that gives a second spatial direction), and Axiom B (the break direction, which gives a third spatial direction).

Together, these produce a three-dimensional spatial manifold with local translational structure.

Momentum as generator

Stone's theorem applied to spatial translations gives:

$$U(a) = e^{-i\hat{p}a/\hbar}$$

For a unique self-adjoint operator $\hat{p}$, the generator of the group.

$\hat{p}$ is the momentum operator.

The constant $\hbar$ enters as the scale factor — the action-scale of the minimum record, derived above.

Position $\hat{x}$ and momentum $\hat{p}$ are observables — self-adjoint operators on the Hilbert space.

Position labels where on the manifold. Its spectrum is the set of spatial coordinates in the local chart.

Momentum generates displacement along the manifold.

They are linked by the structure of the manifold itself.

The commutation relation

Here is the derivation. Pay attention to what is assumed and what is derived. Nothing is assumed.

The generator of spatial translations does not commute with the position operator.

Translating by a and then measuring position gives a different result from measuring position and then translating by a .

The difference is exactly a — the translation distance.

In operator language:

$$U(a)^\dagger \hat{x} U(a) = \hat{x} + a$$

Expanding $U(a) = e^{-i\hat{p}a/\hbar}$ to first order in a :

$$(1 + i\hat{p}a/\hbar) \hat{x} (1 - i\hat{p}a/\hbar) = \hat{x} + a$$

$$\hat{x} + (i/\hbar)(\hat{p}\hat{x} - \hat{x}\hat{p})a + O(a^2) = \hat{x} + a$$

Comparing first-order terms:

$$(i/\hbar)[\hat{p}, \hat{x}] = 1$$

$$[\hat{x}, \hat{p}] = i\hbar$$

The canonical commutation relation.

Not a postulate.

A consequence of two things: momentum is the generator of spatial translations on the derived manifold (Stone's theorem applied to the manifold's translation group), and $\hbar$ is the scale factor of the minimum record (forced above).

You just watched the uncertainty principle emerge from geometry.

No one put it there. It was already there — in the structure of translations on the manifold the axioms built.

Kill switch KS-L.2 (NEW). The commutation relation $[\hat{x}, \hat{p}] = i\hbar$ depends on the manifold admitting a well-defined local translation group. If the manifold has structure that modifies the translation generator at the Planck scale — non-trivial topology, curvature effects, or discreteness below the resolution of the AS — then the commutation relation might receive corrections. The axioms do not predict such corrections. The AS is smooth by structure. Current experimental evidence supports $[\hat{x}, \hat{p}] = i\hbar$ exactly to all tested precisions. Here is the weapon: find the correction. LIVE.

The uncertainty bound

From $[\hat{x}, \hat{p}] = i\hbar$ and the Cauchy-Schwarz inequality on the Hilbert space, the Robertson-Schrödinger inequality gives:

$$\Delta x \Delta p \geq |\langle [\hat{x}, \hat{p}] \rangle|/2 = \hbar/2$$

The Heisenberg uncertainty principle.

The factor of $\frac{1}{2}$ comes from the Cauchy-Schwarz inequality — pure mathematics on the derived Hilbert space.

No physical assumption about sector splitting, action budgets, or phase space volumes.

The algebra does the work.

Sit with that for a moment.

The bound that governs every quantum measurement ever performed — the bound that tells you precisely how much you can know about a particle's position and momentum simultaneously — falls out of the translation structure of a manifold that was derived from four axioms.

No one imported it. No one postulated it.

The manifold has structure. The structure has consequences. The consequence is $\hbar/2$.

The chain: Hilbert space (Chapter 1, from axioms) → Manifold (AS, from EH) → Spatial translations (smooth Lorentzian structure) → Stone's theorem → $\hbar$ as scale factor (forced above) → $[\hat{x}, \hat{p}] = i\hbar$ (algebra) → Robertson-Schrödinger (Cauchy-Schwarz) → $\Delta x \Delta p \geq \hbar/2$.

No link imports physics. No link assumes the uncertainty principle to derive it. No link uses phase space, action, or Hamiltonian mechanics.

The derivation runs on the axiom-derived structures and pure mathematics alone.

Why time is different

The position-momentum derivation ran along space. Translations on the manifold.

Now the argument turns to time.

And here, you will see something the axioms predicted: time is structurally different from space.

Not because someone declared it so. Because Axiom R says what time is — the direction in which records accumulate — and that definition carries consequences.

Position and momentum are both operators on the Hilbert space. Their commutation relation is a direct algebraic statement, and the Robertson-Schrödinger inequality follows immediately.

Time is not an operator on the Hilbert space.

Time is the direction of record accumulation — Axiom R read on the manifold.

The now advances along this direction, writing records. Time labels the sequence.

You do not observe time directly. You observe change, and you call the change time.

The sequence is not an observable in the same sense as position. You do not measure time by applying an operator to the Hilbert space.

You measure time by counting records — by observing how other observables change as the now advances.

The position-momentum derivation does not transfer directly. There is no time operator $\hat{t}$ such that $[\hat{t}, \hat{H}] = i\hbar$ in the standard sense.

The energy-time relation requires its own derivation path.

The axioms have the resources.

Time is Axiom R's direction. The Hamiltonian is the generator of time evolution (Stone's theorem, Chapter 1). The Mandelstam-Tamm argument works entirely on the derived Hilbert space.

The Mandelstam-Tamm derivation

Stone's theorem applied to time evolution (Chapter 1): $U(t) = e^{-iHt/\hbar}$.

The Hamiltonian $\hat{H}$ generates time translations.

Time is Axiom R's direction. $\hbar$ is the scale factor (forced above).

The Heisenberg equation of motion follows from differentiating the expectation value of any observable A:

$$d\langle A \rangle / dt = (i/\hbar) \langle [\hat{H}, A] \rangle$$

Not imported. A direct consequence of unitary evolution on the derived Hilbert space.

For any observable A on the Hilbert space, Robertson's inequality gives:

$$\Delta E \cdot \Delta A \geq | \langle [\hat{H}, A] \rangle | / 2$$

Substituting the Heisenberg equation:

$$\Delta E \cdot \Delta A \geq (\hbar/2) |d\langle A \rangle / dt|$$

Define the characteristic time for observable A:

$$\Delta t_A = \Delta A / |d\langle A \rangle / dt|$$

The time required for the expectation value of A to change by one standard deviation — the time it takes the now to write enough records to shift the observable by its own uncertainty.

Substituting:

$$\Delta E \Delta t_A \geq \hbar/2$$

The energy-time uncertainty relation in its Mandelstam-Tamm form.

The derivation assumes the observable A does not depend explicitly on time.

Status: DERIVATION. Every step runs on derived structures. The Mandelstam-Tamm derivation respects the structural difference between time and position: time is not promoted to an operator. Time remains what it is — Axiom R's direction, the direction in which the now advances. The uncertainty in time is defined operationally, through the rate of change of actual observables, not through a fictitious time operator.

Kill switch KS-L.3 (NEW). The energy-time uncertainty relation depends on the Mandelstam-Tamm derivation, which requires the Heisenberg equation $d\langle A \rangle / dt = (i/\hbar) \langle [\hat{H}, A] \rangle$. The equation follows from unitary evolution (Chapter 1). If the axioms produce corrections to unitary evolution — at extreme energies or near the loop point — the energy-time relation inherits those corrections. Here is the weapon: break unitarity. LIVE.

You are watching the same theorem — Stone's — read along two different directions of the same manifold.

Along space: position-momentum. Along the R-direction: energy-time.

Two faces of the same geometry. Two consequences of the same axioms.

Two faces of the record

The derivations above establish the uncertainty principle from the axioms.

What follows reads the result in the language of the 420 Code.

The interpretation does not add to the proof. It reads the proof in the register of the architecture.

The algebraic fact: $[\hat{x}, \hat{p}] = i\hbar$ arises because $\hat{p}$ generates spatial translations and $\hat{x}$ labels positions on the manifold.

They do not commute because translating and then measuring is not the same as measuring and then translating.

The architectural reading: a record is written by the now on the manifold.

The record has a location — where on the manifold the actualisation event occurs.

The manifold admits translations — displacements from one location to another. The generator of these translations is momentum.

Position and momentum are conjugate because they are the two faces of the record's relationship to the manifold.

Where it is written, and how the writing displaces along the surface.

They are not two independent pieces of information.

They are two readings of the record's embedding in the AS.

The AS is the manifold. The manifold has structure. The structure links location and displacement.

The algebra captures this linkage exactly.

When you try to separate them — to know position without disturbing momentum — you are asking the translation group to forget its own structure.

It cannot.

Energy and time are linked by the same logic, read along Axiom R's direction.

Time is the direction in which records accumulate. Energy is the generator of evolution along that direction.

The record's temporal face (when the break happens) and its energetic face (how much the break carries) are two readings of the record's relationship to the R-direction.

The Mandelstam-Tamm bound is the algebraic expression of this linkage.

The resolution of the now

The uncertainty principle is the resolution of the now.

The now writes records on the manifold. Each record involves at least one ε . The translation structure on the manifold links conjugate faces of each record.

The algebra constrains what a single record can simultaneously specify.

The bound is $\hbar/2$ — forced by the commutation relation and Cauchy-Schwarz.

Not a limitation on knowledge.

The structure of the distinction.

Below $\hbar$, the empty set has not broken for those degrees of freedom.

Below $\hbar$, 0 and 1 are still indistinguishable.

You cannot see past the minimum because there is nothing past the minimum to see.

The uncertainty principle says: the break has a minimum size, that minimum scales by $\hbar$, and the algebra of the manifold's symmetries distributes the resolution across conjugate faces.

The connection to measurement

Chapter 1 established: measurement is the now writing a record.

This chapter adds: the algebraic structure of the record's embedding in the manifold constrains what can be simultaneously resolved.

Every measurement is an actualisation event — the now writing a record on the AS.

The commutation relation constrains what that record can simultaneously specify about conjugate observables.

The observer effect — the idea that measurement disturbs the system — is not an artefact of clumsy instruments.

It is Axiom B read through the algebra. The minimum break is one ε , one ε scales by $\hbar$, and $\hbar$ constrains both faces simultaneously via the commutation relation.

You feel this every time you try to pin something down and find the other variable has blurred.

That blurring is not ignorance.

It is the structure of the manifold telling you what one record can resolve.

The uncertainty principle is the resolution of the break.

The now writes records on the manifold. The manifold IS the Actualization State. The manifold admits translations. Stone's theorem gives the generators.

The generators do not commute with position. Translating and measuring is not measuring and translating.

The commutation relation $[\hat{x}, \hat{p}] = i\hbar$ follows.

Robertson-Schrödinger gives $\Delta x \Delta p \geq \hbar/2$.

For energy and time: the Hamiltonian generates time evolution along Axiom R's direction.

Mandelstam-Tamm gives $\Delta E \Delta t \geq \hbar/2$.

The scale is set by the minimum record. $\hbar$ is forced by the indivisibility of ε .

The non-commutativity is structural. The geometry of the manifold's own translation group.

The factor of $1/2$ is Cauchy-Schwarz.

No physics is imported.

The uncertainty principle is a theorem of the record algebra read on the derived manifold.

Conjugate variables are two faces of the record's relationship to the manifold. Location and displacement. Moment and generator.

They share resolution because the algebra links them.

You cannot sharpen both faces beyond the bound because the translation group says so.

The now writes in quanta scaled by $\hbar$ because ε is the minimum. The minimum is one.

The complete chain.

1:1 + 1 $\times$ $\varepsilon \rightarrow \{S, B, R, C\} \rightarrow$ Stone's theorem forces a unique scale α (Step 1) $\rightarrow$ axioms produce exactly one minimum action $B \times R$ (Step 2) $\rightarrow$ no dimensionless parameter from $\{S, B, R, C\}$ modifies the relation (Step 3, KS-L.4 isolates the residual) $\rightarrow$ ε indivisible pins α to the minimum (Step 4) $\rightarrow \alpha = \hbar$ (Step 5, KS-Q.8 CLOSED) $\rightarrow$ manifold (derived) admits local spatial translations $\rightarrow$ Stone's theorem applied to translations gives $\hat{p}$ as generator and $\hbar$ as scale $\rightarrow U(a)^\dagger \hat{x} U(a) = \hat{x} + a$ gives $[\hat{x}, \hat{p}] = i\hbar \rightarrow$ Cauchy-Schwarz gives $\Delta x \Delta p \geq \hbar/2 \rightarrow$ Stone's theorem

applied to time evolution gives $\hat{H}$ as generator $\rightarrow$ Heisenberg equation + Robertson + characteristic time gives $\Delta E \Delta t_A \geq \hbar/2$.

Every link is either a theorem of pure mathematics (Stone, Wigner, Cauchy-Schwarz, Robertson-Schrödinger, Mandelstam-Tamm), a consequence of the axioms, or a consequence of the bridge hypotheses (EH, QRA — proven in Notebook I Chapter 3).

No physics imported.

The limit is the minimum.

The now writes one ε at a time. One ε is one $\hbar$ of action.

Both faces of every record share that $\hbar$. Sharpening one costs the other.

Below $\hbar$, there is no record. Below $\hbar$, the empty set has not broken.

Below $\hbar$, there is nothing to see.

Forced — by the empty set looking at itself, one minimum break at a time.

6 — Kill Switches

KS-L.1 — was KS-Q.8 — CLOSED

Status: CLOSED conditional on KS-L.4.

$\hbar$ is derived as the action-scale of the minimum record (1.3).

The forcing argument shows: Stone's theorem gives a unique scale factor; the axioms produce a unique action scale ($B \times R$); no dimensionless parameter modifies the relation (KS-L.4 isolates the residual); the minimum record IS the minimum non-trivial evolution; therefore $\alpha = \hbar$.

KS-Q.8 (from AP09) is CLOSED by this derivation.

Residual vulnerability: KS-L.4 (dimensionless parameter from the axioms). Strictly smaller exposure than KS-Q.8, which questioned the entire identification.

KS-L.2 — Commutation relation at the Planck scale

Status: LIVE.

The commutation relation $[\hat{x}, \hat{p}] = i\hbar$ is derived from Stone's theorem applied to spatial translations (2).

The derivation operates locally — in a coordinate patch on the AS — and depends on the manifold admitting a well-defined local translation group.

Test: if the manifold has structure that modifies the translation generator at the Planck scale (non-trivial topology, curvature effects, or discreteness below the resolution of the AS), then the commutation relation might receive corrections.

Note: the axioms do not predict such corrections. The AS is smooth by structure (AP20 5.3 — constancy of collapse rate, immeasurability of the now). If the AS is exactly smooth, no Planck-scale corrections arise and the commutation relation holds exactly.

The question is whether "exactly smooth" is the architecture's final word or whether the minimum record (Axiom B) introduces a natural granularity at the $\hbar$ scale.

Current experimental evidence supports $[\hat{x}, \hat{p}] = i\hbar$ exactly to all tested precisions.

KS-L.3 — Energy-time via unitarity

Status: LIVE.

The energy-time uncertainty relation (3) depends on the Mandelstam-Tamm derivation, which requires the Heisenberg equation of motion $d\langle A \rangle / dt = (i/\hbar) \langle [\hat{H}, A] \rangle$.

The equation follows from unitary evolution (AP09 7.3).

If the axioms produce corrections to unitary evolution — at extreme energies or near the loop point — the energy-time relation inherits those corrections.

Test: break unitarity.

KS-L.4 — Dimensionless parameter in $\hbar$ forcing

Status: LIVE — strictly smaller exposure than the closed KS-Q.8.

Step 3 of the 1.3 forcing argument claims no dimensionless parameter is available from the axioms to modify the relation $\alpha = (\text{minimum action})$.

Test: if a dimensionless constant derivable from $\{S, B, R, C\}$ is shown to enter the relation between the Stone scale factor and the minimum record — a topological invariant of the derived manifold, or a representation-theoretic factor from the Hilbert space construction — then the forcing argument weakens and $\alpha = k \times (\text{minimum action})$ for some $k \neq 1$.

Step 4 would then need to rule out k independently.

Here is the weapon. The argument hands it to you.

Load-bearing status by section

1: derivation. $\hbar$ forced by Stone's theorem + Axiom B + forcing argument 1.3. KS-Q.8 closed conditional on KS-L.4.

2: core derivation. Translation group $\rightarrow$ commutation relation $\rightarrow$ Robertson-Schrödinger. KS-L.2.

3: energy-time derivation. R + Stone $\rightarrow$ Mandelstam-Tamm. KS-L.3.

4: structural reading. Non-load-bearing.

5: structural interpretation. Non-load-bearing.

7 — Closing

The uncertainty principle is the resolution of the break.

The now writes records on the manifold. The manifold IS the Actualization State (AP20 5). The manifold admits translations. Stone's theorem gives the generators.

The generators do not commute with position. Translating and measuring is not measuring and translating. The commutation relation $[\hat{x}, \hat{p}] = i\hbar$ follows.

The Robertson-Schrödinger inequality gives $\Delta x \Delta p \geq \hbar/2$.

For energy and time: the Hamiltonian generates time evolution along Axiom R's direction. The Mandelstam-Tamm argument gives $\Delta E \cdot \Delta t_A \geq \hbar/2$.

The scale is set by the minimum record (Axiom B, $\hbar$ derived in 1.3). The non-commutativity is structural — the geometry of the manifold's own translation group. The factor of $\frac{1}{2}$ is Cauchy-Schwarz.

No physics is imported. The uncertainty principle is a theorem of the record algebra read on the derived manifold.

Conjugate variables are two faces of the record's relationship to the manifold — location and displacement, moment and generator. They share resolution because the algebra links them.

You cannot sharpen both faces beyond the bound because the translation group says so. The now writes in quanta scaled by $\hbar$ because ε is the minimum. The minimum is one.

The limit is the minimum. And now you know why.

The axiom is $1:1 + 1 \times \varepsilon$. The algebra is the record algebra. The geometry is Lorentzian. The gravity is the eye. The quantum is the opening. The dimension is the count.

The spin is the break. The limit is the resolution.

Don't be a cunt, be kind.

Claim Summary

1 ($\hbar$ identification). DERIVATION. $\hbar$ derived as the scale factor of the minimum record. Form forced by Stone's theorem; identification forced by uniqueness of α , uniqueness of minimum action, absence of dimensionless parameters, and indivisibility of ϵ (1.3). KS-Q.8 CLOSED, conditional on KS-L.4.

2 (Position-momentum uncertainty). DERIVATION. $[\hat{x}, \hat{p}] = i\hbar$ from the translation group on the derived manifold. $\Delta x \Delta p \geq \hbar/2$ from Robertson-Schrödinger. Axiom-first throughout. KS-L.2.

3 (Energy-time uncertainty). DERIVATION. Mandelstam-Tamm operational energy-time bound: $\Delta E \cdot \Delta t_A \geq \hbar/2$, where Δt_A is the characteristic time for observable A to change by one standard deviation. Derived from Axiom R + Stone's theorem. KS-L.3.

4 (Structural reading). INTERPRETATION. The pre-state algebra reads the same theorem along space and along time.

5 (Structural meaning). NON-LOAD-BEARING. The uncertainty principle as the resolution of the now.

Conditionality Footer

Dependencies

AP20 4 (axioms; fenced KS-P.1 / KS-P.2) + AP10 4 (Lorentzian signature; fenced KS-D.4).
AP09 3.2 (Hilbert space). AP09 7.3 (Schrödinger equation). AP10 (N = 3). AP20 5 (AS = manifold). AP06 4 (Landauer bound, referenced).

Dependents

All AP results requiring the uncertainty bound.

AP14 (The Correction): Planck-scale commutation corrections.

AP15 (Connection): the photon's wavelength bound.

Future treatments of decoherence and measurement at the Planck scale.

Kill switches closed

KS-Q.8 ($\hbar$ identification): CLOSED conditional on KS-L.4.

Kill switches live

KS-L.2 (Commutation at Planck scale).

KS-L.3 (Energy-time via unitarity).

KS-L.4 (Dimensionless parameter in $\hbar$ forcing) — strictly smaller exposure than the closed KS-Q.8.

This work is published for free, forever.
Don't be a cunt. Be kind.

the420code.org

Series	The 420 Code
Catalogue	Ø Artist's Proofs
Proof Number	AP12
Title	The Limit
Subtitle	Uncertainty
Medium	Physics
Artist	G

This work is Copyleft. You are free to download, print, share, and distribute. You are not free to alter the source. Keep the signal clean.

STUDIO 