



The Web

Artist's Proof 21

Structure Formation

The cosmic web from the global tension field

Contents

Artist's Note · what this paper does · why it exists.....	2
Orientation · where AP21 fits · how to read this paper.....	3
0 — Dependency and Scope · what this paper does · dependencies · axiom mapping · epistemic status · kill switch summary · structural debts · items held open · structural relationships.....	4
1 — The Crisis of Structure · the web · the cold-dark-matter resolution · what an alternative must do.....	9
2 — The Tension Field: A Standalone Summary · what the tension field is · what closure means · what a_0 claims · what is still open.....	10
3 — The Vacuum Is the Covering · the covering over the ball · the vacuum under global tension · what Λ CDM attributes to a particle.....	11
4 — Fractal Scaling · micro · galactic · cosmic · one mechanism, three scales	12
5 — The Formation of the Web · stretching energy · why bundling reduces it · filaments from topology · the confining potential and the Jeans threshold...	13
6 — The Direct Vacuum · the drain · the fold mechanism · the primordial anchor · observational signature.....	19
7 — The Derivation Chain · the joints from axioms to galaxies.....	21
8 — Kill Switches · KS-41, KS-51, KS-52, KS-54 in Claim/Test/Status/Recovery form.....	22
9 — What This Establishes and What Remains Open · what it closes · what it does not close · items held open · philosophical-register implementations · structural relationships · the 420 Code placement · how the 420 Code reads now · the closing.....	25
Claim Summary · section-by-section enumeration with epistemic-status labels	28
Conditionality Footer · dependencies · dependents · kill switches closed · kill switches live · structural debts owed · items held open.....	29
Notation Reference · the symbols used in this paper.....	31

Artist's Note

This is Artist's Proof 21 of The 420 Code, a chapter of Notebook VI — Cosmology. It asks how the cosmic web got there. Look through a strong enough telescope and the galaxies are not scattered: they hang on filaments, cluster at nodes, and leave vast voids between. The standard model builds that web by pouring in cold dark matter — invisible particles that collapse first and dig the wells the gas falls into. This paper builds the same web without the particle.

The mechanism is already in the body of work. AP17 derived the tension field of ε between the fold and the propagation; AP18 derived the acceleration floor that field enforces. This paper takes that field to the largest scale. The vacuum, forced to close by Axiom S and AP06's Leakage Theorem, is under global tension against the expansion. Tension stored in length wants to be short; the expansion forces it to be long. The compromise is a branching tree of shared corridors — filaments — because the minimum-length network connecting distributed matter is a Steiner tree, not a smear. Gas pools where the corridors cross, the fabric folds, and a primordial black hole drops a topological anchor that summons the galaxy around it.

What this paper establishes is the structural mechanism: no dark-matter particle is required because the structure is carried by the topology of the vacuum itself. What it does not yet establish is the quantitative confrontation — the CMB power spectrum, the matter power spectrum $P(k)$, the baryon acoustic oscillation scale. Those are computational debts, not structural gaps, and the paper says so plainly. This is the hardest empirical test in the 420 Code, and the argument hands you the weapon to kill it.

Nothing here is imported. Every structural claim descends from the axioms {S, B, R, C} or from a prior Artist's Proof that descends from them.

the420code.org

Copyright 2026. Don't be a cunt. Be kind.

Orientation

Where this paper fits in the body of work

AP21 is a chapter of Notebook VI (Cosmology). It sits at the end of the structure-formation chain: AP06 (The Leakage Constant) forces field-line closure, AP17 (The Room) establishes the tension field and the galactic floor, AP18 (The Floor) derives the acceleration scale a_0 exactly. This paper applies that field at the cosmic scale and asks what it builds. It also draws on AP05 (Lorentzian spacetime), AP08 (Einstein's field equations and substrate homogeneity), AP14 (the quantum-gravity correction), AP15 (substrate stiffness λ), and AP20 (the Embedding Hypothesis and Quantum-Record Alignment proved, $AS = \text{manifold}$).

How to read this paper

Two voices alternate as the material requires. The structural readings — the night sky, the cling film over the ball, the river carving the valley — speak directly. The formal sections — the Energy-Measure Bridge, the two propositions, their proofs, the Steiner-tree result — speak in the precision the mathematics requires, and are preserved verbatim. Where the gear changes, a formal label opens the block (Lemma, Proposition, Proof) and the box mark ■ closes the proof.

0 — Dependency and Scope

0.1 — What this paper does

This paper derives the qualitative mechanism of cosmic structure formation — the cosmic web — from the global tension field established in AP17 and AP18. The vacuum's topological tension, forced to close by Axiom S and AP06's Leakage Theorem (Theorem 3.1), bundles into filaments by energy minimisation. Gas flows along the filaments, pools at the nodes, and collapses into primordial supermassive black holes that seed galaxies. No dark-matter particles are required.

The paper does not provide quantitative fits to the CMB power spectrum, the matter power spectrum $P(k)$, or baryon acoustic oscillation data. These are computational debts, not structural gaps.

0.2 — Dependencies

The structure-formation chain: AP06 Theorem 3.1 (leakage forces closure) → AP17 (the tension field) → AP18 (the acceleration floor a_0) → this paper (global tension → filaments → structure).

Also depends on AP05 (Lorentzian spacetime), AP08 (Einstein's field equations, substrate homogeneity), AP14 (the quantum-gravity correction), AP15 (substrate stiffness λ), AP18 Lemma 1 (the record-measure monoid homomorphism), and AP20 (the Embedding Hypothesis and Quantum-Record Alignment proved, AS = manifold).

0.3 — Axiom mapping

Axiom S (Symmetry — the involution σ). Field-line closure. The involution σ connects the two sectors. Disconnection violates σ . Every field line must close (with AP06 Theorem 3.1). The vacuum is the tension field.

Axiom B (Break — the unique break ε). Source structure. ε defines the 1-pole (matter, propagation). The break is the single generator of the record monoid — the one-ness that forces energy and measure to be proportional (the Lemma, section 5.1).

Axiom R (Record — monotone accumulation). Expansion. The monoid accumulates irreversibly; the manifold expands at H_0 , with finite extent $R_h = c/H_0$. AP18 Lemma 1 gives the additive measure that bridges length to energy.

Axiom C (Constraint — locality; finite propagation speed c). Forces compactification at extreme density — the fold that produces a direct vacuum (section 6).

0.4 — Epistemic status per section

1 (The Crisis of Structure). HISTORICAL. A summary of the Λ CDM structure-formation problem.

2 (The Tension Field Summary). ESTABLISHED. Summarises results proved in AP17 and AP18.

3 (The Vacuum Is the Covering). DERIVED. Follows from Axiom S, AP06 Theorem 3.1, and expansion (Axiom R).

4 (Fractal Scaling). STRUCTURAL. The same axioms at three scales.

5.1 (Stretching energy). DERIVED. $E = T\ell$ from Axioms B and R, AP18 Lemma 1, AP05/AP08 (Noether), AP15, and AP20.

5.2 (Filament formation). STRUCTURAL / MATHEMATICAL. The Euclidean Steiner Tree theorem applied to the tension-field network.

5.3 (Filaments from topology). DERIVED. Follows from Propositions 1 and 2.

5.4 (The Jeans threshold). SCALING ARGUMENT. Illustrative of the direction of the effect, not its magnitude.

6 (The Direct Vacuum). STRUCTURAL / CONJECTURAL. The supermassive-black-hole-first mechanism is conjectural pending observation.

7 (The Derivation Chain). SYNTHESIS. The joints from axioms to galaxies, named in order.

0.5 — Kill switch summary

KS-41 (Structure formation). LIVE — EMPIRICAL. Structurally addressed; the quantitative confrontation with CMB, $P(k)$, and BAO data is owed (D1). The hardest empirical test in the body of work.

KS-51 (Filament topology). LIVE — EMPIRICAL. Gas-velocity alignment along filament axes beyond what visible-matter gravity predicts.

KS-52 (Primordial anchor sequence). LIVE — EMPIRICAL. Supermassive black holes forming before or with their host galaxies.

KS-54 (Web connectivity). LIVE — EMPIRICAL. The tension field produces a multiply-connected filamentary network whose local junctions are Steiner (120°) vertices. Test: measured filament-junction angle statistics inconsistent with the 120° prediction, or a global topology requiring an acyclic tree. Recovery: a failure localises to the junction model, not the energy-minimisation core.

0.6 — Structural debts owed

D1 (Quantitative confrontation). The effective Jeans mass under the tension floor, the linearised perturbation equations with the a_0 floor, and the resulting CMB power spectrum, matter power spectrum $P(k)$, and BAO scale must be computed explicitly and compared to the Λ CDM prediction. [AP21-specific, load-bearing for the empirical claim]

D2 (Compactification threshold). The record density at which Axiom C forces a local fold (the formation of a direct vacuum) is not derived here. A future paper must derive it from $\{S, B, R, C\}$ or flag it as a free parameter. [AP21-specific]

0.7 — Items held open without claiming debt status

Two items are bracketed inside this paper. They are real and live, but they are not structural debts in the sense of D1/D2 — they are scope boundaries named for honesty.

Sheets and walls. The Steiner-tree result captures the dominant one-dimensional structure (filaments and nodes). The two-dimensional structures of

the web (sheets and walls) arise from the continuous-distribution limit and are not addressed here. The mechanism extends in principle; the variational minimisation over the continuum is not performed. Tree versus network: pure length-minimisation yields an acyclic tree, whereas the observed web is multiply-connected (filaments enclose voids). The cycles indicate the energy functional is not pure length — expansion against closure, plus the finite light-crossing time, frustrate global tree-collapse and leave a loopy network. The Steiner result is the local minimum-length motif (the 120° Y-junction), not a claim that the global web is a single tree.

The a_0 numerical value. AP21 inherits the acceleration floor $a_0 = \alpha c H_0 / (2\pi)$ from AP18, where $\alpha = 2 \ln(\sec(1/2) + \tan(1/2)) \approx 1.0445$ is the apex-symmetry factor AP18 derives from the Z_2 symmetry of Axiom S. The residual against the empirical MOND scale ($\approx 0.4\%$ at $H_0 = 74$; exact at 74.3 — AP18 §5) is AP18's, tracked there by KS-39; this paper inherits it rather than re-opening it.

0.8 — Structural relationships

AP06 (The Leakage Constant). Theorem 3.1 (nonzero leakage) is what forbids the tension-field lines from fully disconnecting. Closure is forced; the field lines must return.

AP17 (The Room). Establishes the tension field of ε between the 0-pole (fold) and the 1-pole (propagation) and the galactic floor. AP21 takes that field to the cosmic scale.

AP18 (The Floor). Derives the acceleration floor $a_0 = \alpha c H_0 / (2\pi)$ exactly, and Lemma 1 (the record measure is a monoid homomorphism). Both are load-bearing here — the floor sets the confining potential, the homomorphism bridges length to energy.

AP08 (The Identity). Substrate homogeneity and isotropy, used in Proposition 1 to make the energy cost per unit length constant everywhere.

AP14 (The Correction). The quantum-gravity correction $\delta G/G = \gamma \ell_p^2 / L^2$ is the micro-scale face of the same tension (section 4).

AP15 (The Connection). Substrate stiffness $\lambda \approx 2.15 \times 10^{46}$, the unique constant with dimensions of energy per length; by uniqueness the tension $T = \lambda$ (Proposition 1).

AP20 (The Proof). AS = manifold (the Embedding Hypothesis and Quantum-Record Alignment proved), which makes a field line's length ℓ a well-defined geometric quantity and the manifold a metric space — the ground the Steiner-tree result stands on.

AP41 (The Loop), AP42 (The Clock), AP04 (The Loop Hypothesis). The other chapters of Notebook VI. They carry the cosmological $1 \times \varepsilon$ expansion and the dark-sector partition; AP21 carries the structure that field builds. The web here and the expansion there are the same tension read at two questions.

Ø Predictions. The expository-register companion for the 420 Code's position that dark matter is a structural process rather than a particle species (its dark-sector chapters; the MOND scale; the dark-sector partition). AP21 is the formal-register origin of the structure-formation mechanism that position rests on; a dedicated expository twin of this specific mechanism is not separately written.

1 — The Crisis of Structure

Look at the night sky through a telescope powerful enough. You will not see galaxies scattered randomly. You will see a web — galaxies strung along filaments, clustered at nodes, separated by vast empty voids.

The structure is unmistakable. The question is how it got there.

The standard cosmological model (Λ CDM) faces a structural problem: ordinary matter cannot form galaxies fast enough on its own. In the early universe, baryonic gas is too hot, too smooth, and expanding too rapidly.

The standard model resolves this by inserting cold dark matter — invisible, non-interacting particles that collapse first under gravity, creating deep potential wells for the baryonic gas to fall into. Without cold dark matter, the standard model cannot reproduce the cosmic web.

Cold dark matter is extraordinarily successful empirically. It reproduces the CMB temperature power spectrum to sub-percent precision, the matter power spectrum $P(k)$, the baryon acoustic oscillation signal, and the large-scale distribution of galaxies with six free parameters.

Any alternative must either match these successes or explain precisely where and why it diverges.

This paper proposes a structural alternative: the tension field derived in AP17 and AP18 provides a global confining potential that replaces the role cold dark matter plays in structure formation. The structural mechanism is presented here. The quantitative confrontation with precision cosmological data remains an open debt.

2 — The Tension Field: A Standalone Summary

For readers without AP17 and AP18, the essential claims are summarised here.

What the tension field is. Gravity is the condition of the 0-pole (the fold) and propagation at c is the condition of the 1-pole. The break ε sits between them: the wave function collapsing from probability to actuality. The tension field is the field of ε between 0 and 1 — the substrate under tension between its two conditions.

What closure means. Field lines of the tension field must close. This follows from Axiom S (the two sectors are connected by σ) and AP06 Theorem 3.1 (leakage is nonzero: the sectors cannot fully disconnect). A field line that leaves the 1-pole must return to a 0-pole. Disconnection violates the involution.

What a_0 claims. The acceleration floor a_0 is the minimum gravitational acceleration the tension field enforces. AP18 derives the scale: $a_0 = \alpha H_0 / (2\pi)$, where $\alpha \approx 1.0445$ is the apex-symmetry factor from AP18. Below this floor, Newtonian gravity would predict zero acceleration, but the topological closure of field lines prevents this. The widest field line extends to the Hubble radius $R_h = c/H_0$; its curvature at the apex gives the floor.

What is still open. The 2π geometric factor in $a_0 = \alpha H_0 / (2\pi)$ is derived from dipolar loop geometry (AP18). With $\alpha = 2 \ln(\sec(1/2) + \tan(1/2)) \approx 1.0445$ (AP18, from the Z_2 symmetry of Axiom S) and $H_0 = 74$ km/s/Mpc, the numerical result matches the empirical MOND scale ($1.20 \pm 0.02 \times 10^{-10}$ m/s²) to approximately 0.4% (exact at $H_0 = 74.3$; AP18 §5). The residual is within measurement uncertainty. KS-39 (the numerical value) remains LIVE — EMPIRICAL in AP18; this paper inherits that uncertainty.

3 — The Vacuum Is the Covering

You have held a ball wrapped in cling film. Pull any point of the film and the entire surface responds. The film is not on the ball. The film is what makes the ball coherent.

Standard physics treats the vacuum as empty space containing fields. The axioms say the vacuum is the field. This is not metaphor. By AP20, $AS =$ manifold — identity, zero gap. The tension field is not a field on the manifold; it is the manifold's coherence.

From AP17 and AP18: the tension field of ε exists between 1 (propagation, matter) and 0 (fold, collapse). Field lines must close (Axiom S, AP06 Theorem 3.1).

At the cosmological scale, the universe is expanding (Axiom R — the monoid grows). As matter separates, the field lines connecting all 1-poles to all 0-poles stretch. But they cannot break. Disconnection violates σ .

The entire vacuum of the universe is under tension. Not metaphorically. Structurally. The vacuum is the global envelope of field lines striving for closure against the expansion.

What Λ CDM attributes to an invisible particle species, the axioms attribute to the topological structure of the vacuum itself.

You are inside the covering right now. The tension that holds the cosmic web together passes through the space between your hand and this page.

4 — Fractal Scaling

The tension field operates at every scale. The mechanism is the same; only the geometry changes.

Micro level. The tension is ε itself — the single break, quantum gravity resisting the perfect 1:1. The correction is $\delta G/G = \gamma \ell_p^2/L^2$ (AP14).

Galactic level. The tension is the Room (AP17): field lines anchoring to a central black hole, flattening rotation curves at the floor a_0 (AP18).

Cosmic level. The tension is the global covering: the entire vacuum under tension from the expansion, field lines bundling into filaments to minimise stretching energy (section 5).

One mechanism. Three scales. Not by analogy but by the same axioms operating at different densities. You have seen this pattern before — the same equation governing systems that differ by forty orders of magnitude.

That is not coincidence. That is architecture.

5 — The Formation of the Web

5.1 — Stretching energy

Every rubber band you have ever stretched stores energy in proportion to how far you pull it. Not in how hard it resists at one point — in how far the stretch extends. The tension field has this same property.

The proof follows from the axioms in two steps: first, that physical energy is proportional to the record measure; second, that this proportionality yields $E = T\ell$ for a field line of length ℓ .

Background. A tension field line connecting a 1-pole to a 0-pole has a length ℓ in the manifold. As the universe expands, that length grows. An inverse-square field stores energy in the field strength at each point (energy density $\propto \text{field}^2$); a tension field stores energy in the extent of the line itself. A rubber band stores energy in how far it is stretched, not in how hard it pulls at one end.

Lemma (Energy-Measure Bridge). Let E be the physical energy associated with a record m , and let μ be the additive measure on the record monoid (AP18 Lemma 1). Then $E(m) = k\mu(m)$ for a universal constant k .

Proof. The argument proceeds in five steps.

Step 1 (All energy from the break). The state of the universe is $1:1 + 1 \times \varepsilon$ @ AS (the axiom). The perfect symmetry $1:1$ is the zero-energy ground state. The unpaired splinter ε (Axiom B) is what gives the universe non-zero energy content. All energy is a manifestation of the break.

Step 2 (A record traces the break). A record m is the irreversible trace left on the manifold when ε actualises (Axiom R). Each record is fundamentally a record of the break manifesting.

Step 3 (The measure is additive). By AP18 Lemma 1, the record measure is a monoid homomorphism: $\mu(m_1 \cdot m_2) = \mu(m_1) + \mu(m_2)$.

Step 4 (Energy is additive). Energy conservation follows from the spacetime symmetries derived in AP05 and AP08 (via Noether's theorem, itself a consequence of the derived Lagrangian structure). The total energy of two

independent events is the sum of their individual energies: $E(m_1 \cdot m_2) = E(m_1) + E(m_2)$. Energy is a homomorphism from records to $\mathbb{R}$.

Step 5 (Single generator forces proportionality). Axiom B says the break is one element ε . Every actualisation event is the same break manifesting; every elementary record is a trace of the same ε . The record monoid is generated by copies of a single generator. On a monoid with a single generator, any two homomorphisms to $\mathbb{R}$ are determined by their value on the generator and are therefore proportional. Since both E and μ are additive functions on the same single-generator monoid, $E(m) = k\mu(m)$ where $k = E(\varepsilon)/\mu(\varepsilon)$. The monoid of elementary record events is freely generated and isomorphic to $(\mathbb{N}, +)$; the continuum measure of Lemma 1 (AP18) is its large- n coarse-graining — record density per unit volume — and the proportionality $E = k\mu$ is read at that coarse-grained level throughout.

Step 5 is where Axiom B does critical work. Without the single-generator property, two additive functions on the same domain need not be proportional (e.g. on $\mathbb{R}^2$, $f(x,y) = x$ and $g(x,y) = y$ are both additive but independent). The one-ness of the break forces the one-dimensionality of the monoid, which forces the proportionality.

You just watched a single axiom — one break, one ε — force every form of energy into a single measuring tape. That is not an assumption. It is a consequence of the architecture having exactly one crack.

Proposition 1 (Energy-length proportionality). Let a tension field line of length ℓ connect a 1-pole to a 0-pole through the manifold. Then the stretching energy stored in the line is $E = T\ell$, where $T = \lambda$ (substrate stiffness from AP15).

Proof. The argument proceeds in four steps.

Step 1 (Field lines exist). By Axiom S, the involution σ connects every element in sector $\mathcal{L}$ to a corresponding element in sector $\mathcal{P}$. A field line is the manifold expression of this σ -correspondence (AP17). Its length ℓ is a well-defined geometric quantity because $AS = \text{manifold}$ (AP20, the Embedding Hypothesis proved).

Step 2 (Measures are additive). By AP18 Lemma 1, the record measure is a monoid homomorphism: $\mu(m_1 \cdot m_2) = \mu(m_1) + \mu(m_2)$. A field line of length ℓ can be decomposed into N segments of length $d\ell_i$ with $\ell = \sum d\ell_i$. The total measure

(and hence energy, by the Lemma) of the line is the sum of the measures of its segments: $E = \sum dE_i$.

Step 3 (Constant energy per unit length). By AP08, the substrate is homogeneous and isotropic. By the Lemma, $E = k\mu$. Since μ is a measure on the manifold and the substrate is homogeneous, the energy cost to sustain a segment $d\ell$ of σ -correspondence is the same everywhere: $dE_i = T \cdot d\ell_i$, where $T = k\mu(\varepsilon)/\ell(\varepsilon)$ per unit length.

Step 4 (Combine and identify T). By Step 2, $E = \sum dE_i = \sum (T \cdot d\ell_i) = T \cdot \sum d\ell_i = T\ell$. The constant T has dimensions of energy per unit length. The argument contains exactly one such constant: the substrate stiffness $\lambda \approx 2.15 \times 10^{46}$ (AP15). λ measures the substrate's resistance to deformation; T measures the energy cost of maintaining a field line per unit length. Both characterise the same substrate. By uniqueness, $T = \lambda$.

The stretching energy of the vacuum is therefore $E_{\text{tot}} = T\sum \ell_i$, summed over all field lines. The vacuum configuration that minimises E_{tot} is the one that minimises the total length of all field lines, subject to the constraint that every line must close.

The vacuum wants to be short. The expansion forces it to be long. The compromise between these two pressures builds the web.

5.2 — Why bundling reduces stretching energy

You have watched water drain from a flat surface. It does not flow as a uniform sheet. It gathers into streams. The streams merge into channels. The channels converge to a point. This is energy minimisation in action. The tension field does the same thing — for the same reason.

Proposition 2 (Filament formation). A configuration of N tension field lines connecting distributed 1-poles to distributed 0-poles in the manifold has lower total stretching energy when the lines bundle into shared corridors (filaments) than when they run independently.

Proof. By Proposition 1, the system minimises $E_{\text{tot}} = T\ell_{\text{tot}}$. This is equivalent to minimising the total length ℓ_{tot} of all field lines. The manifold is a metric space (AP20). The problem of finding the minimum total length of connections

among N points in a metric space is the Euclidean Steiner Tree Problem. The solution is a well-known mathematical result:

- For $N = 2$ points, the minimum is a straight geodesic.
- For $N = 3$ points forming a triangle, the minimum-length connection is not two sides of the triangle. It is achieved by introducing a Steiner point inside the triangle and connecting all three vertices to it, forming a Y-junction. This is strictly shorter than any pair of direct connections.
- For $N > 3$, the minimum-length network introduces multiple Steiner points (nodes) connected by one-dimensional edges (corridors). The result is a branching tree, not N independent lines.

The Steiner tree is one-dimensional (a graph of edges and nodes), not two-dimensional. A 2D sheet connecting the same points would add surface area without reducing the total edge length; extra dimensionality costs stretching energy without improving point-to-point connectivity. The corridors of the Steiner tree are the filaments. The Steiner points are the nodes. Bundling into shared corridors is the minimum-energy solution.

You have seen this in every city you have driven through. The highway system is not a grid of point-to-point roads. It is a branching tree — shared corridors converging at interchanges. The same geometry, the same reason: minimise total length under connectivity constraints.

Corollary (scaling estimate). Consider N masses in a cube of side L . Independent lines: $E_1 \sim NTL$. Bundled into k corridors: $E_2 \sim NT(L/k^{1/3}) + TkL$. For N large, $E_2 < E_1$. This confirms the Steiner-tree result in the scaling regime.

Epistemic note. Propositions 1 and 2 establish that bundling is energetically favoured and that the minimum-energy network is one-dimensional (filaments, not sheets). However, the actual cosmic matter distribution is continuous, not a finite set of points. For continuous distributions, the full variational minimisation of E_{tot} over the expanding manifold would produce the complete cosmic-web topology — voids, sheets (walls), filaments, and nodes. The Steiner-tree result captures the dominant one-dimensional structure (filaments and nodes). The two-dimensional structures (sheets and walls) arise in the continuous limit and are not addressed here. The paper claims the qualitative result: filamentary bundling is the dominant energy-minimisation mechanism.

5.3 — Filaments from topology

In the early universe, as the manifold expands, the primordial gas tries to disperse. To disperse evenly, the gas would have to drag the tension field lines apart equally in all directions. But this maximises the total stretching energy (Proposition 1).

The field lines seek the configuration of minimum stretching energy. By Proposition 2, this means bundling into shared corridors. The primordial gas, caught in the covering, is forced to flow along these bundled tension lines.

The filaments are not made of dark-matter particles. They are the bundled lines of the substrate's own topological tension. The gas pools where the tension guides it.

You have watched a river carve a valley. The water does not choose the path. The terrain chooses it. The tension field is the terrain of the cosmos. The gas is the water. The web is the valley system — carved not by flow, but by the topology of the vacuum itself.

5.4 — The confining potential and the Jeans threshold

In standard physics, a gas cloud collapses under gravity when its mass exceeds the Jeans mass M_j . Below M_j , thermal pressure prevents collapse. The standard Jeans mass depends on the gravitational acceleration: stronger gravity $\rightarrow$ lower $M_j \rightarrow$ easier collapse.

From AP18, the tension field provides a baseline acceleration floor a_0 . At the cosmic scale, the effective gravitational acceleration of a mass M does not drop to zero as $r \rightarrow \infty$. It approaches the tension floor: in the deep regime $a(r) \approx \sqrt{a_N(r) a_0}$, with $a_N = GM/r^2$ (the AP17/AP18 interpolation), so the effective acceleration never falls below the floor scale a_0 .

Illustrative scaling argument for the Jeans-mass modification. The standard Jeans mass scales as $M_j \propto c_s^3/(G^{3/2}\rho^{1/2})$, where c_s is the sound speed, G is the gravitational constant, and ρ is the density. Adding a constant floor acceleration a_0 modifies the effective gravitational confinement. The illustrative scaling $G\rho \rightarrow G\rho + a_0/R$ (where R is the cloud radius) shows the direction of the effect, not its magnitude. For large clouds (R large, ρ small), the

a_0/R term dominates over $G\rho$. This is the low-acceleration regime where the tension floor matters most. The Jeans mass is reduced because the effective gravitational confinement is stronger than Newtonian gravity alone predicts.

Gas that would be too hot to collapse under Newtonian gravity can collapse under the additional confinement of the tension floor. You know this from experience: a tent in a windstorm collapses more easily when you anchor the ropes tighter. The tension floor tightens the ropes on the cosmic gas. The gas collapses sooner. The galaxies form faster.

Epistemic note. This scaling argument is illustrative, not quantitative. In MOND-type theories, the modified gravity enters through a nonlinear Poisson equation, and linearised perturbation theory in an expanding background with a floor acceleration is significantly more complex than the simple $G\rho \rightarrow G\rho + a_0/R$ substitution suggests. The direction of the effect (M_j decreases) is robust. The magnitude is unknown and requires the full calculation (D1).

Debt D1. The effective Jeans mass under the tension floor must be computed explicitly from the modified Poisson equation and compared to the Λ CDM prediction at relevant cosmological scales. The minimum deliverable: solve the linearised perturbation equations with the a_0 floor and compute the modified power spectrum.

6 — The Direct Vacuum

You have seen a drain form in water. The flow concentrates, the surface dimples, and once the vortex locks in, everything nearby spirals toward it. The drain was not placed there. The flow created it.

Where the filaments intersect, the gas pools. The tension lines cross. At these intersections, the local density of records spikes. The tension becomes extreme. The fabric is forced to fold.

This creates a local 0-pole — a primordial supermassive black hole. The direct vacuum.

Before this moment, the gravity of the global covering is weak and distributed. But when the direct vacuum forms, it drops a deep anchor into the manifold. It captures the local tension field. It pulls the covering tight around itself. This deepens the potential well, pulling in the surrounding gas and igniting the galaxy.

The mechanism. At a filament intersection, the record density (Axiom R) exceeds a threshold where the manifold's boundedness (Axiom C) forces compactification. The 1-pole field collapses into a 0-pole. This is not gravitational collapse in the Newtonian sense — it is the axiom of closure (C) operating at extreme record density. The fold is the manifold closing on itself locally, creating a topological anchor.

Debt D2. The compactification threshold — the record density at which Axiom C forces a local fold — is not derived in this paper. It is an open question. A future paper must specify this threshold and derive it from $\{S, B, R, C\}$, or flag it as a free parameter.

The supermassive black hole does not form after the galaxy. It forms first, at the intersection of the tension lines, as the topological anchor that forces the galaxy to exist.

Observational signature. Direct vacuums form before their host galaxies and are more massive at high redshift than conventional accretion models predict. If supermassive black holes are observed at $z > 10$ with masses exceeding $10^8 M_\odot$ — too massive to have grown by accretion since the Big Bang — the direct-vacuum mechanism is supported. JWST is finding unexpectedly massive black holes at high redshift (the overmassive-black-hole debate). Λ CDM has proposed

accommodations — direct-collapse seeds, super-Eddington accretion — so the observations are suggestive, not decisive. If the high-redshift, high-mass population firms up beyond what seed-plus-accretion can reach, the direct-vacuum mechanism gains support.

You live in a galaxy that exists because a topological anchor dropped into the manifold thirteen billion years ago. The Milky Way did not attract its central black hole. Its central black hole summoned the Milky Way.

7 — The Derivation Chain

AP06 Theorem 3.1 → field lines must close (leakage nonzero).

AP17 → tension field between 0 and 1.

AP18 → acceleration floor $a_0 = \alpha c H_0 / (2\pi)$, with Lemma 1 (monoid additivity).

AP08 → substrate homogeneity.

Lemma (Energy-Measure Bridge) (Axioms B + R, AP18 Lemma 1, AP05/AP08 Noether) → $E = k\mu$ → energy proportional to measure.

Proposition 1 (Lemma + AP08 + AP15 + AP20) → $E = T\ell$, $T = \lambda$ → stretching energy proportional to length.

Axiom S + expansion (R) → field lines stretch but cannot break → vacuum under tension.

Proposition 2 (Steiner tree on a metric manifold) → tension lines bundle into shared corridors → filaments.

Filament intersections → density spike → fold (Axiom C) → direct vacuum (primordial supermassive black hole).

Direct vacuum → deep anchor → gas capture → galaxy.

8 — Kill Switches

Kill switch numbers are globally unique across the body of work, up to two recorded collisions disambiguated by origin (KS-L.1–L.4, AP06/AP12; this paper’s KS-54 with AP23’s — renumbering candidate KS-68 at next rebind). This paper inherits KS-41 and introduces KS-51, KS-52, and KS-54. Note: the flat switches KS-41 (structure formation) and KS-42 (tension-field equation) are legacy single switches and are distinct from the dotted AP41.x and AP42.x switch families; the dotted labels do not denote sub-switches of KS-41 or KS-42.

8.1 — KS-41 — Structure formation

Claim. The tension field reproduces cosmic structure formation — the cosmic web, the galaxy distribution — without cold dark matter.

Test. Reproduce the CMB acoustic peaks, the matter power spectrum $P(k)$, and the BAO signal using only visible matter and Newtonian gravity, with no tension field. If that succeeds, nothing here is needed.

Status. LIVE — EMPIRICAL. Upgraded from untouched to structurally addressed: the mechanism is now derived, but the quantitative confrontation with CMB, $P(k)$, and BAO data is not complete. This is the hardest empirical test in the 420 Code. If the tension field cannot reproduce the CMB acoustic peaks without cold dark matter, the mechanism fails.

Recovery. If the structural mechanism stands but the quantitative fit fails at specific scales, the failure narrows to those scales and identifies where the tension field diverges from Λ CDM — a located discrepancy, not a collapse of the mechanism. If the mechanism cannot be made to fit anywhere, the paper falls and the tension-field route to structure formation closes (D1 is the deliverable that decides this).

8.2 — KS-51 — Filament topology

Claim. Gas in the cosmic web flows along tension filaments, not purely under gravitational free-fall toward mass concentrations.

Test. Gas velocity fields in the intergalactic medium should show coherent alignment along filament axes stronger than the gravitational potential of the visible matter alone predicts; the velocity dispersion perpendicular to a filament

axis should be suppressed relative to the parallel component by more than a purely gravitational N-body simulation predicts.

Status. LIVE — EMPIRICAL. If gas kinematics in the intergalactic medium are fully explained by visible-matter gravitational dynamics with no residual coherent alignment along filaments, the mechanism is weakened.

Recovery. A null alignment result weakens the filament-as-tension-corridor reading without touching the energy-minimisation derivation (Propositions 1 and 2); the recovery is to treat the filaments as energy-minimising corridors whose gas-kinematic signature is below current detectability, and to specify the threshold at which the signature would appear.

8.3 — KS-52 — Primordial anchor sequence

Claim. Supermassive black holes form before or simultaneously with their host galaxies, as topological anchors at filament intersections.

Test. Establish observationally whether central black holes precede or follow their galaxies. Early JWST data is suggestive but not conclusive.

Status. LIVE — EMPIRICAL. If observation conclusively proves that galaxies form fully before their central black holes, the direct-vacuum derivation breaks.

Recovery. If the sequence is mixed (some anchors first, some galaxies first), the direct-vacuum mechanism narrows to the high-redshift, high-mass population it most naturally explains, and the late-forming black holes are read as conventional accretion — the mechanism survives as one channel among two rather than the universal one.

8.4 — KS-54 — Web connectivity

Claim. The tension field produces a multiply-connected filamentary network whose local junctions are Steiner (120°) vertices.

Test. Measured filament-junction angle statistics inconsistent with the 120° prediction, or a global topology requiring an acyclic tree.

Status. LIVE — EMPIRICAL. Label collision with AP23's KS-54 — two distinct switches, disambiguated by origin; renumbering candidate KS-68 at next rebind.

Recovery. A failure localises to the junction model, not the energy-minimisation core.

9 — What This Establishes and What Remains Open

9.1 — What this paper closes

It establishes the structural mechanism of cosmic structure formation without cold dark matter. The vacuum is under global tension (section 3, from Axiom S and AP06). Energy is proportional to the record measure (the Lemma) and therefore to field-line length (Proposition 1). The minimum-length network connecting distributed matter is a branching tree of shared corridors (Proposition 2). Gas flows along the corridors, pools at the nodes, and the nodes fold into direct vacuums that anchor the galaxies. The qualitative picture follows from the axioms.

9.2 — What this paper does not close

It does not provide a quantitative fit to the CMB temperature power spectrum — Λ CDM fits the acoustic peaks with six parameters to extraordinary precision, and the tension field must either reproduce that fit or explain the discrepancy; this is the hardest test. It does not provide a quantitative matter power spectrum $P(k)$ or baryon-acoustic-oscillation predictions. These are not structural gaps — they are computational debts (D1). The confrontation with precision data requires solving the linearised perturbation equations with the a_0 floor and computing the resulting power spectra. KS-41 remains live until that confrontation is complete. Honest assessment: this is where MOND-type alternatives have historically struggled. The argument must do better.

9.3 — Items held open without claiming debt status

The two-dimensional structures of the web (sheets and walls) arise from the continuous-distribution limit and are not addressed; the Steiner-tree result captures only the dominant one-dimensional structure. The a_0 numerical value and its residual are inherited from AP18 (KS-39), not re-opened here.

9.4 — Where the philosophical-register implementations live

The expository-register companion for the body of work’s position that dark matter is a structural process rather than a particle species lives in Ø Predictions — its dark-sector chapters, the MOND acceleration scale, and the dark-sector partition. AP21 is the formal-register origin of the structure-formation mechanism that position rests on. A dedicated expository twin of this specific mechanism (the tension-field Steiner-tree account) is not separately written; this is recorded honestly rather than filled with a manufactured citation.

9.5 — Structural relationships to subsequent work

Within Notebook VI, AP41 (The Loop), AP42 (The Clock), and AP04 (The Loop Hypothesis) carry the cosmological $1 \times \varepsilon$ expansion and the dark-sector partition. The web AP21 builds and the expansion those papers carry are the same global tension read at two different questions: how the structure forms, and how the whole loop runs.

9.6 — The 420 Code placement

AP21 is a chapter of Notebook VI (Cosmology), downstream of the tension-field chain (AP06 → AP17 → AP18). It is the structure-formation paper of the cosmology sector.

9.7 — How the 420 Code reads now

With AP17, AP18, and AP21 in place, the body of work carries a complete structural account of galactic and cosmic structure from the tension field of ε : the floor that flattens rotation curves, the scale that floor sits at, and the web that floor builds — each derived from {S, B, R, C}, each fenced by its own kill switch, with the quantitative confrontation named as the standing debt.

9.8 — The closing

The vacuum is the tension field. The covering around the ball.

The tension bundles into filaments to minimise stretching energy — because energy is proportional to the record measure (the Lemma), and therefore proportional to field-line length (Proposition 1), and the minimum-length network connecting distributed matter is a branching tree of shared corridors, not N independent lines (Proposition 2).

Gas flows along the filaments, pooling at the nodes. The nodes collapse into direct vacuums — primordial supermassive black holes. The direct vacuums anchor the local tension, seeding the galaxies. No invisible particles are required. Structure forms because the field lines must close.

You have stood in a cathedral and felt the architecture hold the space together. The cosmic web is that — not built by invisible scaffolding poured in from outside, but held together by the structure of the space itself.

But the quantitative match to precision cosmological data is not yet demonstrated. The structural argument is sound. The computational confrontation is owed. KS-41 remains live until the debt is paid.

Claim Summary

DERIVED. Vacuum under global tension (section 3, from Axiom S + AP06). The Energy-Measure Bridge $E = k\mu$ (Lemma, from Axioms B + R + AP18 Lemma 1 + AP05/AP08 Noether). Energy-length proportionality $E = T\ell$ with $T = \lambda$ by uniqueness (section 5.1, Proposition 1). Bundling into filaments minimises energy (section 5.2, Proposition 2, Steiner tree on a metric manifold). Gas flow along filaments (section 5.3, from Propositions 1 and 2). The direction of the Jeans-mass reduction (section 5.4, illustrative scaling).

STRUCTURAL. The same axioms at three scales (section 4). The fold mechanism at filament intersections and supermassive-black-hole-first formation (section 6). The continuous-distribution extension of the Steiner-tree result (section 5.2 epistemic note).

CONJECTURAL / UNTESTED. Quantitative CMB power-spectrum match (D1), the matter power spectrum $P(k)$, the BAO predictions, the numerical Jeans mass, and whether the tension field reproduces six-parameter Λ CDM precision without cold dark matter. The compactification threshold (D2).

FALSIFICATION REGISTER. KS-41 (structure formation, EMPIRICAL), KS-51 (filament topology, EMPIRICAL), KS-52 (primordial anchor sequence, EMPIRICAL), KS-54 (web connectivity, EMPIRICAL).

Conditionality Footer

Dependencies

AP06 Theorem 3.1 (closure), AP05 (Lorentzian spacetime), AP08 (homogeneity, field equations), AP14 (quantum-gravity correction), AP15 (substrate stiffness λ), AP17 (the tension field), AP18 (the acceleration floor a_0 ; Lemma 1), AP20 (AS = manifold).

Dependents

The Notebook VI cosmology chapters that read the same global tension at the loop and dark-sector scales: AP41, AP42, AP04.

Kill switches closed by this paper

None. KS-41 is upgraded from untouched to structurally addressed but remains LIVE — EMPIRICAL until the quantitative confrontation (D1) is complete.

Kill switches that remain live

KS-41 (structure formation, LIVE — EMPIRICAL), KS-51 (filament topology, LIVE — EMPIRICAL), KS-52 (primordial anchor sequence, LIVE — EMPIRICAL), KS-54 (web connectivity, LIVE — EMPIRICAL). Inherited and unchanged: KS-39 (the a_0 numerical value, AP18).

Structural debts owed

D1 (the linearised perturbation equations with the a_0 floor; the CMB, $P(k)$, and BAO power spectra). D2 (the compactification threshold; derive from $\{S, B, R, C\}$ or flag as a free parameter).

Items held open without claiming debt status

The two-dimensional sheets and walls of the web (the continuous-distribution extension of the Steiner-tree result); the a_0 numerical value and residual inherited from AP18.

Notation Reference

ϵ — the break. The minimum viable splinter. Always Axiom B.

$\mathbf{a}_0$ — the acceleration floor. $a_0 = \alpha c H_0 / (2\pi)$. Derived in AP18.

$\mathbf{T}$ — the tension of a field line. Energy per unit length. $T = \lambda$ (substrate stiffness, AP15), proved by the Energy-Measure Bridge (Lemma, section 5.1).

λ — substrate stiffness. $\lambda \approx 2.15 \times 10^{46}$. Established in AP15. The unique constant with dimensions of energy per length in the argument. Distinct from AP17's dimensionless stiffness ratio Λ_{sub} , which shares the magnitude but not the dimensions.

μ — the additive measure on the record monoid (AP18 Lemma 1). $\mu(m_1 \cdot m_2) = \mu(m_1) + \mu(m_2)$.

ℓ, ℓ_i — field-line length.

$\mathbf{M}_j$ — Jeans mass.

$\mathbf{c}_s$ — sound speed.

ρ — gas density.

σ — the involution (Axiom S). Not velocity dispersion.

γ — the dimensionless coefficient in the quantum-gravity correction (AP14).

α — the dimensionless apex-symmetry factor, $\alpha = 2 \ln(\sec(1/2) + \tan(1/2)) \approx 1.0445$ (AP18). Not the fine-structure constant.

$\mathbf{k}$ — the universal proportionality constant between energy and measure. $k = T = \lambda$.

This work is published for free, forever.

Don't be a cunt. Be kind.

the420code.org

Series	The 420 Code
Catalogue	Ø Artist's Proofs
Proof Number	AP21
Title	The Web
Subtitle	Structure Formation
Medium	Cosmology / Physics
Artist	G

This work is Copyleft. You are free to download, print, share, and distribute.
You are not free to alter the source. Keep the signal clean.

STUDIO 