FINAL SUBMISSION PACKAGE

StagePort x CueR
The AI event twin.

Your verified twin walks the floor so you do not have to.

Gemini 2.5 Flash | Google ADK | Cloud Run-ready | MCP / A2A-ready | ECDSA P-256 receipts



LIVE DEMO

stageportxcuer.replit.app

GITHUB ARCHITECTURE

github.com/TheAVCfiles/stageport-cuer- ... ummary

ORIGIN STORY

Built from the live-room problem.

Live events run on fast decisions: who enters, who waits, who should meet, which zone is too crowded, and who approved the change.

StagePort began as a human-in-the-loop review console: ingest the event, score the condition, defer authority to a person, then seal the result into proof.

CueR applies that pattern to the event floor. Agents reason over role, pass tier, intent, zone pressure, and floor state. Humans approve. Receipts preserve what changed.

Operating spine

Twin Studio creates identity -> Maestro Floor holds live state -> Companion View renders the next cleared move -> Director approves -> signed receipt proves the decision.

JUDGE WALKTHROUGH

Open. Twin. Cue. Approve. Prove.

01
OPEN
Launch the public demo.

02
CREATE TWIN
Role, pass tier, intent.

03
ENTER FLOOR
Maestro state appears.

04
ASK CUER
Gemini/fallback rationale.

05
APPROVE
Human gate changes state.

06
VERIFY
QR + keychain receipt.

SCAN FIRST - LIVE DEMO

stageportxcuer.replit.app

PRODUCT SURFACE

One floor. Many role-safe views.

Twin Studio

creates the mobile credential



Maestro Floor

conducts the live room state

SPATIAL GROUNDING

AI needs a room to reason about.



CueR reads floor state: zones, twins, capacity pressure, pass tiers, role permissions, and event mode.

AGENT REASONING

Visible reasoning beats generic automation.

Gemini path

- zone capacity + sensitivity
- tier alignment + intent affinity
- rationale + opening line
- model + latency reported

Honest fallback

If Gemini times out or credentials are unavailable, CueR falls back to a labeled deterministic policy engine. No silent AI theater.

PROOF LAYER

The receipt becomes a thing a person can hold.





Access Keychain + Connection Keychain are independent proof rails. Approved actions seal into SHA-256 chained, ECDSA P-256 signed receipts.

LIVE ARCHITECTURE

Not one prompt. A coordinated control plane.

Twin Studio
identity
role + pass tier + intent

Maestro Floor
live room state
zones + pressure

CueR Agent
Gemini reasoning
proposal

Scorer Agent
floor integrity
risk + capacity

Human Approval
director gate
authority stays human

QAR Agent
mint receipt
chain + signature

Keychains
access + connection
exportable proof

GITHUB ARCHITECTURE
github.com/TheAVCfiles/stageport-cuer-hackathon#architecture-summary

GOOGLE TECH FIT

Built for net-new agents.

Gemini 2.5 Flash

structured proposal reasoning

Google ADK

root agent + scorer + keychain delegation

Cloud Run-ready

FastAPI service + deployment path

MCP adapter

CueR tools exposed to agent clients

A2A-ready

agent-card discovery posture

SSE + Postgres

live floor state + durable demo

Challenge posture

Primary judge surface: public demo. GitHub: sanitized evaluation surface. Cloud Run / ADK: Google-native proof layer. StagePort core remains private.

SCAN PAGE

Active judge links.

LIVE DEMO

stageportxcuer.replit.app

DEMO VIDEO

stageportxcuer.replit.app/submission-video/

GITHUB ARCHITECTURE

github.com/TheAVCfiles/stageport-cuer-hackathon#architecture-summary

Submission sentence

StagePort x CueR turns live event access and introductions into a governed agent workflow: CueR reasons over the room, the human director approves, and every action becomes a signed receipt.