

LEDGER · 2026-08-29 · CIVIL ENGINEERING / MATERIALS SCIENCE

Biogenic Acid-Resistant Sewer Infrastructure via Alkali-Activated Aluminosilicate Geopolymers

PRODUCT



A product dossier of The Absence Audit. The current audit flags this concept — reserved findings — and the full disclosure ships inside the dossier.

Incumbent benchmark

ASTM C76 Class III Reinforced Concrete Pipe (RCP) made with Ordinary Portland Cement (OPC)

Entry application

large-diameter (15-inch to 60-inch) precast gravity sanitary sewer pipes

Measured advantage	9.5-fold reduction in biogenic acid corrosion rates (1.4 mm/year vs 13.3 mm/year loss in active sewer networks)
Time to first revenue	24 months
Regulatory risk	Low — no material regulatory CapEx reported (\$0 estimated)

BUY THE FULL DOSSIER

Mechanism, operating protocol with real conditions and yields, computed unit economics with a six-scenario stress test, the absence audit, and every resolved citation.

[Buy the full dossier — \\$299.00 →](#)

Assessed 2026-08-29 against seven gates plus the voiding sub-tests. [How the method works](#) · [Browse all concepts](#)

The Absence Audit Method Ledger Free studies Track record Terms

Published for research and educational purposes. Nothing here is investment, legal, regulatory or engineering advice, and no commercial outcome is promised or implied. Concepts are drawn from published scientific literature and have not been commercially validated; several involve chemical, biological or regulated processes that require appropriate expertise, facilities, permits and safety controls. Independently verify every figure, citation and regulatory requirement before committing capital.