

Tunisia, audited — the state program, complete

The Fed transmission measured, the program architecture, the instruments, the financing, the gates, the signature path — every line cited.

Provenance law: MEASURED = cited anchor · DERIVED = arithmetic on measured values · ASSUMED = declared default. commercially-validated = 0 — no buyer has signed anything; published as zero on purpose. Generated 2026-09-09 by nations_audit.py / make_nations_pdfs.py — the same code that renders the page.

1. The Fed transmission — measured, not restated

World Bank API, measured 2026-09-09 (Pg1): external debt **\$40.46B, 78.7% of GDP**; debt service **26.2% of export revenues**; reserves **\$9.34B** = 4.3 months of imports; food \$3.00B + fuel \$4.90B of imports; CA -1.5% of GDP; growth 2.5%, inflation 5.2% (2025).

Channel 1 — the debt trap: the “original sin” (Pg12) — no long-term borrowing in the dinar abroad — exposes the state to the Fed cycle (Pg13): Fed hikes lift global yields, refinancing turns expensive, and the 26.2% of export revenues that debt service absorbs compounds while reserves (4.3 months) drain.

Channel 2 — imported inflation: the rate differential pulls capital to US safe assets, the dinar depreciates, and the dollar invoice on food (\$3.00B) and fuel (\$4.90B) inflates. The BCT — autonomous, non-monetizing under Organic Law 2016-35 (Pg4/Pg5) — must hold rates to defend the dinar: correct orthodoxy, strangled growth.

The loop’s answer: owned export engines earn ~\$117M/yr of gross exports outside the Fed cycle; the substitution legs take \$152M/yr out of the dollar invoice directly; reserves rise, the rating runs B-/Caa1 → BB-, and the refinancing premium shrinks for the state with its own hard-currency engines. Not defiance of the Fed — independence from the channel.

2. The state program — architecture, instruments, financing, adoption

Counterparts — who signs what

INSTITUTION	INSTRUMENT	ROLE
GCT (Tunisian Chemical Group)	acid-stream MOU + sampling agreement	the treasury's feedstock
SONEDE	municipal/industrial water offtake at >=\$0.68/m3 gate	water contracts under the existing regime
STEG	25-year PPA under the IPP regime (500 MW class)	the power leg's revenue
Ministry of Industry, Mines & Energy	program sponsor; tender registration	the executive mandate
Ministry of Health	biomonitoring + cohort registry	the scoreboard

INSTITUTION	INSTRUMENT	ROLE
CNSTN	NORM licensing for the uranium route	the regulatory pass
Ministry of State Domains & Agriculture	40-year leases under Law 93-120 (86,000 ha available)	the land
BCT	reserve/rating path; FX policy coordination	the monetary endgame

Legal instruments — nothing new needs to be invented

INSTRUMENT	WHAT IT PROVIDES	CITATION
Organic Law 2016-35 (BCT)	monetary autonomy; the program does NOT monetize	Pg4/Pg5
IPP regime — Law 2015-62 & 2024/25 awards	renewables concessions; ~\$31/MWh PPAs; 500 MW precedent	Rc13
PPP framework — Law 2015-49	desal/metals as PPPs where the state is the offtaker	Pg2
Law 93-120 (state-domain leases)	40-year agricultural leases; ~86,000 ha earmarked	Rc19
NORM/radiological regime (CNSTN, IAEA standards)	the uranium route's license layer	Pg11/Rm12

Financing stack — staged, gated, modeled in code

STAGE	FINANCING	GATE / CONDITION
Phase 0 (\$150-253k)	grant / founder / early mandate	no DFI needed; 90 days
Health pilot (\$58k)	ESG/grant	the first scoreboard numbers
Metals plant (~\$100M)	60% debt @7% + offtake security; MIGA	DSCR >=1.2 at contract prices (nations_v5)
Solar (500 MW, ~\$550M)	DFI stack: EIB/AfDB/WB-IFC at 4.5% + MIGA; or lean build	DSCR gate inside the bankable region (nations_v5)
Desal (~\$165M)	70% debt @6% + municipal offtake + sovereign backstop	blended >=\$0.68/m3, >=60% pre-sold
Terfas + food (\$7-35M)	concessional agri + founder	nursery first
EU Global Gateway (17 GW)	the national envelope this program plugs into	Pg7

Governance

- every gate is a public number — published, dated, re-checkable
- health fund separate from the industrial SPVs; one shared data platform
- quarterly scoreboard: water chemistry, filter uptime, cohort KPIs, price index in Gafsa/Gabes
- each pilot passes or dies alone, in public — the falsification ladder is the governance
- commercially-validated ledger published at zero until the first signature moves it

Adoption path — what the state signs, in order

1. **Month 0:** the state signs: GCT sampling MOU + Phase 0 mandate (\$150-250k, 90 days, no construction)
2. **Day 90:** two anchor measurements land: the 100-point water panel and the acid-stream assays — every projection becomes a signed number
3. **Months 4-18:** pilots on public gates: acid pilot, 100 ha terfas + nursery, spirulina pond, solar bid, desal offtake, health KPIs
4. **Years 2-5:** build only what passed: metals, solar, desal, health at basin scale — module by module, each with its own financing
5. **Years 5-10+:** the full loop: municipal spine, compute colocation, hydrogen, brine valorization — the destination the original design described

3. The household ledger — what this does to the cost of living

A state program that does not make life cheaper for its people is decoration. Each line, computed from the same primitives as the rest of this document; the quarterly price index in Gafsa and Gabès is the published enforcement: **the price of protein and vegetables must bend downward within 24 months of the first harvest.**

HOUSEHOLD LINE	TODAY	AFTER THE LOOP
Water	\$1.00-1.50/m ³ (SONEDE produced)	\$0.35/m ³ coastal · \$0.34/m ³ inland
Protein	\$15-25/kg imported	\$5-10/kg local
Terfas	export €20-40/kg	one third stays home at ≤€12/kg, contractual
Health	the disease's bill	\$2,592 per healthy year vs the \$4,000/DALY standard
Energy (grid)	\$0.110/kWh industrial	\$0.031/kWh for the loop's loads; tariffs stay state policy
Work	28% unemployment (54% women graduates)	workshop, nursery, ponds, plants, crews

3. The energy ledger — what power costs, per party

Anchors cross-checked: Rw10 (0.352 TND/kWh industrial, 19 TWh), Pg14 (the government's own 1,100 GWh = 5% of production, ~\$125M/yr gas saving), Rc13 (\$31/MWh inside the \$24-35 historical bid band), Pg15 (fuel imports \$4.895B, WITS-verified).

PARTY	TODAY	AFTER THE LOOP	THE DELTA
The loop's industries	grid \$0.110/kWh	\$0.031/kWh on the loop's PPA	-72%
The state	19-22 TWh/yr, ~95% gas, \$4.90B fuel bill	876 GWh/yr solar (4.0-4.6% of production)	-\$106-125M/yr gas imports (\$114-142/MWh band)
The household	subsidized STEG tariff	the cost stack beneath the tariff falls	the inflation channel throttled — every dinar protected

3. The frontier — where the loop reaches, and where it honestly stops

The complete household budget, swept — nothing hidden, nothing promised beyond the frontier.

HOUSEHOLD LINE	STATUS	THE HONEST NOTE
Electricity (household tariff)	indirect	household tariffs stay subsidized STEG policy; the loop lowers the cost stack they sit on and the subsidy burden the state carries
Cooking gas (the bonbonne)	out of scope	the loop displaces grid gas, not bottled LPG; the bonbonne subsidy is a separate state decision
Transport fuel	out of scope today	the hydrogen leg serves ammonia for the fertilizer chain; transport fuels are a later policy question
Wheat and bread subsidy	out of scope	the protein stack complements the grain program; it does not replace it
Water	covered	cost floor \$1.00-1.50 -> \$0.35 coastal / \$0.34 inland
Health	covered	\$2,592 per healthy year vs the \$4,000 standard
Protein	covered	\$5-10/kg local vs \$15-25/kg imported
Work	covered	the workshop, nursery, ponds, plants, crews where unemployment is 28% (54% for women graduates)
Housing	out of scope	the loop does not build housing; named so it is not promised

The water stack — line-by-line, with each credit's failure mode

The \$0.347/m³ audit: the base is measured anchors; each credit is a loop-internal yield with a named failure mode; the degraded cascade still clears the \$0.68 gate.

LINE	\$/M ³	PROVENANCE	WHAT MAKES IT FAIL
Base — solar energy 4 kWh/m ³ at the loop's own PPA + capex + O&M	\$0.567	MEASURED anchors (Rc13/Rw2/Rw3)	holds — if even the PPA lapses, grid power takes the base to \$0.88, still under SONEDE
DC reject heat → RO feed preheat — one seawater pipe cools the servers, then arrives warm at the membranes (SEC −2.5%/°C)	−\$0.007	DERIVED — Leg 03 + Leg 01, same pipework	fails only if no compute anchor tenant — and costs \$0.007
Kiln/exotherm preheat — the acid plant and board kilns warm the same feed	−\$0.000	DERIVED — Leg 04/05 waste heat	negligible by design — carried at zero margin
Brine valorization — salt/Mg evaporated on the loop's own free heat, sold at the park gate (of-take signed; nothing hauled)	−\$0.137	DERIVED — brine is the desal's own by-product	if the of-take is not signed by FID, the credit degrades to −\$0.03 (disposal avoided only) — the biggest single sensitivity
Shared civil works — one intake, one outfall, one grid connection serves RO + DC + metals in the same park	−\$0.032	DERIVED — 12% capex sharing	if the park phases one module at a time, halve it to −\$0.016

LINE	\$/M ³	PROVENANCE	WHAT MAKES IT FAIL
Dispatch value — the desal's own flexibility follows the loop's own solar curve	−\$0.015	DERIVED — 20 GWh shifted	fails to zero if the STEG contract does not reward flexibility — contractual, not hoped
ESG financing delta — the health leg's public KPIs reprice the loop's own debt (100–150bp)	−\$0.026	DERIVED — nations_v3	fails to zero if lenders do not accept the KPI track record — bankable-region fallback keeps the module alive
Brine pump-as-turbine — the desal's own residual pressure	−\$0.002	DERIVED — 2.5 bar × 75%	fails to zero — immaterial
Integrated	\$0.347/m³	28% of SONEDE's \$1.00-1.50 (Pg16)	the degraded cascade: if every soft credit fails, water still lands at \$0.521/m³ — under SONEDE's own \$1.00–1.50, and the \$0.68 gate still clears with margin. The credits are the margin, not the plan.

The AI spine — the system's nervous system, and its boundary

The AI runs the measurement, the routing and the publication — never the decisions.

COMPONENT	WHAT IT DOES	WHAT IT IS WORTH
The dispatcher	routes every joule and m ³ in real time: solar → desal → electrolyzer → ponds → DC cooling, following the solar curve minute by minute	worth the 20 GWh/yr of dispatch value — the AI is what collects it
The scoreboard	computes and publishes every gate number automatically — filter uptime, urinary F, DSCR, yield records — tamper-evident, no human can edit a gate	the public contract, machine-audited
The price index	tracks the Gafsa/Gabès household basket quarterly and publishes the bend — the people's enforcement metric, computed not curated	the number that proves the prices bend, or proves they do not
The cohort engine	runs the 3,000-family health baseline, dose-outcome analytics and anomaly flags for the clinical team	the DALY ledger becomes a live dataset
The dispatcher twin	a digital twin of the loop (energy, water, brine, heat) that simulates before any physical change and audits after	the falsification ladder, automated
The boundary	the AI never sets a gate, never signs a contract, never prices a tariff — it measures, routes and publishes. The decisions stay human, in public.	the guardrail that keeps the nervous system a servant, not a master

The results framework — what a World Bank board reads first

The scoreboard IS the M&E system (PforR class, Pg23).

INDICATOR	BASELINE	TARGET	DATA SOURCE
Filter uptime, pilot households	0% (filters not installed)	≥70%	scoreboard, live
Urinary fluoride, pilot children	baseline to be measured (Day 1-30)	−20%	cohort engine

INDICATOR	BASELINE	TARGET	DATA SOURCE
Household price index, Gafsa/Gabès	baseline Qo	bend downward ≤24 months after first harvest	price index, quarterly
Water produced cost	SONEDE \$1.00-1.50/m ³ (Pg16)	≤\$0.35/m ³ integrated	plant telemetry
Energy recovered inside the loop	o GWh/yr	33.9 GWh/yr + 20 GWh dispatch	dispatcher ledger
Gas imports displaced	\$4.895B fuel bill (Pg15)	−\$106-125M/yr	WITS Comtrade, annual
Uranium recovered from the acid stream	o (lost to the sea)	≥85% recovery gate	assay chain
Terfas hectares planted	o ha	100 ha gate → 2,500-3,000 ha	nursery registry
Jobs in the basin	28% unemployment (54% women graduates)	workshop → nursery → plants → crews	employment registry

The people's energy is electrons, not hydrogen — and the H₂ lives inside the loop

The loop's H₂ (2.63 kt/yr) is an industrial molecule: per kWh of heat, green H₂ at \$0.21 is 7× the loop's \$0.031/kWh electron; blending caps at 5-20% by volume (Pg20/Pg21/Pg22); the whole H₂ volume equals 0.0% of grid-gas demand. The molecule goes where only a molecule works: ammonia for the GCT chain, inside the loop. the electrolyzer sits on the desal line, and everything it touches stays in the loop: the water it splits is the SWRO permeate (0.04% of the 150,000 m³/d output); its un-split reject stream is clean water that returns to the product line; its oxygen by-product aerates the spirulina ponds and greenhouses; its stack heat (15–20% of input) joins the kiln and DC reject heat on the desal preheat circuit; and the minerals concentrated in its flush stream join the brine valorization line. The electrolyzer is not a consumer of the loop — it is another recovery point inside it.

4. What the state receives

External account: ~\$279M/yr of exports + import substitution + financing delta at full phase — measured against the 26.2% of export revenues that debt service takes today. **Rating path:** B-/Caa1 → BB- and reserves 4.5 → 6+ months as the owned-export engines compound (Rc11). **Health scoreboard:** the basin's water chemistry, DALY ledger and filter uptime become public KPIs — the collateral that lowers the price of every loan. **Jobs:** workshop, nursery, ponds, plants, solar crews, health workers — in the towns where the 2008 and 2015 blockades began. A job is the cheapest peace treaty ever signed.

5. The gates are public — the state sees every number

MODULE	GATE	PASSES ON
Health pilot (100 households, 2 schools, 90 days)	filter uptime ≥70%, urinary F ↓20%	public KPIs
Metals pilot	U recovery ≥85%, all-in ≤\$75/lb, offtake signed	GCT stream

MODULE	GATE	PASSES ON
Solar	DSCR ≥ 1.15 inside the bankable region, or grant support	PPA award
Desalination	$\geq 60\%$ contracted offtake, blended $\geq \$0.68/\text{m}^3$	brine permit
Terfas	3-season record $\geq 200 \text{ kg/ha}$ at $\geq \text{€}20/\text{kg}$; quota clause signed	scaling toward 2,000-3,000 ha

6. Phase 0 — what the 90 days produce for the state

Two anchor measurements — the 100-point water panel and the acid-stream assays (\$75k of the \$253k list) — plus the emissions inventory. Every projection on this page becomes a signed number before one brick is laid. Nothing is asked of the state beyond cooperation, and every gate is a number the state can check.

What this document is: a concept-level engineering design whose numbers are computed in code from sourced primitives — recomputed, corrected, and applied into the design. Free and public.

What it is not: a commissioned state program, a bank-grade feasibility study, an investment offer, or a claim that any of this has been built. Nothing here is advice to any government or any investor. Nothing replaces geological, radiological, geotechnical or EPC-level surveys. Verify every figure and citation before relying on any of it.

Works cited

- [Rm17] GCT throughput (~6.5 Mt phosphate rock/yr; >10 Mt/yr PG at peak; 'hundreds of millions of tons' discharged at Gabès) — http://www.gct.com.tn/fileadmin/user_upload/Downloads/Rapport_Annuels/GCT-ANNUAL-REPORT-2012-PART1.pdf...
- [Rw7] Tunisian water tariffs: SONEDE 0.200-2.310 TND/m³; irrigation 0.060-0.160 TND/m³; groundwater 0.112-0.162 TND/m³ — <https://www.sonede.com.tn/tout-savoir-sur-leau/la-facture-deau-methodes-de-paiement/>...
- [Rw10] Tunisia grid: STEG 5.9 GW, ~19 TWh/yr, 95% gas-fired, renewables <5%, industrial tariff 0.352 TND/kWh; budget deficit 5-7% GDP, debt ~83% GDP — <https://www.trade.gov/country-commercial-guides/tunisia-electrical-power-systems-and-renewable-energy...>
- [Rw12] Tunisia land law: foreign ownership of agricultural land prohibited; 40-year leases only; state-domain conversion is an administrative hurdle — <https://2009-2017.state.gov/e/eb/efd/2008/101021.htm...>
- [Rc11] Tunisia sovereign ratings: Moody's Caa1 (Feb 2025 upgrade, stable); Fitch B- (Sep 2025, affirmed Jan 2026); reserves ~4.5 months im port cover; WACC 10-15% — <https://www.fitchratings.com/research/sovereigns/fitch-upgrades-tunisia-to-b-outlook-stable-12-09-2025...>
- [Rc12] Who finances Tunisia: EIB, AfDB, KfW, World Bank/IFC, EU Global Gateway (17 GW renewable programme); no active IMF program — <https://international-partnerships.ec.europa.eu/policies/global-gateway/17-gw-renewable-energy-programme-tunis...>
- [Rc13] Empirical IPP record: 500 MW solar awarded 2024/25 (Scatec, Qair, Voltaia 25-yr PPAs at ~\$0.031/kWh); installed renewables ~40 0 MW; STEG debt >\$1.3B — <https://www.engineeringnews.co.za/article/scatec-awarded-ppas-for-wind-solar-projects-in-tunisia-2026-01-26...>
- [Rc19] Tunisia arid land: ~86,000 ha of state domain earmarked for 40-year agricultural leases (Law 93-120) — <https://documents1.worldbank.org/curated/en/926441468778187741/pdf/multiopage.pdf..>
- [Ru2] URANEXT/OCP (Morocco) building the first modern yellowcake-from-phosphoric-acid plant, ~\$100M CAPEX, El Jadida, 2025 — <https://northafricapost.com/87963-uranext-to-build-moroccos-first-yellowcake-uranium-plant-in-el-jadida.html...>