



AIDF GROUP™

**EXPERIENCE
THE AIDF MAGIC**

ALUMINUM G.
PROFILE SYS.
FOR THE FINEST BUILDINGS
IN INDIA



AIDF GROUP™





RELIABLE AND DURABLE PRODUCTS



COMPLETE ENVELOPE SOLUTIONS

Introduction

Since our inception the aidf brand has made a commendable mark in the industry through its state of the art interior products range. Our products are manufactured using the most advanced machinery and technology to provide great durability and quality by which we aim to reach distinguishing levels of success through our constant dedication and diligence.

As an eminent manufacturer and supplier, the various items offered by us are

- Aluminium Glass Partition Systems
- Skirting Systems
- Floor Interface Transition Profiles
- Groove Profiles
- Expansion Joint Systems
- Cover Plates
- Step Edges
- LED Step Edge and Skirting Systems
- Corner Guards
- Wall Guards
- Entrance Matting Systems
- Pencil Trays
- Edge Profiles
- Ramp Profiles
- Hardware Accessories for Aluminum Doors

EXPERIENCE

QUALITY

DESIGN

PERFORMANCE


RANGE





AIDF GROUP™

MODULAR FIXED GLASS PARTITION SYSTEM






PINT 25mm (Single Glaze Partition System)

The Pint demountable office partition system can be equipped with strong acoustic insulation for more relaxing atmosphere within the large office space. It can be used with glass to glass dry joints including flush aluminium.

Technical Specifications


Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2600 mm / 3600 mm
Standard Size	25 x 22 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing



- Standard track section : 25mm x 22mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable glass thickness of 10mm to 12mm.
- Single glazed system.
- Sound insulation capacity of 32 - 36 dB.



AIDF GROUP™



PREMIUM


45mm (Single Glaze Partition System)

The Premium demountable office partition is a superior lightweight profile system. It is based on a 45 mm x 20 mm glazing seal and bead with a selection of door frame options. Premium frame provides an elegant and cost effective design solution.

Technical Specifications

Material
Surface Finish
Length Size
Standard Size
Gauge
Coating Thickness
Installation

Aluminium
Anodized / Powder Coated / SS Finish
2600 mm / 3600 mm
45 x 20 mm
2 mm (approx)
Anodized - 15-20 Microns (Avg.)
Powder Coated - 50-70 Microns (Avg.)
Screw Fixing



- Standard track section : 45mm x 20mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable glass thickness of 10mm to 12mm.
- Single door frame size to allow for flush door of 40mm-42mm.
- Single glazed system.
- Sound insulation capacity of 28 - 32 dB.



ULTRA


75mm (Single Glaze Partition System)

The Ultra demountable office partition is another superior range of Aidf products that has a proven track record. It is based on a 75mm x 20mm glazing seal and bead with a selection of door frame options.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2600 mm / 3600 mm
Standard Size	75 x 20 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing

- Standard track section : 75mm x 20mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable glass thickness of 10mm to 12mm.
- Single door frame size to allow for flush door of 40mm or 42mm.
- Single glazed system.
- Sound insulation capacity of 32 - 34 dB.





AIDF GROUP™

ULTRA-STRONG


102mm (Single Glaze Partition System)

The Ultra-Strong demountable office partition is another superior range of Aidf products that has a proven track record. It is based on a 102mm x 20mm glazing seal and bead with a selection of door frame options.

Technical Specifications


Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2600 mm / 3600 mm
Standard Size	102 x 20 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing

- Standard track section : 102mm x 20mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable glass thickness of 10mm to 12mm.
- Single door frame size to allow for flush of door of 40mm or 42mm.
- Single glazed system.
- Sound insulation capacity of 32 - 34 dB.





AIDF GROUP™



ULTRA MAX


80mm / 100mm (Double Glaze Partition System)

The Ultra Max demountable office partition provides excellent acoustic values. It is based on a 80 x 30 mm glazing seal and bead with a selection of door frame options.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3000 mm
Standard Size	80 x 30 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing

- Standard track section : 80mm x 30mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable glass thickness of 10mm
- Partition height offered upto 3000mm.
- Double glazed system.
- Sound insulation capacity of 38 - 42 dB.





STILE DOORS


45mm x 75mm Stile Door

The Stile frame door accommodates standard door hardware including concealed closer and drop down seals if required. This door can be used with ULTRA-MAX series and ULTRA-STRONG series.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2.44 Meters
Standard Size	45 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing

- Standard track section : 45mm x 75mm
- comfortable of glass thickness of 10mm
- Partition height can be offered upto 2600mm / 3600mm.
- Single glazed systems.
- Sound insulation capacity of 32 - 36 dB.





AIDF GROUP™


SKIRTING SYSTEMS



AIDF GROUP™

SCREW ON SKIRTING

Aid Alf Aluminium screw on skirting, is ideal to cover any type of wall base to protect from foot scratches and also to cover any type of flooring covering thereby providing a neat finish on the joint. It is installed using a screw covered by PVC beading for neat fixing.




PVC Integral End Caps

50mm - SK

75/100mm - SK

125/150mm - SK



ADVANTAGES

Available in natural silver anodized, stainless steel finish & powder coat finish

Choice of 5 heights- 50mm, 75mm, 100mm, 125mm, 150mm

Design allows to cover the flooring edges and gives a smooth finish.

Supplied in 3m lengths (End caps & rubber bidding included. extra end caps available on request)

Aluminium beading instead of rubber beading is also available. Quick and easy mechanical fix

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Height	50/75/100/125/150 mm
Gauge	1.0 - 1.5 mm (approx)
Projection from installed surface	5.1 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Flexible PVC / Aluminium Strip
End Caps	Hard PVC
Installation	Screw fixing



AIDF GROUP™

STICK ON TOE SKIRTING

Aidf Aluminium Toe Skirting provide a modern, streamlined finish for a variety of commercial environments. Using clean, simple lines, the range is ideal for areas where a Hi-Tech appearance is required.




End Caps



Internal Corner



Corner



ADVANTAGES

- Available in natural silver anodized, stainless steel finish and powder coat finish
- Choice of 3 heights - 60mm, 80mm, 100mm
- Sit-on profile - designed to be installed on top of floor coverings
- Features a capped toe design to allow wall-to-floor expansion gaps to be hidden when installed with tiled floor coverings
- PVC End cap accessories available for neat finishing on-site
- Quick and easy to fit using appropriate adhesive

Technical Specifications


Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Height	60/80/100 mm
Gauge	1.2 mm (approx)
Projection from installed surface	11 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Pressure Sensitive Adhesive / Construction Adhesive
End Caps	Hard PVC
Installation	Adhesive fixing



AIDF GROUP™

LINE SKIRTING

Aidf Aluminium Line skirting is designed to meet the requirements of modern commercial environments, providing a Hi-Tech finish for a clean and simple appearance whilst offering a practical and functional solution for concealing low voltage cables.



ADVANTAGES

- Available in natural silver anodized, stainless steel finish and powder coat finish
- Choice of 2 heights - 75mm, 100mm
- Sit-on profile - designed to be installed on top of floor coverings
- Design allows low voltage (computer & telephone) cables to be hidden behind the skirting profile
- PVC End cap accessories available for neat finishing on-site
- Quick and easy to fit using appropriate adhesive

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Height	75/100 mm
Gauge	1.4 mm (approx)
Projection from installed surface	10 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Aluminium Clip
End Caps	Hard PVC
Installation	Base-Screw on / Cover-Snap Fit




AIDF GROUP™

EASY FIX PVC SKIRTING

Aidf EASY FIX PVC SKIRTING provides a modern, streamlined finish for a variety of commercial environments. Using clean and simple lines, the range is ideal for areas where a stylish appearance is required.

ADVANTAGES

- Available in natural silver anodized, aluminium finish.
- Sit-on profile - designed to be installed on top of floor coverings
- PVC End cap accessories available for neat finishing on-site
- Design allows low voltage (computer & telephone) cables to be hidden behind the skirting profile.
- Snap Fit design has a removable upper part which allows for painting and wall papering without unscrewing the skirting profile.
- Due to material flexibility this skirting profile adjusts itself to minor irregularities of walls and floors.
- Extremely easy to fix using appropriate screws



Technical Specifications

Material	PVC
Length Size	3.0 Meters
Height	70 mm
Gauge	1.2 mm (approx)
Projection from installed surface	22 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.)
Adhesive for installation	Pressure Sensitive Adhesive / Construction Adhesive
End Caps	Hard PVC
Installation	Screw fixing




AIDF GROUP™

LED SKIRTING

Aid Alf Aluminium Skirting with LED-strip lighting system distributes the light along the entire length of the profile through a diffuser element.

It is also possible to insert the dimmer in order to adjust the luminous intensity of the skirting light to decorate and light up the room.

Technical Specifications



Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Height	75 mm
Gauge	1.5 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Flexible PVC
Installation	Screw fixing

ADVANTAGES

- Sleek design with LED gives a pleasant ambience
- Available in natural silver anodized, Stainless Steel Finish and Powder coated.
- Sit-on profile - designed to be installed on top of floor coverings
- Design allows low voltage (computer & telephone) cables to be hidden behind the skirting profile.
- Special LED adaptor is hidden behind the profile.
- Quick and easy to fit using appropriate screws.

EASY CARE



AIDF GROUP™



FLOOR INTERFACE
TRANSITION PROFILES
T PROFILE
Z PROFILE
**& OTHER TRANSITION
PROFILE**



AIDF GROUP™


T PROFILE

Aidf T Profile is used to joint different floor coverings of same heights.

This profile allows slight imperfections in joints to be covered along with natural expansion in flooring materials such as wood and laminated floors.

ADVANTAGES

- Available in natural silver anodized and stainless steel finish.
- Choice of 6 Widths Available
- Use of PVC clip with aluminium base gives additional strength to the profile to withstand high traffic
- Special grooves in PVC clip allows to cover variable heights from 6 to 10 mm
- Quick and easy to fix using appropriate adhesive / screws



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2.44 / 3.0 Meters
Width	6 / 10 / 16 / 20 / 30 / 40 mm
Gauge	1.2 mm (approx)
Coating Thickness	Anodized Powder Coated
Adhesive for installation	Pressure Sensitive Adhesive
Installation	Adhesive / Screw Fixing



Z PROFILE


Aidf Z profile is a single piece carpet profile which is commonly used at door interfaces to provide a smooth and safe transition between carpet and different types of hard floorings. The design of the profile secures and conceals the flooring to provide a smooth finish and also protect the edge of the floorings. The carpet is fitted into the profile and then the top is flattened to provide a secure fit.



ADVANTAGES

- Available in natural silver anodized and stainless steel finish.
- The Z shape design allows the profile to be fitted on variable height floorings from 4 mm to 10 mm.
- The special Z shape design allows the profile to form a ramp shape if there is level difference between the floorings.
- Single piece profile ensures a secure fitting.
- Quick and easy to fit using appropriate adhesive

Technical Specifications



Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2.44 / 3.0 Meters
Width	28 mm
Gauge	1.4 mm (approx)
Coating Thickness	1.5 - 8 mm (approx)
Adhesive for installation	Anodized - 15-20 Microns (Avg.)
Installation	Powder Coated - 50-70 Microns (Avg.)
	Screw Fixing





AIDF GROUP™

FLEXI PROFILE


AidF Flexi Profile is a single piece carpet profile which is commonly used at door interfaces to provide a smooth and safe transition between carpet and different types of hard floorings.

To install this profile special screws which slide under the profile channel are screwed to plugs drilled into the floor at distance of about 1 to 2 feet which locks the profile to the floor.

ADVANTAGES

- Available in natural silver anodized and stainless steel finish.
- Use of sliding screws allow for a quicker fixing of the profile.
- Special design of the profile allows to cover slight level differences in floors.
- Choice of 3 widths available
- Quick and easy to fit using appropriate screws / adhesive

Technical Specifications



Material
Surface Finish
Length Size
Width
Gauge
Coating Thickness
Installation

Aluminium
Anodized / Powder Coated / SS Finish
2.44 / 3.0 Meters
30/40/50 mm
1.4 mm (approx)
Anodized - 15-20 Microns (Avg.)
Powder Coated - 50-70 Microns (Avg.)
Screw Fixing





PVC FLOOR TRIM


This PVC profile is two piece profile which offers a versatile and simple solution for common interfaces between floor coverings that require room for expansion such as wood, wood laminate with other floorings such as carpet, vinyl and stone.



ADVANTAGES

- It is a self leveling profile which offers a choice of heights between 5 to 8 mm.
- It can be slightly curved as per site requirement.
- Available in 6 different colors.
- Quick and easy to fit using appropriate screws / adhesive
- Suitable for use in pedestrian and trolley traffic applications such as high street shops, schools, hotels and offices

Technical Specifications



Material	PVC
Length Size	3.0 Meters
Width	37 mm
Gauge	1.5 mm (approx)
Capping Strip	Flexible PVC
Installation	Screw fixing




CHOOSE THE RIGHT PROFILE BASED ON YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION






ALUMINIUM FLOOR TRIM

This two piece aluminium top and PVC base profile offers a versatile and simple solution for common interfaces between floor coverings that require room for expansion such as wood, wood laminate with other floorings such as carpet, vinyl and stone.

ADVANTAGES

- It is a self leveling profile which offers a choice of heights between 5 to 8 mm.
- Available in natural silver anodized and stainless steel finish.
- Quick and easy to fit using appropriate screws / adhesive
- Suitable for use in pedestrian and trolley traffic applications such as high street shops, schools, hotels and offices

Technical Specifications



Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Width	42 mm
Gauge	1.5 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Flexible PVC
Installation	Screw fixing




CHOOSE THE RIGHT PROFILE BASED ON YOUR APPLICATION



EASY CARE AND MAINTENANCE




EASY INSTALLATION






AIDF GROUP™



TILE TRIMS EDGE PROFILES RAMP PROFILES FOR FLOORS




ALUMINIUM SQUARE TRIM

Aidf Aluminium Square Trim provides a neat solution for protection of edges of wall corners and floors. These trims are ideal for edging and protection, for clean separation of different flooring finishes and for visual demarcation of different areas.

ADVANTAGES

- Variety of heights available.
- Available in natural silver anodized and stainless steel finish.
- Suitable for use in pedestrian and trolley traffic applications such as high street shops, schools, hotels and offices
- Ideal for edging and protection.



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3 Meters
Height	8 / 10 / 12 / 14 / 16 mm
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION




AIDF GROUP™




ALUMINIUM LINE TRIM


Line Trim L shaped edging profile for walls and floors with a narrow visible edge




Code : ALT 6 C
ALT 6 S



Code : ALT 7.5 C
ALT 7.5 S



Code : ALT 9.5 C
ALT 9.5 S



Code : ALT 12 C
ALT 12 S



Code : ALT 14 C
ALT 14 S




Code : ALT 16.5 C
ALT 16.5 S



Code : ALT 23.5 C
ALT 23.5 S



Line Trim profiles are L shape edging profiles which have been designed for use in many different areas and applications and are available in heights ranging from 2 mm to 50 mm with a narrow visible edge. They are ideal for production of a secure edge trim and for the clean separation of different surfaces. Line Trim profiles are available in a wide range of finishes in Aluminium & available in the flexible "Z-Flex".



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Mil / SS Finish
Length Size	3.0 Meters
Height	6 / 7.5 / 9.5 / 12 / 14 / 16.5 / 23.5 mm
Coating Thickness	Anodized - 15-20 Microns (Avg.)
Installation	Mil Finish
	Screw Fixing



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION




AIDF GROUP™

ALUMINIUM CURVE TRIM

Aidaf Aluminium Curve Trim provides a neat solution for protection of edges of wall corners and floors. The gentle curve combined with a large selection of finishes and heights provides a perfect decorative finish in existing interior design schemes and also protects the delicate tiled edge.

ADVANTAGES

- Variety of heights available.
- Available in natural silver anodized and stainless steel finish.
- Suitable for use in wall corner and floor edge decoration in high street shops, schools, hotels and offices
- Ideal for edging and protection.



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3 Meters
Height	8 / 10 / 12 / 14 / 16 mm
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION





AIDF GROUP™



COVE PROFILE

Aidf Cove Profile for skirting provides a neat solution for protection of edges of wall corners and floors. The gentle curve combined with a large selection of finishes and heights provides a perfect decorative finish in existing interior design schemes and stops dirt from accumulating on skirting points.

ADVANTAGES

- Available in natural silver anodized and stainless steel finish.
- Suitable for use in floor edge skirting decoration in high street shops, schools, hotels and offices
- Ideal for edging and protection.
- Ideal for hospitals for prevention of dirt accumulation.



Technical Specifications



Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3 Meters
Width	12 / 16 / 22 mm
Coating Thickness	Anodized - 15-20 Microns (Avg.)
Installation	Powder Coated - 50-70 Microns (Avg.)
	Adhesive Fixing



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION







AIDF GROUP™



FLOORING EDGE PROTECTION

Flooring Edge are typically used with carpet, carpet tile, wood and wood laminate at the junction with other flooring materials such as carpets, vinyl and wood. Flooring Edge provides a neat finish to floorcoverings, protecting the edges from damage and also hiding any slight imperfections in joints or cuts. These aluminium profiles are also available with pre-punched bases and tabs for on-site curving..



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3 Meters
Width	12 / 16 / 22 mm
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Adhesive Fixing



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION




RAMP PROFILE

Aidf ramp profiles are designed for use in the most demanding environments where frequent heavy foot and trolley traffic can be expected.

ADVANTAGES

- Variety of heights available.
- Ideal for edging and protection.
- Suitable for use in heavy pedestrian and trolley traffic applications such as high street, shops, schools, hotels and offices
- Quick and easy to fit using appropriate screws / adhesive
- Inserts available in different colors.



Technical Specifications

Material
Surface Finish
Length Size
Height
Coating Thickness
Installation
Insert

Aluminium
Mil Finish
3.0 Meters
3 / 5.5 / 8 / 12 / 15 / 18 mm
Mil Finish
Screw Fixing
PVC Strip



CHOOSE THE RIGHT
PROFILE BASED ON
YOUR APPLICATION



EASY CARE AND MAINTENANCE



EASY INSTALLATION



AIDF GROUP™




EXPANSION JOINT SYSTEM & COVER PLATES



JOINT PROFILE SYSTEM

Aidaf clip affixed joint profile system is designed to provide an attractive and decorative low cost solution to the problem of protecting and concealing expansion joints in the structure of a building. It is suitable for use in new and refurbishment projects for walls, ceilings and floors.



Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Width	50/75/90/140 mm
Gauge	2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Clip Fixing

ADVANTAGES

- Rapid and simple installation
- Choice of 4 widths available.
- Specially designed stainless steel spring clips do not corrode and remain permanently flexible without loss of back pressure.
- Fixing clips do not require any additional screws, sealants or plug attachments.
- Can be used for both interiors and exteriors




ALUMINUM PROCOVER

Aidf joint cover plates are designed to provide an attractive and decorative low cost solution to the problem of protecting and concealing joints in the structure of a building. It is suitable for use in new and refurbishment projects for walls, ceilings and floors.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated
Length Size	3.0 Meters
Width	50 / 80 mm
Gauge	1.5 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw fixing



ADVANTAGES

- Rapid and simple installation
- Provides safe and neat joining solutions.
- Protects the edge of floorings from damage.
- Can be used for both interiors and exteriors.
- Can also be used as expansion joint covers with side drilling.



AIDF GROUP™



STAIR EDGES & LED STEP EDGES





AIDF GROUP™

STEP EDGE PROFILE

This aluminum stair edging profile with PVC insert is used for protecting and covering the edges of stairs and steps.

The aluminum part which has pre drilled countersunk holes is screwed into the ground while the PVC insert is put inside the grooved aluminum part to cover the screws.


Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Height	45 / 60 mm
Gauge	1.5 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Capping Strip	Flexible PVC
Installation	Screw fixing



ADVANTAGES

- Protects the edge of floorings from damage.
- Quick and easy to fit using appropriate screws / adhesive.
- Screws are hidden under the PVC Insert.
- Suitable for environments where heavy foot traffic is expected.
- Protects the carpet edge from wearing off and holds the carpet on vertical side of the step or stair from coming off.
- Provides slip resistance for foot traffic with respect to safety norms.






AIDF GROUP™

LED STEP EDGE

This Aidf LED Step Edge profile has been specially designed to suit interior environments where soft diffused light provides safety on stairs. Besides commercial areas this sleek profile can also be used in residences.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	3.0 Meters
Width	62 mm
Gauge	1.4 mm (approx)
Height Adjustable	1.5 - 8 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing



ADVANTAGES

- Soft diffused light highlights the footsteps for foot traffic safety.
- Protects the edge of floorings from damage.
- Quick and easy to fit using appropriate screws / adhesive.
- Screws are hidden under the PVC Insert.
- Suitable for environments where heavy foot traffic is expected.
- Protects the carpet edge from wearing off and holds the carpet on vertical side of the step or stair from coming off.
- Ribbed PVC Insert provides slip resistance for foot traffic with respect to safety norms.



LED STEP EDGE

This Aidf LED Step Edge profile has been specially designed to suit interior environments where soft diffused light provides safety on stairs. Thanks to the LED light that is horizontally oriented, is ideal for public spaces like clubs, cinemas, offices and boats, thus making these places comfortable and stylish.

Technical Specifications

Material	Aluminium
Type	Single LED
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	1.0 - 3.0 Meters
Width	72 mm
Gauge	1.4 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Installation	Screw Fixing



ADVANTAGES

- Soft diffused light highlights the footsteps for foot traffic safety.
- Protects the edge of floorings from damage.
- Quick and easy to fit using appropriate screws / adhesive.
- Screws are hidden under the PVC Insert.
- Suitable for environments where heavy foot traffic is expected.
- Protects the carpet edge from wearing off and holds the carpet on vertical side of the step or stair from coming off.
- Ribbed PVC Insert provides slip resistance for foot traffic with respect to safety norms.




AIDF GROUP™

DUAL LED STEP EDGE


This Aidf Dual LED Step Edge profile has been specially designed to suit interior environments where soft diffused light provides safety on stairs. Thanks to the dual LED light that is horizontally and downward oriented, is ideal for public spaces like clubs, cinemas, offices, casinos and boats, thus making these places comfortable and stylish.

Technical Specifications

Material	Aluminium
Type	Dual LED
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	1.0 - 3.0 Meters
Width	72 mm
Gauge	1.4 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) PowderCoated-50-70Microns(Avg.)
Installation	Screw Fixing



LDSN 7236



ADVANTAGES

- Soft diffused light highlights the footsteps for foot traffic safety.
- Protects the edge of floorings from damage.
- Quick and easy to fit using appropriate screws / adhesive.
- Screws are hidden under the PVC Insert.
- Suitable for environments where heavy foot traffic is expected.
- Protects the carpet edge from wearing off and holds the carpet on vertical side of the step or stair from coming off.
- Ribbed PVC Insert provides slip resistance for foot traffic with respect to safety norms.



AIDF GROUP™

**GROOVE PROFILES
CORNER GUARDS
WALL GUARDS
PARKING GUARDS**





AIDF GROUP™

METAL GROOVE PROFILE

This hat shaped single piece U profile gives a neat finish on grooves of walls, wardrobe panels, doors, and other furniture items.


This profile covers both the rough inside and also the edge of the grooves thereby giving a neat finish to it.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2.44 / 3.0 Meters
Width	5 / 6 / 7.5 / 10 / 12 / 15 mm
Gauge	1.2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Adhesive for installation	Pressure Sensitive Adhesive
Installation	Adhesive Fixing

ADVANTAGES

- Available in natural silver anodized, powder coated and stainless steel finish.
- Choice of 6 widths available.
- Quick and easy to fix using appropriate adhesive
- Provides neat finish to grooves by covering rough and uneven edges.





AIDF GROUP™

CORNER PROTECTION SYSTEM


Aidf corner guards provide a heavy protection level to corners and, are a cost - effective alternative to expensive wall repairs.

Technical Specifications

Material	Aluminium
Surface Finish	Anodized / Powder Coated / SS Finish
Length Size	2.74 Meters
Width	6/12/14/18/19/25/38/50 mm
Gauge	1.2 mm (approx)
Coating Thickness	Anodized - 15-20 Microns (Avg.) Powder Coated - 50-70 Microns (Avg.)
Adhesive for installation	Pressure Sensitive Adhesive / Double Sided Tape
Installation	Adhesive / Double Sided Tape Fixing

ADVANTAGES

- Available in natural silver anodized, powder coated and stainless steel finish.
- Choice of 8 widths available.
- Use of glue allows for a quicker fixing of the corner profile.
- Provides neat finish to corners by covering rough and uneven edges.
- Gives protection to corners against chipping and damage.






AIDF GROUP™

PVC CORNER GUARDS

AidF PVC Corner Guards provide a heavy protection level to corners and, are a cost-effective alternative to expensive wall repairs.

Technical Specifications

Material	PVC
Surface Finish	Textured
Length Size	3.0 Meters
Width	25 mm
Gauge	2 mm (approx)
Capping Strip	PVC
Installation	Adhesive fixing



ADVANTAGES

- Provides neat finish to corners by covering rough and uneven edges.
- Gives protection to corners against chipping and damage.
- Choice of 4 widths available.
- High impact corner guard with aluminium retainer also available.
- Textured PVC finish helps to resist and conceal scratches and abrasion.
- Can also be painted with normal wall paint to match wall color.

Network :

Delhi NCR | Hyderabad | Pune |
Mumbai | Ahmedabad | Kochi | Patna | Kolkata

ALUMINIUM PARTITIONS SYSTEMS | ALUMINIUM SKIRTING & PROFILE
HOSPITALITY CARPET | BANQUET HALL CARPET | MODULAR CARPET TILES
DECK FLOORING | ARTIFICAL TURF |
WOODEN FLOORING | HARDWOOD FLOORING | WALL PAPER



AIDF GROUP™



AIDF GROUP™

GET IN TOUCH

📞 0129-4064647

💬 +91-87440-82000

📱 +91-87440-36000

✉️ contact@aidfgroup.com

📍 Plot No. 418/37, Sector-37, Gate No.2,
Near- Shivalik Hospital, Faridabad-HR-121003

🌐 www.aidfgroup.com

FACEBOOK www.facebook.com/AidfGroup

INSTAGRAM www.instagram.com/aidfgroup/?hl=en

TWITTER twitter.com/AidfGroup

LINKEDIN www.linkedin.com/in/aidf-group-4b019420b/