Aerospace Mission Simulator

Explore mission scenarios, compare routes and examine planning assumptions before real-world deployment.

Product overview

A deterministic mission research simulator with route and fault studies, robust planning and a lumped battery model linking charge, resistive losses, temperature and available propulsion power.

Potential acquirers

- Aerospace research groups
- Mission-planning software vendors
- Vehicle engineering teams

Documented functions

- Simulate mission, route and fault scenarios
- Compare robust planning and energy margins
- Model charge-dependent voltage and resistive loss
- Propagate thermal and low-charge power derating
- Retain deterministic battery and supervisory histories

Available output types

Mission comparisons / Scenario telemetry / Safety-review records

Defined work. Separate written terms.

Seller asking reference / AS IS

EUR 216,500 · indicative USD 242,783

Identified edition: 2.9.0

Developed software · Conditional handover

Current scope and conditions

Specifically agreed first-party implementation, documentation and retained evidence for 2.9.0. Third-party software, datasets, models, content, service entitlements and future qualification remain subject to separate terms.

• This is research/software-in-the-loop scope. Battery qualification, real-aircraft performance, operational flight evidence and aircraft certification are not established.

Conditions before handover

• Run the complete v2.9 mission/robust-planner integration gate, calibrate battery parameters against permissioned measurements and define scenario acceptance.

• Dependency manifest exists without an identified lockfile; reproducibility should be reviewed.

• A detailed component inventory and licensing report are required for the agreed delivery scope.

• A security assessment or an explicit statement of its absence is required before acceptance.

• Release identity and provenance evidence remain incomplete.

• An explicit delivery manifest and handover scope remain to be agreed.

The seller offers only the expressly agreed first-party rights it owns or controls, to the extent transferable. Third-party materials retain their own terms. Independent title and freedom-to-operate opinions are not established.

Prices & sources.

Price basis: 2026-11-10. EUR is authoritative; market value is not established.

Price / model reference	EUR	USD - indicative
Seller asking reference	216,500	242,783
Negotiation reference - low	171,000	191,759
Negotiation reference - high	271,500	304,460
Recreation cost estimate	855,000	958,797
Marketability cost scenario	884,925	992,355
Monetisation cost scenario	981,113	1,100,220
Risk-adjusted strategic reference	892,833	1,001,223
Weighted economic reference	899,449	1,008,642

Cost basis

Recreation estimate: EUR 850,000 retained scope component plus EUR 5,000 for the explicitly scoped implementation work budget, giving EUR 855,000. The scoped budget assumes 48 equivalent hours at EUR 94/hour plus 15%, rounded down to EUR 500. The retained scope component has no complete per-role reconstruction budget and remains a low-confidence seller estimate. The asking reference and negotiation bounds preserve the seller-selected asking/cost relationships, rounded to EUR 500; they are transaction assumptions, not measured market value.

Coverage describes stated seller estimates only. The retained earlier anchor lacks a complete work breakdown; added scope does not validate it.

Source references

WIPO — Intellectual Property Valuation Basics — The cost method

Knab — Software developer freelance rates in 2026

Upwork — Software developer hiring costs

External publishers inform method and rate context, not individual asset valuations. Effort and model factors are seller assumptions.

EUR 1 = USD 1.1214; ECB 2026-11-10.

https://thearchitect-max.github.io/MyProjects/projects/aerospace-mission-simulator/#pricing

Individual source review.

Reviewed 10 November 2026. Current main documentation, source inventory and open candidate status; no fresh execution of private product tests.

Retained source evidence

v2.8 history reports 50/50 tests and 51/51 validator checks; v2.9 adds nine battery/thermal checks including a 36-state matrix, without automatically requalifying inherited source.

Remaining limits

Not flight-tested, certified, hardware-calibrated or operationally safe; new complete v2.9 checkout qualification must be distinguished from v2.8 historical PASS.

Development position

No open pull request at the captured source snapshot.

Acquisition evidence profile

Technical scope: V — A deterministic mission research simulator with route and fault studies, robust planning and a lumped battery model linking charge, resistive losses, temperature and available propulsion power. The offered edition and material boundaries govern review.

Evidence and validation: E2 — Tests plus validation/qualification evidence identified. Detailed source-specific records are reviewed under agreed confidentiality; independent intended-use acceptance remains separate.

Rights and component obligations: R2 — R1 plus dependency/third-party disclosure basis identified. Review the agreed first-party rights, third-party obligations and delivery perimeter.

Commercial basis: C2 — Seller ask and reproducible economic reference established. Market value is not established.

Delivery and handover: T3 — T2 plus validation, build/release and dependency-disclosure evidence. The listed conditions and written delivery agreement govern acceptance.

Buyer information and next step

Quote TA-IP-030 and the project title. Agree the exact first-party edition, rights, delivery manifest and recipient acceptance separately.

https://thearchitect-max.github.io/MyProjects/projects/aerospace-mission-simulator/