

Algorithm Design Paradigms

Handout on Recurrence and Induction

27 January 2026

§1 Introduction

I originally was planning to teach this class via ‘Mathematical Circles’ but then I decided to not insult the intelligence of everyone here by using a book that was fit for you all a decade ago and simply start with more interesting stuff.

A lot of the algorithms we will look at will talk about multiple steps and calling certain sub-routines again and again.


i Remark

The hardest part about induction is remembering to use it.

Here are some situations where induction is especially helpful:

- Any problem involving a recurrence relationship or a sequence.
- Any problem involving counting, because you can often reduce a counting problem to a recurrence relationship.
- Any problem involving games. If you can guess exactly what the winning positions are, it's probably easy to prove your guess with induction.
- Proving something exists. You can do this by inductively assuming something smaller exists, and then extending it to what you want.

? Problem



A number of red points and blue points are drawn in a unit square with the following properties:

- The top-left and top-right corners are red points.
- The bottom-left and bottom-right corners are blue points.
- No three points are collinear.

Find an algorithm to draw red segments between red points and blue segments between blue points in such a way that: all the red points are connected to each other, all the blue points are connected to each other, and no two segments cross.

This problem is just trying to scare you. If I was the setter, I would have written arbitrary quadrilateral. Does that give you all an hint?

We make the modified claim

Claim 1.1. Consider a triangle where two vertices are one colour and already connected by a segment, and the third vertex is the other colour. Then it is possible to draw segments inside the triangle connecting all points of the same colour.

We will prove this by induction on the number of points inside the triangle.

(B) If the triangle has no points inside, it's obvious.

(S) Otherwise consider a triangle ABC , and assume without loss of generality that AB is blue and C is red. If ABC has no internal red points, we can just connect everything with blue segments and we're done.

Otherwise, ABC has some internal blue point P . We will colour CP red. Each triangle ABP , BCP , CAP has fewer internal points than ABC (since P is not inside any of them), so by the inductive hypothesis, it is possible to draw segments inside each triangle ABP , BCP , CAP to connect all points of the same colour. But then every red point in ABC is connected to P , and every blue point is connected to either A or B and those two points are directly connected to each other. Thus, we can also connect ABC and the inductive result follows.

? Problem

Let n be a positive integer. We have n^2 different mithai in n different flavors, not necessarily n of each flavor.

Create a scheme to distribute n sweets to n kids with n sweets per kid, such that each kid has at most 2 different flavors.

See, reasoning about this problem at a global level seems too hard. Let's think of it as a n step process where in the i^{th} step we assign n sweets to i^{th} kid.

Doing this from the top is quite easy. Problem is that in the n^{th} step, we don't have choices. If 3 flavors are left, we have failed.

So what do we do? To avoid having too many flavors left over, we should maybe try to finish them off. Consider

Algorithm 1.2. For each step, choose mithai from the least common flavors. If mithai of this flavor run out and more mithai is needed, choose the remaining mithai from the most common flavor.

It is not obvious that this works. So we will need to prove it.

Proof 1. Let's induct on the round i . If everything 'worked' uptill step i , we shall show it will 'work' in $i + 1$.

(B) In step 1, the least common flavor has atmost n sweets and the most common flavor has atleast n flavors. Thus, our algorithm is able to execute without landing in a contradiction. Notice, this reduces the number of colors by 1.

(S) We claim that if for all $i < k$, we were able to assign to agent succesfully and the number of available colors reduced by 1; then the algorithm will continue working well on k^{th} step as well. At we only have some $(n - k) * n$ sweets in $n - k$ flavors left over, we can now use logic same as (B) to get our desired result.

With that, our algorithm must terminate at the n^{th} step and as it is correct, we are done. □

We could also choose to induct on the number of flavors left over.

Proof 2. Suppose there are cn sweets in c different flavors. We can distribute the sweets to c kids with n sweets per kid, such that each kid has at most 2 different flavor sweets.

The base case $c = 1$ is trivial. When $c > 1$, we can reduce this to the $c - 1$ case by picking sweets from the least and most common flavors. □

? Problem

Prove the correctness of the given algorithm that outputs a value $v \in [(1 - \epsilon) \log k, (1 + \epsilon) \log k]$ given $k > 1$ and $\epsilon > 0$.

```
def logTay(k, eps):
    if k - 1 < eps:
        return k - 1
    else:
        return 2 * logTay(sqrt(k), eps)
```

We are no longer dealing with naturals. So what do we do?

Proof. We induct on number of recursive calls made to `logTay`. (B) If we call `logTay` once, $k \in [1, 1 + \varepsilon]$. In that case, $k - 1 \in [(1 - \varepsilon) \log k, (1 + \varepsilon) \log k]$ by Taylor Series.

(S) If `logTay` is called $\leq n$ times and the answer remains accurate; then we claim that if an input called it $n + 1$ times, it would still be accurate. Doing the rest of the proof is literally just writing stuff down and following it. It is left to the interested reader. $\square$

This gives me a nice leeway into

§2 Recursion

Everyone who already codes might feel like recursion is a rather basic and fundamental idea. But it almost never made it to Computers.

When Algol was being developed, most of CS community believed the idea of a function calling itself was stupid and risky. Famously, when recurrence was just discussed at a conference, the speaker was interrupted and some academic I can't recall the name of remarked "Guys we are grown men. Unlike boys we can't talk about imaginary play things for our merriment."

So why was recursion eventually included? While that is a rather long and interesting story and beyond the scope of this tutorial (link below), it features a name you'll hear again in a few days, Edger Dijkstra.

Anyways, let's channel our inner 1950's academics and ask, "why care about recursion?"

? Problem

Guess Who is a popular board game. An abstract version of this is:

- You and your opponent choose a number $1 \leq b_1, b_2 \leq N$, secret from each other.
- Every turn you ask each other a subset of numbers between $1 - N$ reply yes if the number is in the subset and no otherwise.
- The first player to ask a singleton set and receive a positive response, wins.

How many of you have watched the Mark Rober video about this? A simple idea looks like quarrying a random half of the numbers remaining every turn. (the coders in the house might be shouting binary search). Where is the recursion even needed?

Um, that is bat shit and is not a good strategy. Say your opponent (going first) quarried a size 15 set in a game of 20 and got a 'no'. Now, they have a search space of size 5 while you are still left with 20. Now, playing 10 screws your odds. So what do we do?

A full analytic analysis can be found in Mihal Nica's 2016 paper, but if we have access to a computer, we can just get our best action via simply recursion.

$$f(x, y) = \max_{1 \leq k \leq x} \left[\frac{k}{x} (1 - f(y, k)) + \frac{x - k}{x} (1 - f(y, x - k)) \right]$$

"But this was a silly games. Not a single serious game uses recursion."

Let me make you another silly game.

? Problem

Calvin and Hobbes wish to divide 25 coins, of denominations 1, 2, 3, ..., 25 kopeks. In each move, one of them chooses a coin, and the other player decides who must take this coin. Calvin makes the initial choice of a coin, and in subsequent moves, the choice is made by the player having more kopeks at the time. In the event that there is a tie, the choice is made by the same player in the preceding move. After all the coins have been taken, the player with more kopeks wins. Which player has a winning strategy?

Can we try to encode everything about the game in a single state? For example a chess board state and whose turn tells us everything we want to know, can we do the same here?

As it turns out, yes. That would be $([1, 2, \dots, 25], 0, 0, 'J')$. Let's call a position N if the picking player loses from there via some move and P if the picking player wins irrespective of the moves.

Note that there is indeed a winner because $1 + \dots + 25 = 425$ is odd.

We claim that Hobbes wins. For every initial coin Calvin may choose, Hobbes can decide to either take it or give it to Calvin. These two scenarios are exactly mirror opposites, so Hobbes wins in exactly one of them, and he chooses precisely that one.

Also notice that we just changed the game into just traversing a tree of game states and used the recursive-ness of the tree to complete the problem.

If you think about it, every game without chance or hidden information, for example Chess; can have a representation and then be traversed in this same fashion. That's exactly how StockFish works.

The first example is called a Stochastic Game while the second is called a Combinatorial Game. While the complete analysis of former needs

"Ok, but these are games. We are supposed to do CS, not play games."

? Problem

Given an input a and a prime modulus $p > a$, output $a^{-1} \bmod p$ where $a^{-1} \bmod p \in \{1, 2, \dots, p - 1\}$ such that $a * a^{-1} \bmod p = 1$

But we don't even need to go into cryptographic functions. A very common function on your phone uses this.

? Problem

Given $b \in \mathbb{R}$ and $e \in \mathbb{Z}^+$, calculate b^e with as little number of multiplications as possible.

If anyone thinks the recursive answer is

```
slow b 0 = 1
slow b e = b * slow (b (e-1))
```

then they are sadly mistaken. This is very slow. What about

```
fast b 0 = 1
fast b n = if n `mod` 2 == 0 then (fast b (n `div` 2))^2 else b * fast b (n-1)
```

If you look at it, we divided the problem into 2 smaller, equal parts and solved them. And this kind of a strategy works in a lot of places, so many places that it has a name: **Divide and Conquer**