

jobid: 22307909 uid: 104476 nprocs: 1 runtime: 227.4838 seconds

I/O performance estimate (at the POSIX layer): transferred 752.0 MiB at 1602.19 MiB/s






Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	4194304	188
	42	1
	22	1
	124	1

File Count Summary (estimated by POSIX I/O access offsets)

	· · · · · · · · · · · · · · · · · · ·		
type	number of files	avg. size	max size
total opened	1	750MiB	750MiB
read-only files	1	750MiB	750MiB
write-only files	0	0	0
read/write files	0	0	0
created files	0	0	0



A 7	- / -			(DOOTS)	1	
Average 1	/()	ner	nracecc	$(P(1) \times 1 \times$	ลทศ	SIDIO
INCIUECI		PCI	PIOCCOS		ana	OIDIOI

	Cumulative time spent in	Amount of I/O (MiB)				
	I/O functions (seconds)					
Independent reads	0.464374	752.000179290771				
Independent writes	0	0				
Independent metadata	0.004984	N/A				
Shared reads	0	0				
Shared writes	0	0				
Shared metadata	0	N/A				

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Wr	ite	Read		
	MiB	Ratio	MiB	Ratio	
/pscratch	0.00000	0.00000	752.00018	1.00000	



sequential: An I/O op issued at an offset greater than where the previous I/O op ended. *consecutive*: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes