

SOFTWARE TEST PLAN

Swag Labs E-Commerce Web Application

(Sauce Demo-style Storefront)

Document Version 1.0

Prepared by: Augustine (Independent QA Tester)

Date: July 15, 2026

Status: Draft for Self-Review

Document Control

Version	Date	Author	Description of Change
1.0	2026-07-15	Augustine	Initial draft of Test Plan for Swag Labs storefront (personal practice project)

This is a solo, personal QA practice project — there is no separate project manager, development team, or client. The sections below (roles, schedule, risks, etc.) are written to reflect a one-person testing effort, with the multi-role structure kept lightweight for realism and portfolio purposes.

Table of Contents

1. Introduction

1.1 Purpose

This document defines the test strategy, scope, schedule, and deliverables for a personal, self-directed QA practice project on the Swag Labs storefront (a Sauce Demo-style e-commerce web application). It serves as the single point of reference for how manual testing will be planned, executed, tracked, and reported for this project.

1.2 Project Background

Swag Labs is a browser-based e-commerce storefront that allows a shopper to browse a product catalog, view product details, manage a shopping cart, and complete a multi-step checkout that ends in an order confirmation. The application follows the typical structure of this kind of storefront: a Products (listing) page, individual Product Detail pages, a Cart page, a Checkout: Your Information step, a Checkout: Overview step, and a final order-confirmation step.

1.3 Objectives of Testing

- Verify that all core shopping flows (browse → view product → add to cart → checkout → order confirmation) function correctly end to end.
- Validate that input fields, especially on the checkout form, correctly enforce required-field and format validation.
- Confirm that cart state (item count, contents) remains accurate and consistent across navigation, page refreshes, and the order lifecycle.
- Identify defects early, before release, through a mix of functional, negative, UI, and non-functional testing.
- Practice professional QA discipline end to end — planning, structured test design, manual execution, and clear defect reporting — as a portfolio-quality exercise.

2. Scope

2.1 In Scope

- Product Listing page — product grid, sorting/filtering, navigation to detail pages, add-to-cart from listing.
- Product Detail page — product information display, add-to-cart, back navigation.
- Cart page — add/remove items, quantity display, navigation to checkout, empty-cart handling.
- Checkout: Your Information — form field validation (First Name, Last Name, Zip/Postal Code).
- Checkout: Overview — order summary accuracy (items, tax, totals) and the Finish button leading to order confirmation.
- Order confirmation — success message/toast and post-order cart state.
- Cross-page UI elements — header, cart icon/badge, hamburger menu, footer.
- Functional, negative/edge-case, UI/UX, and basic security (input sanitization) testing.
- Basic non-functional checks — page load performance and browser back-button behavior.

2.2 Out of Scope

- Payment gateway integration testing (no real payment processor is present in this build).
- User authentication/login testing (no login module exists in the current version of the site; to be added if one is introduced).
- Backend/API-level testing and database validation (UI/black-box testing only for this cycle).
- Load, stress, and scalability testing beyond basic page-load spot checks.
- Native mobile app testing (mobile browser responsiveness only).
- Third-party integrations (e.g., analytics, marketing pixels), unless they visibly affect the UI under test.

3. Test Strategy / Approach

3.1 Levels of Testing

Test Level	Owner	Description
Unit Testing	N/A	Out of scope — this is a pre-built demo-style site, not code the tester owns.
Integration Testing	Tester (solo)	Verify data flow between listing, detail, cart, and checkout components (e.g., cart badge sync).
System Testing	Tester (solo)	End-to-end validation of the full purchase journey against expected behavior.
Regression Testing	Tester (solo)	Re-run of core/high-priority test cases after any fix or re-check.
Self-Acceptance Review	Tester (solo)	Final personal review of results against the original objectives before calling the cycle complete.

3.2 Types of Testing

- Functional testing — validating each feature behaves as expected (add to cart, sort, checkout, etc.).
- Negative / boundary testing — invalid inputs, empty required fields, oversized input, empty cart at checkout.
- UI/UX testing — layout consistency, responsiveness, cross-page element consistency.
- Security testing (basic) — input sanitization / XSS checks on checkout form fields.
- Compatibility testing — cross-browser (Chrome, Firefox, Edge, Safari) and cross-device (desktop, tablet, mobile viewport) checks.
- Non-functional testing (basic) — page load time and browser navigation (back/forward) behavior.
- Regression testing — executed after each new build to confirm fixes did not break existing functionality.

3.3 Test Design Techniques

- Equivalence Partitioning — e.g., valid vs. invalid Zip/Postal Code formats.
- Boundary Value Analysis — e.g., minimum/maximum character lengths on Name and Zip fields.
- Decision Table Testing — e.g., combinations of filled/empty checkout fields and their validation outcomes.
- Error Guessing — informed by 10+ years of QA experience with e-commerce checkout flows (double-submission, empty-cart checkout, whitespace handling, etc.).
- Exploratory Testing — unscripted sessions to surface issues not captured by scripted cases, especially around the checkout-to-confirmation transition.

3.4 Manual Testing Approach

This is a fully manual testing effort — no test automation framework is used for this project. All test cases are designed to be executed by hand, step by step, through the browser, with results and evidence (screenshots) recorded manually in the test case suite and defect log. Manual testing is well suited to this project's scale and gives deliberate practice in test design, execution discipline, and defect reporting, which is the primary goal of the exercise.

4. Test Items and Features to Be Tested

#	Feature / Module	Key Functionality
1	Product Listing	Product grid display, sort/filter, navigation, add-to-cart

#	Feature / Module	Key Functionality
2	Product Detail	Product info accuracy, add-to-cart, back navigation
3	Cart	Add/remove items, quantity, empty-cart state, navigation
4	Checkout: Your Information	Field validation (required, format, injection handling)
5	Checkout: Overview & Finish	Order summary accuracy, order submission, success confirmation
6	Cross-Page UI	Header, footer, cart badge consistency, responsiveness

5. Test Environment

5.1 Hardware / Software Requirements

- Test machines: Windows 11 and macOS (latest), minimum 8GB RAM.
- Browsers: Google Chrome (latest), Mozilla Firefox (latest), Microsoft Edge (latest), Safari (latest, macOS).
- Mobile/responsive checks: Chrome DevTools device emulation, plus at least one physical Android and one iOS device.
- Test environment URL: staging/QA environment (to be confirmed by DevOps before test execution begins).

5.2 Test Data Requirements

- Valid and invalid checkout data sets: names with special characters, alphanumeric postal codes, empty fields, oversized strings, script/HTML injection strings.
- A representative product catalog matching the 6 products currently in the store (Backpack, Bike Light, Bolt T-Shirt, Fleece Jacket, Onesie, Test.allTheThings() T-Shirt).

5.3 Tools

Purpose	Tool
Test case management	Excel spreadsheet (Swag Labs Test Cases)
Defect tracking	Excel / simple defect log (self-managed)
Cross-browser spot checks	Chrome, Firefox, Edge, Safari (manually installed/available browsers)
Screenshots / evidence capture	Built-in OS screenshot tool
Performance spot checks	Chrome DevTools (manual, ad hoc)

6. Entry and Exit Criteria

6.1 Entry Criteria

- The site (Swag Labs) is accessible and stable enough to navigate through a basic smoke check of the main pages.
- A test case suite has been drafted from this plan and is ready for execution.
- Required test data (valid/invalid checkout inputs, etc.) has been prepared.

6.2 Exit Criteria

- 100% of planned test cases have been executed and results recorded.
- No open Critical or High severity defects remain unexplained or unresolved.

- At least 95% of test cases pass, with any failures documented in the defect log and either resolved or consciously accepted as known limitations.
- A short test summary has been written up covering results, defects found, and overall assessment.

6.3 Suspension and Resumption Criteria

- Testing is paused if a Critical defect blocks further progress through the core purchase flow (e.g., Add to Cart or Checkout is completely broken).
- Testing resumes once that blocking issue is fixed (or worked around) and re-verified.

7. Test Deliverables

- Test Plan (this document)
- Test Case Suite (to be drafted from this plan, covering Product Listing, Product Detail, Cart, Checkout Info, Checkout Overview/Finish, and cross-page UI)
- Defect/Bug Log
- Test Execution / Traceability Matrix
- Test Summary Report (end of cycle)

8. Roles and Responsibilities

This is a one-person project, so all roles below are performed by the same individual (Augustine). They are still separated out to reflect the different hats worn during the cycle — this keeps the process disciplined and mirrors how a small real-world team would divide the work.

Role	Responsibility
Test Planner	Defines scope, strategy, schedule, and this test plan document.
Tester (Execution)	Executes the test cases, records pass/fail results, and captures evidence (screenshots).
Defect Logger	Documents any bugs found with clear repro steps, severity, and screenshots.
Reviewer / Sign-off	Reviews overall results at the end of the cycle and writes the test summary.

9. Test Schedule / Estimation

Phase	Duration	Deliverable
Test Planning	0.5 day	This Test Plan
Test Case Design	1 day	Test Case Suite (46 cases)
Test Execution	1–2 days	Execution results, defect log, screenshots
Re-test of Findings	0.5 day	Updated defect log
Wrap-up & Summary	0.5 day	Test Summary Report

Total estimated effort: roughly 3.5–4.5 working days, spread out as time allows since this is a self-paced personal project rather than a fixed sprint.

10. Risks and Contingencies

Risk	Impact	Mitigation
Checkout form validation rules are not fully documented (no formal requirements doc)	High	Base expected behavior on standard e-commerce checkout norms; note assumptions clearly in the test case suite.
Some screens (Checkout Overview, order confirmation) were not directly observed	High	Test cases for those screens are written against expected standard behavior and flagged to be verified/adjusted against the live site.
Limited time available as a solo, self-paced project	Medium	Prioritize High-severity/high-value test cases first (core purchase flow) if time runs short.
Limited access to multiple real devices/browsers	Low	Use browser dev-tools device emulation as a reasonable substitute where physical devices aren't available.
No second reviewer to catch missed defects (single point of review)	Medium	Re-review test results after a short break, and re-test each fix independently before marking it closed.

11. Defect Management

11.1 Severity Definitions

Severity	Definition
Critical	Core flow completely blocked (e.g., cannot add to cart, cannot complete checkout, order confirmation never appears).
High	Major functionality impaired with no reasonable workaround (e.g., validation fails to catch empty required field).
Medium	Functional issue with a workaround, or a UI inconsistency affecting usability.
Low	Cosmetic issue with minimal user impact (e.g., minor spacing/alignment).

11.2 Defect Workflow

New → Assigned → In Progress → Fixed → Retest → Closed (or Reopened if the retest fails). Every defect is logged with steps to reproduce, expected vs. actual result, severity, priority, environment/browser, and screenshot or screen recording.

12. Assumptions and Constraints

- The application under test is assumed to follow the standard Sauce Demo-style checkout flow (Your Information → Overview → Finish → Confirmation); if the live build differs, the affected test cases will be adjusted during test case design.
- No dedicated test environment issues are expected beyond normal QA/staging availability.
- Test data does not include real customer or payment information.
- The QA team has read access to a defect tracker and test case management tool for the duration of the cycle.

13. Sign-off

Once test execution and re-testing are complete, this plan is closed out with a short test summary noting overall pass/fail results, defects found, and any residual risk accepted going into the next phase of the project.