

# Smart contracts security assessment

Final report
Tariff: Standard

# MiniVerse

March 2022





# Contents

1.	Introduction	3
2.	Contracts checked	3
3.	Procedure	4
4.	Classification of issue severity	4
5.	Issues	5
6.	Conclusion	7
7.	Disclaimer	8
8.	Static code analysis results	9

# □ Introduction

This report has been prepared for the Mini Verse Finance team upon their request.

The audited project is a fork of the Tomb Finance Project.

Further details about Mini Verse Finance are available at the official website: <a href="https://mvfinance.club/">https://mvfinance.club/</a>

Name	MiniVerse
Audit date	2022-03-13 - 2022-03-13
Language	Solidity
Platform	Fantom Network

## Contracts checked

Name	Address
MvDollarGenesisPool	https://ftmscan.com/address/0xd486e4Cd0091b3198 1dB5C0ccD8ba974607d03fc
Land NFT	https://ftmscan.com/address/0xc1E87be1055509081 EA73A0FD5D3d70f6573Dc99
Oracle	https://ftmscan.com/address/0xc417d14f3a527cce4 a1bfc0ac7ce38f8121c0030
MSHARE	https://ftmscan.com/address/0xb011EC534d9175cD7 a69aFBfc1bcc9990862c462
MvBOND	https://ftmscan.com/address/0x4d2df4fdB3E9F57f3 67B6570eC62642D268D70cD
Boardroom	https://ftmscan.com/address/0x92c102Eab956c8d33 0709681AE74dc68815fC0bc
Treasury	https://ftmscan.com/address/0xC09BBc9Bc78CA3079 3334B3AE3565f2a67352169

MyDOLLAR <a href="https://ftmscan.com/address/0x57976c46760898351">https://ftmscan.com/address/0x57976c46760898351</a>

3c9355238dc6de1B1aBbcCA

MvShareRewardPool <a href="https://ftmscan.com/address/0x1D39015cEa46a977c">https://ftmscan.com/address/0x1D39015cEa46a977c</a>

C5752C05fF2Cb3c1a4038E7

### Procedure

We perform our audit according to the following procedure:

#### **Automated analysis**

- Scanning the project's smart contracts with several publicly available automated Solidity analysis tools
- Manual verification (reject or confirm) all the issues found by the tools

#### Manual audit

Comparing the project to the Tomb Finance implementation

## Classification of issue severity

**High severity** High severity issues can cause a significant or full loss of funds, change

of contract ownership, major interference with contract logic. Such issues

require immediate attention.

**Medium severity** Medium severity issues do not pose an immediate risk, but can be

detrimental to the client's reputation if exploited. Medium severity issues may lead to a contract failure and can be fixed by modifying the contract

state or redeployment. Such issues require attention.

**Low severity** Low severity issues do not cause significant destruction to the contract's

functionality. Such issues are recommended to be taken into

consideration.

### **O** Issues

High severity issues

No issues were found

Medium severity issues

No issues were found

Low severity issues

#### 1. Setting an address as exploiter cannot be undone (MvDollarGenesisPool)

An owner can blacklist address, but can't unset it back in case it was set by mistake.

```
function exploiters(address[] calldata _users) public onlyOperator {
  for (uint256 i = 0; i < _users.length; i++){
    exploiter[_users[i]] = true;
}</pre>
```

**Recommendation:** We recommend adding a boolean parameter to the function to be able to set wrongly added address as not exploiter.

#### 2. Exploiter address cannot be unset (Land NFT)

The owner can blacklist an address via setting it as exploiter, but can't undo it.

#### 3. Redundant withdraw function (Land NFT)

No need for withdraw function as its the only function to receive native currency.

```
function withdraw() public payable onlyOwner {
   (bool os, ) = payable(owner()).call{value: address(this).balance}("");
```

○x Guard | March 2022

```
require(os);
}
```

The function will only withdraw the funds that are deposited with it.

## Conclusion

The Mini Verse Project was compared with the Tomb Project. Changes in the contracts besides changed parameters:

**MvShareRewardPool**: removed epochs for reward, effectively leaving only one epoch. For a specific pool pid users can deposit if they have Land NFT on their balance. The pid can be changed by the owner.

**MvShare**: added ownable function that allows the owner to mint MvShare. No restrictions on the mint amount.

Oracle: added multipliers in consult() and twap() functions.

MvDollarGenesisPool: added blacklist (exploiters). Commission is taken on every deposit.

**MvDOLLAR**: removed tax, tiers.



March 2022

## Disclaimer

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability)set forth in the Services Agreement, or the scope of services, and terms and conditions provided to the Company in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes without 0xGuard prior written consent.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts 0xGuard to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

## Static code analysis results

```
INFO:Detectors:
MiniLand.withdraw() (contracts/LandNFT.sol#2409-2414) sends eth to arbitrary user
        Dangerous calls:
        - (os) = address(owner()).call{value: address(this).balance}() (contracts/
LandNFT.so1#2411)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#functions-that-
send-ether-to-arbitrary-destinations
INFO: Detectors:
Reentrancy in MiniLand.mintBronze(uint256) (contracts/LandNFT.so1#2203-2231):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,bronzePrice
* _mintAmount) (contracts/LandNFT.sol#2219)
       State variables written after the call(s):
        - whitelistedAddresses[msg.sender] -- (contracts/LandNFT.so1#2224)
Reentrancy in MiniLand.mintBronze(uint256) (contracts/LandNFT.sol#2203-2231):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,bronzePrice
* mintAmount) (contracts/LandNFT.sol#2219)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2226)
                - IERC721Receiver(to).onERC721Received( msgSender(),from,tokenId, data)
(contracts/LandNFT.sol#1930-1940)
        State variables written after the call(s):
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2226)
                - _allTokens.push(tokenId) (contracts/LandNFT.sol#2083)
                - _allTokens[tokenIndex] = lastTokenId (contracts/LandNFT.sol#2131)
                - _allTokens.pop() (contracts/LandNFT.sol#2136)
        - limit[msg.sender] ++ (contracts/LandNFT.sol#2229)
        - maxMintBronze ++ (contracts/LandNFT.sol#2228)
Reentrancy in MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,diamondPrice
* _mintAmount) (contracts/LandNFT.sol#2309)
       State variables written after the call(s):
        - whitelistedAddresses[msg.sender] -- (contracts/LandNFT.sol#2314)
Reentrancy in MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321):
       External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,diamondPrice
```

```
* mintAmount) (contracts/LandNFT.sol#2309)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2316)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.sol#1930-1940)
       State variables written after the call(s):
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2316)
                - _allTokens.push(tokenId) (contracts/LandNFT.sol#2083)
                - _allTokens[tokenIndex] = lastTokenId (contracts/LandNFT.sol#2131)
                - _allTokens.pop() (contracts/LandNFT.sol#2136)
        - limit[msg.sender] ++ (contracts/LandNFT.sol#2319)
        maxMintDiamond ++ (contracts/LandNFT.sol#2318)
Reentrancy in MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291):
       External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,goldPrice *
_mintAmount) (contracts/LandNFT.sol#2279)
       State variables written after the call(s):
        - whitelistedAddresses[msg.sender] -- (contracts/LandNFT.sol#2284)
Reentrancy in MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291):
       External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,goldPrice *
_mintAmount) (contracts/LandNFT.so1#2279)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2286)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.so1#1930-1940)
       State variables written after the call(s):
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2286)
                - _allTokens.push(tokenId) (contracts/LandNFT.sol#2083)
                - _allTokens[tokenIndex] = lastTokenId (contracts/LandNFT.sol#2131)
                - _allTokens.pop() (contracts/LandNFT.sol#2136)
        - limit[msg.sender] ++ (contracts/LandNFT.sol#2289)
        - maxMintGold ++ (contracts/LandNFT.sol#2288)
Reentrancy in MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,silverPrice
* _mintAmount) (contracts/LandNFT.sol#2249)
       State variables written after the call(s):
        - whitelistedAddresses[msg.sender] -- (contracts/LandNFT.sol#2254)
Reentrancy in MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261):
       External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,silverPrice
* _mintAmount) (contracts/LandNFT.so1#2249)
```

Ox Guard | March 2022

```
- _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2256)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.so1#1930-1940)
        State variables written after the call(s):
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2256)
                - _allTokens.push(tokenId) (contracts/LandNFT.sol#2083)
                - _allTokens[tokenIndex] = lastTokenId (contracts/LandNFT.sol#2131)
                - _allTokens.pop() (contracts/LandNFT.sol#2136)
        - limit[msg.sender] ++ (contracts/LandNFT.sol#2259)
        - maxMintSilver ++ (contracts/LandNFT.sol#2258)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-
vulnerabilities-1
INFO:Detectors:
MiniLand.walletOfOwner(address).i (contracts/LandNFT.sol#2330) is a local variable
never initialized
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#uninitialized-
local-variables
INFO:Detectors:
ERC721._checkOnERC721Received(address,address,uint256,bytes) (contracts/
LandNFT.sol#1923-1944) ignores return value by
IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data) (contracts/
LandNFT.so1#1930-1940)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unused-return
INFO:Detectors:
MiniLand.constructor(string,string,address,address,string,string,string,string)._name
(contracts/LandNFT.sol#2172) shadows:
        - ERC721._name (contracts/LandNFT.sol#1559) (state variable)
MiniLand.constructor(string,string,address,address,string,string,string,string)._symbol
(contracts/LandNFT.sol#2173) shadows:
        - ERC721._symbol (contracts/LandNFT.sol#1562) (state variable)
MiniLand.walletOfOwner(address)._owner (contracts/LandNFT.sol#2323) shadows:

    Ownable._owner (contracts/LandNFT.sol#46) (state variable)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#local-variable-
shadowing
INFO: Detectors:
MiniLand.constructor(string,string,address,address,string,string,string,string)._erc20Ad
dress (contracts/LandNFT.so1#2174) lacks a zero-check on :
                - erc20Address = _erc20Address (contracts/LandNFT.so1#2185)
MiniLand.constructor(string, string, address, address, string, string, string)._treasur
yAddress (contracts/LandNFT.so1#2175) lacks a zero-check on :
                - treasuryAddress = _treasuryAddress (contracts/LandNFT.so1#2186)
```

```
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-zero-
address-validation
INFO:Detectors:
Variable 'ERC721. checkOnERC721Received(address,address,uint256,bytes).retval
(contracts/LandNFT.sol#1930)' in
ERC721._checkOnERC721Received(address,address,uint256,bytes) (contracts/
LandNFT.sol#1923-1944) potentially used before declaration: retval ==
IERC721Receiver.onERC721Received.selector (contracts/LandNFT.sol#1931)
Variable 'ERC721._checkOnERC721Received(address,address,uint256,bytes).reason
(contracts/LandNFT.sol#1932)' in
ERC721._checkOnERC721Received(address,address,uint256,bytes) (contracts/
LandNFT.sol#1923-1944) potentially used before declaration: reason.length == 0
(contracts/LandNFT.sol#1933)
Variable 'ERC721._checkOnERC721Received(address,address,uint256,bytes).reason
(contracts/LandNFT.sol#1932)' in
ERC721._checkOnERC721Received(address,address,uint256,bytes) (contracts/
LandNFT.sol#1923-1944) potentially used before declaration: revert(uint256,uint256)(32
+ reason,mload(uint256)(reason)) (contracts/LandNFT.sol#1937)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#pre-
declaration-usage-of-local-variables
INFO:Detectors:
Reentrancy in MiniLand.mintBronze(uint256) (contracts/LandNFT.so1#2203-2231):
       External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,bronzePrice
* mintAmount) (contracts/LandNFT.sol#2219)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2226)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.so1#1930-1940)
        State variables written after the call(s):
        - deedType[supply + i] = bronze (contracts/LandNFT.so1#2227)
Reentrancy in MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,diamondPrice
* mintAmount) (contracts/LandNFT.sol#2309)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2316)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.sol#1930-1940)
       State variables written after the call(s):
        - deedType[supply + i] = diamond (contracts/LandNFT.sol#2317)
Reentrancy in MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291):
       External calls:
```

```
    IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,goldPrice *

_mintAmount) (contracts/LandNFT.so1#2279)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2286)
                - IERC721Receiver(to).onERC721Received( msgSender(),from,tokenId, data)
(contracts/LandNFT.sol#1930-1940)
        State variables written after the call(s):
        - deedType[supply + i] = gold (contracts/LandNFT.sol#2287)
Reentrancy in MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,silverPrice
* _mintAmount) (contracts/LandNFT.sol#2249)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2256)
                - IERC721Receiver(to).onERC721Received( msgSender(),from,tokenId, data)
(contracts/LandNFT.sol#1930-1940)
        State variables written after the call(s):
        - deedType[supply + i] = silver (contracts/LandNFT.sol#2257)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-
vulnerabilities-2
INFO:Detectors:
Reentrancy in MiniLand.mintBronze(uint256) (contracts/LandNFT.so1#2203-2231):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,bronzePrice
* _mintAmount) (contracts/LandNFT.sol#2219)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2226)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.sol#1930-1940)
        Event emitted after the call(s):
        - Transfer(address(0),to,tokenId) (contracts/LandNFT.sol#1824)
                - _safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2226)
Reentrancy in MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321):
        External calls:

    IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,diamondPrice

* _mintAmount) (contracts/LandNFT.sol#2309)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2316)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.sol#1930-1940)
        Event emitted after the call(s):
        - Transfer(address(0),to,tokenId) (contracts/LandNFT.sol#1824)
                - _safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2316)
Reentrancy in MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291):
        External calls:
```

Ox Guard | March 2022

```
    IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,goldPrice *

_mintAmount) (contracts/LandNFT.so1#2279)
        - _safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2286)

    IERC721Receiver(to).onERC721Received( msgSender(),from,tokenId, data)

(contracts/LandNFT.sol#1930-1940)
        Event emitted after the call(s):
        - Transfer(address(0),to,tokenId) (contracts/LandNFT.sol#1824)
                - _safeMint(msg.sender,supply + i) (contracts/LandNFT.so1#2286)
Reentrancy in MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261):
        External calls:
        - IERC20(erc20Address).safeTransferFrom(msg.sender,treasuryAddress,silverPrice
* _mintAmount) (contracts/LandNFT.sol#2249)
        safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2256)
                - IERC721Receiver(to).onERC721Received(_msgSender(),from,tokenId,_data)
(contracts/LandNFT.sol#1930-1940)
        Event emitted after the call(s):
        - Transfer(address(0),to,tokenId) (contracts/LandNFT.sol#1824)
                - _safeMint(msg.sender,supply + i) (contracts/LandNFT.sol#2256)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-
vulnerabilities-3
INFO: Detectors:
EnumerableSet.values(EnumerableSet.AddressSet) (contracts/LandNFT.sol#792-801) uses
assembly
        - INLINE ASM (contracts/LandNFT.so1#796-798)
EnumerableSet.values(EnumerableSet.UintSet) (contracts/LandNFT.sol#865-874) uses
assembly
        - INLINE ASM (contracts/LandNFT.so1#869-871)
Address.verifyCallResult(bool,bytes,string) (contracts/LandNFT.sol#1328-1348) uses
assembly
        - INLINE ASM (contracts/LandNFT.sol#1340-1343)
ERC721._checkOnERC721Received(address,address,uint256,bytes) (contracts/
LandNFT.so1#1923-1944) uses assembly
        - INLINE ASM (contracts/LandNFT.sol#1936-1938)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#assembly-usage
INFO: Detectors:
MiniLand.mintBronze(uint256) (contracts/LandNFT.sol#2203-2231) compares to a boolean
constant:
        -require(bool,string)(exploiter[msg.sender] == false,EXPLOITER GIVE ME MY
MONEY) (contracts/LandNFT.so1#2204)
```

Ox Guard | March 2022

MiniLand.mintBronze(uint256) (contracts/LandNFT.sol#2203-2231) compares to a boolean

constant:

```
-onlyWhitelisted == true (contracts/LandNFT.sol#2215)
MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261) compares to a boolean
constant:
        -require(bool,string)(exploiter[msg.sender] == false,EXPLOITER GIVE ME MY
MONEY) (contracts/LandNFT.so1#2234)
MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261) compares to a boolean
constant:
        -onlyWhitelisted == true (contracts/LandNFT.sol#2245)
MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291) compares to a boolean
constant:
        -onlyWhitelisted == true (contracts/LandNFT.sol#2275)
MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291) compares to a boolean
constant:
        -require(bool,string)(exploiter[msg.sender] == false,EXPLOITER GIVE ME MY
MONEY) (contracts/LandNFT.so1#2264)
MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321) compares to a boolean
constant:
        -onlyWhitelisted == true (contracts/LandNFT.sol#2305)
MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321) compares to a boolean
constant:
        -require(bool,string)(exploiter[msg.sender] == false,EXPLOITER GIVE ME MY
MONEY) (contracts/LandNFT.so1#2294)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#boolean-
equality
INFO:Detectors:
Different versions of Solidity is used:
        - Version used: ['>=0.7.0<0.9.0', '^0.8.0']
        - ^0.8.0 (contracts/LandNFT.sol#10)
        - >=0.7.0<0.9.0 (contracts/LandNFT.so1#2141)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#different-
pragma-directives-are-used
INFO: Detectors:
MiniLand.mintBronze(uint256) (contracts/LandNFT.sol#2203-2231) has costly operations
inside a loop:
        - maxMintBronze ++ (contracts/LandNFT.sol#2228)
MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261) has costly operations
inside a loop:
        - maxMintSilver ++ (contracts/LandNFT.sol#2258)
MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291) has costly operations
inside a loop:
        - maxMintGold ++ (contracts/LandNFT.sol#2288)
```

○x Guard | March 2022

MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321) has costly operations inside a loop:

- maxMintDiamond ++ (contracts/LandNFT.sol#2318)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#costly-operations-inside-a-loop

INFO:Detectors:

Address.functionCall(address,bytes) (contracts/LandNFT.sol#1212-1214) is never used and should be removed

Address.functionCallWithValue(address,bytes,uint256) (contracts/LandNFT.sol#1241-1247) is never used and should be removed

Address.functionDelegateCall(address, bytes) (contracts/LandNFT.sol#1301-1303) is never used and should be removed

Address.functionDelegateCall(address,bytes,string) (contracts/LandNFT.sol#1311-1320) is never used and should be removed

Address.functionStaticCall(address,bytes) (contracts/LandNFT.sol#1274-1276) is never used and should be removed

Address.functionStaticCall(address,bytes,string) (contracts/LandNFT.sol#1284-1293) is never used and should be removed

Address.sendValue(address,uint256) (contracts/LandNFT.sol#1187-1192) is never used and should be removed

Context.\_msgData() (contracts/LandNFT.sol#29-31) is never used and should be removed ERC721.\_baseURI() (contracts/LandNFT.sol#1640-1642) is never used and should be removed ERC721.\_burn(uint256) (contracts/LandNFT.sol#1839-1853) is never used and should be removed

EnumerableSet.\_add(EnumerableSet.Set,bytes32) (contracts/LandNFT.sol#572-582) is never used and should be removed

EnumerableSet.\_at(EnumerableSet.Set,uint256) (contracts/LandNFT.sol#648-650) is never used and should be removed

EnumerableSet.\_contains(EnumerableSet.Set,bytes32) (contracts/LandNFT.sol#627-629) is never used and should be removed

 $\label{lem:enumerableSet.Set} EnumerableSet.Set) \ (contracts/LandNFT.sol\#634-636) \ is \ never \ used and \ should be \ removed$ 

EnumerableSet.\_remove(EnumerableSet.Set,bytes32) (contracts/LandNFT.sol#590-622) is never used and should be removed

EnumerableSet.\_values(EnumerableSet.Set) (contracts/LandNFT.sol#660-662) is never used and should be removed

EnumerableSet.add(EnumerableSet.AddressSet,address) (contracts/LandNFT.so1#742-744) is never used and should be removed

EnumerableSet.add(EnumerableSet.Bytes32Set,bytes32) (contracts/LandNFT.so1#676-678) is never used and should be removed

EnumerableSet.add(EnumerableSet.UintSet,uint256) (contracts/LandNFT.sol#815-817) is

never used and should be removed EnumerableSet.at(EnumerableSet.AddressSet,uint256) (contracts/LandNFT.sol#780-782) is never used and should be removed EnumerableSet.at(EnumerableSet.Bytes32Set,uint256) (contracts/LandNFT.sol#714-716) is never used and should be removed EnumerableSet.at(EnumerableSet.UintSet,uint256) (contracts/LandNFT.so1#853-855) is never used and should be removed EnumerableSet.contains(EnumerableSet.AddressSet,address) (contracts/ LandNFT.sol#759-761) is never used and should be removed EnumerableSet.contains(EnumerableSet.Bytes32Set,bytes32) (contracts/ LandNFT.sol#693-695) is never used and should be removed EnumerableSet.contains(EnumerableSet.UintSet,uint256) (contracts/LandNFT.sol#832-834) is never used and should be removed EnumerableSet.length(EnumerableSet.AddressSet) (contracts/LandNFT.sol#766-768) is never used and should be removed EnumerableSet.length(EnumerableSet.Bytes32Set) (contracts/LandNFT.sol#700-702) is never used and should be removed EnumerableSet.length(EnumerableSet.UintSet) (contracts/LandNFT.sol#839-841) is never used and should be removed EnumerableSet.remove(EnumerableSet.AddressSet,address) (contracts/LandNFT.sol#752-754) is never used and should be removed EnumerableSet.remove(EnumerableSet.Bytes32Set,bytes32) (contracts/LandNFT.sol#686-688) is never used and should be removed EnumerableSet.remove(EnumerableSet.UintSet,uint256) (contracts/LandNFT.so1#825-827) is never used and should be removed EnumerableSet.values(EnumerableSet.AddressSet) (contracts/LandNFT.sol#792-801) is never used and should be removed EnumerableSet.values(EnumerableSet.Bytes32Set) (contracts/LandNFT.sol#726-728) is never used and should be removed EnumerableSet.values(EnumerableSet.UintSet) (contracts/LandNFT.so1#865-874) is never used and should be removed Math.average(uint256,uint256) (contracts/LandNFT.sol#956-959) is never used and should be removed Math.ceilDiv(uint256,uint256) (contracts/LandNFT.sol#967-970) is never used and should be removed Math.max(uint256,uint256) (contracts/LandNFT.sol#941-943) is never used and should be removed Math.min(uint256,uint256) (contracts/LandNFT.sol#948-950) is never used and should be removed Pausable.\_pause() (contracts/LandNFT.sol#1039-1042) is never used and should be removed Pausable.\_unpause() (contracts/LandNFT.sol#1051-1054) is never used and should be

Ox Guard | March 2022 17

removed

```
SafeERC20.safeApprove(IERC20,address,uint256) (contracts/LandNFT.sol#1386-1399) is
never used and should be removed
SafeERC20.safeDecreaseAllowance(IERC20,address,uint256) (contracts/
LandNFT.sol#1410-1421) is never used and should be removed
SafeERC20.safeIncreaseAllowance(IERC20,address,uint256) (contracts/
LandNFT.sol#1401-1408) is never used and should be removed
SafeERC20.safeTransfer(IERC20,address,uint256) (contracts/LandNFT.sol#1362-1368) is
never used and should be removed
SafeMath.add(uint256, uint256) (contracts/LandNFT.sol#189-191) is never used and should
be removed
SafeMath.div(uint256, uint256) (contracts/LandNFT.sol#231-233) is never used and should
be removed
SafeMath.div(uint256,uint256,string) (contracts/LandNFT.sol#287-296) is never used and
should be removed
SafeMath.mod(uint256, uint256) (contracts/LandNFT.sol#247-249) is never used and should
be removed
SafeMath.mod(uint256,uint256,string) (contracts/LandNFT.sol#313-322) is never used and
should be removed
SafeMath.mul(uint256, uint256) (contracts/LandNFT.sol#217-219) is never used and should
be removed
SafeMath.sub(uint256, uint256) (contracts/LandNFT.sol#203-205) is never used and should
be removed
SafeMath.sub(uint256,uint256,string) (contracts/LandNFT.sol#264-273) is never used and
should be removed
SafeMath.tryAdd(uint256,uint256) (contracts/LandNFT.sol#118-124) is never used and
should be removed
SafeMath.tryDiv(uint256,uint256) (contracts/LandNFT.sol#160-165) is never used and
should be removed
SafeMath.tryMod(uint256,uint256) (contracts/LandNFT.sol#172-177) is never used and
should be removed
SafeMath.tryMul(uint256,uint256) (contracts/LandNFT.sol#143-153) is never used and
should be removed
SafeMath.trySub(uint256, uint256) (contracts/LandNFT.sol#131-136) is never used and
should be removed
Strings.toHexString(uint256) (contracts/LandNFT.sol#1520-1531) is never used and should
be removed
Strings.toHexString(uint256,uint256) (contracts/LandNFT.sol#1536-1546) is never used
and should be removed
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code
INFO: Detectors:
Pragma version^0.8.0 (contracts/LandNFT.sol#10) necessitates a version too recent to be
```

```
trusted. Consider deploying with 0.6.12/0.7.6
Pragma version>=0.7.0<0.9.0 (contracts/LandNFT.sol#2141) is too complex
solc-0.8.4 is not recommended for deployment
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-
versions-of-solidity
INFO: Detectors:
Low level call in Address.sendValue(address,uint256) (contracts/LandNFT.sol#1187-1192):
        - (success) = recipient.call{value: amount}() (contracts/LandNFT.sol#1190)
Low level call in Address.functionCallWithValue(address,bytes,uint256,string)
(contracts/LandNFT.sol#1255-1266):
        - (success, returndata) = target.call{value: value}(data) (contracts/
LandNFT.so1#1264)
Low level call in Address.functionStaticCall(address,bytes,string) (contracts/
LandNFT.so1#1284-1293):
        - (success, returndata) = target.staticcall(data) (contracts/LandNFT.sol#1291)
Low level call in Address.functionDelegateCall(address,bytes,string) (contracts/
LandNFT.so1#1311-1320):
        - (success, returndata) = target.delegatecall(data) (contracts/LandNFT.sol#1318)
Low level call in MiniLand.withdraw() (contracts/LandNFT.sol#2409-2414):
        - (os) = address(owner()).call{value: address(this).balance}() (contracts/
LandNFT.so1#2411)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-
calls
INFO: Detectors:
Parameter ERC721.safeTransferFrom(address,address,uint256,bytes)._data (contracts/
LandNFT.sol#1714) is not in mixedCase
Parameter MiniLand.mintBronze(uint256)._mintAmount (contracts/LandNFT.so1#2203) is not
in mixedCase
Parameter MiniLand.mintSilver(uint256)._mintAmount (contracts/LandNFT.sol#2233) is not
in mixedCase
Parameter MiniLand.mintGold(uint256)._mintAmount (contracts/LandNFT.sol#2263) is not in
mixedCase
Parameter MiniLand.mintDiamond(uint256)._mintAmount (contracts/LandNFT.so1#2293) is not
in mixedCase
Parameter MiniLand.walletOfOwner(address)._owner (contracts/LandNFT.sol#2323) is not in
mixedCase
Parameter MiniLand.setmaxMintAmount(uint256)._newmaxMintAmount (contracts/
LandNFT.sol#2357) is not in mixedCase
Parameter MiniLand.setBaseURIDiamond(string)._newBaseURI (contracts/LandNFT.sol#2361)
is not in mixedCase
Parameter MiniLand.setBaseURIGold(string)._newBaseURI (contracts/LandNFT.sol#2365) is
```

```
not in mixedCase
Parameter MiniLand.setBaseURISilver(string)._newBaseURI (contracts/LandNFT.sol#2369) is
not in mixedCase
Parameter MiniLand.setBaseURIBronze(string)._newBaseURI (contracts/LandNFT.so1#2373) is
not in mixedCase
Parameter MiniLand.setBaseExtension(string)._newBaseExtension (contracts/
LandNFT.sol#2377) is not in mixedCase
Parameter MiniLand.pause(bool)._state (contracts/LandNFT.sol#2381) is not in mixedCase
Parameter MiniLand.setOnlyWhitelisted(bool)._state (contracts/LandNFT.sol#2385) is not
in mixedCase
Parameter MiniLand.whitelistUsers(address[],uint256[])._users (contracts/
LandNFT.sol#2389) is not in mixedCase
Parameter MiniLand.whitelistUsers(address[],uint256[])._amount (contracts/
LandNFT.so1#2389) is not in mixedCase
Parameter MiniLand.exploiters(address[])._users (contracts/LandNFT.sol#2395) is not in
mixedCase
Parameter MiniLand.setMintPrice(uint256[])._prices (contracts/LandNFT.so1#2401) is not
in mixedCase
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-
solidity-naming-conventions
INFO:Detectors:
MiniLand.maxSupply (contracts/LandNFT.sol#2151) should be constant
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#state-
variables-that-could-be-declared-constant
INFO: Detectors:
renounceOwnership() should be declared external:
        - Ownable.renounceOwnership() (contracts/LandNFT.sol#79-81)
transferOwnership(address) should be declared external:
        - Ownable.transferOwnership(address) (contracts/LandNFT.sol#87-90)
name() should be declared external:
        - ERC721.name() (contracts/LandNFT.sol#1614-1616)
symbol() should be declared external:

    ERC721.symbol() (contracts/LandNFT.sol#1621-1623)

tokenURI(uint256) should be declared external:
        - ERC721.tokenURI(uint256) (contracts/LandNFT.so1#1628-1633)
        - MiniLand.tokenURI(uint256) (contracts/LandNFT.so1#2336-2347)
approve(address, uint256) should be declared external:
        - ERC721.approve(address,uint256) (contracts/LandNFT.sol#1647-1657)
setApprovalForAll(address,bool) should be declared external:
        - ERC721.setApprovalForAll(address,bool) (contracts/LandNFT.sol#1671-1673)
transferFrom(address,address,uint256) should be declared external:
```

```
- ERC721.transferFrom(address,address,uint256) (contracts/
LandNFT.so1#1685-1694)
safeTransferFrom(address,address,uint256) should be declared external:
        - ERC721.safeTransferFrom(address,address,uint256) (contracts/
LandNFT.so1#1699-1705)
tokenByIndex(uint256) should be declared external:
        - ERC721Enumerable.tokenByIndex(uint256) (contracts/LandNFT.sol#2027-2030)
mintBronze(uint256) should be declared external:
        - MiniLand.mintBronze(uint256) (contracts/LandNFT.so1#2203-2231)
mintSilver(uint256) should be declared external:
        - MiniLand.mintSilver(uint256) (contracts/LandNFT.sol#2233-2261)
mintGold(uint256) should be declared external:
        - MiniLand.mintGold(uint256) (contracts/LandNFT.sol#2263-2291)
mintDiamond(uint256) should be declared external:
        - MiniLand.mintDiamond(uint256) (contracts/LandNFT.sol#2293-2321)
wallet0f0wner(address) should be declared external:
        - MiniLand.walletOfOwner(address) (contracts/LandNFT.sol#2323-2334)
setmaxMintAmount(uint256) should be declared external:
        - MiniLand.setmaxMintAmount(uint256) (contracts/LandNFT.sol#2357-2359)
setBaseURIDiamond(string) should be declared external:
        - MiniLand.setBaseURIDiamond(string) (contracts/LandNFT.sol#2361-2363)
setBaseURIGold(string) should be declared external:
        - MiniLand.setBaseURIGold(string) (contracts/LandNFT.sol#2365-2367)
setBaseURISilver(string) should be declared external:
        - MiniLand.setBaseURISilver(string) (contracts/LandNFT.sol#2369-2371)
setBaseURIBronze(string) should be declared external:
        - MiniLand.setBaseURIBronze(string) (contracts/LandNFT.sol#2373-2375)
setBaseExtension(string) should be declared external:
        - MiniLand.setBaseExtension(string) (contracts/LandNFT.sol#2377-2379)
pause(bool) should be declared external:
        - MiniLand.pause(bool) (contracts/LandNFT.so1#2381-2383)
setOnlyWhitelisted(bool) should be declared external:

    MiniLand.setOnlyWhitelisted(bool) (contracts/LandNFT.sol#2385-2387)

whitelistUsers(address[],uint256[]) should be declared external:
        - MiniLand.whitelistUsers(address[],uint256[]) (contracts/
LandNFT.so1#2389-2393)
exploiters(address[]) should be declared external:
        - MiniLand.exploiters(address[]) (contracts/LandNFT.sol#2395-2399)
setMintPrice(uint256[]) should be declared external:
        - MiniLand.setMintPrice(uint256[]) (contracts/LandNFT.sol#2401-2407)
withdraw() should be declared external:
```

- MiniLand.withdraw() (contracts/LandNFT.sol#2409-2414)

Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external

INFO:Slither:contracts/LandNFT.sol analyzed (20 contracts with 75 detectors), 157 result(s) found



