ACCELIO.

Master Agreement

Customer: Blue Leaf Logistics
Vendor: Silver Orbit Systems
Primary Contact: Maya Shah (maya.shah@blueleaflogistics.com)
Effective Date: 2026-01-16

Customer pays a recurring subscription fee plus variable usage charges for excess consumption.

ACCELIO.

### Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

### Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

ACCELIO.

## Sample Files

This sample package contains:

| Filename | Description |
|---|---|
| ap_bookmark.IFD | The template design. |
| ap_bookmark.mdf | The template targeted for PDF output. |
| ap_bookmark.dat | A sample data file in DAT format. |
| ap_bookmark.bmk | A sample bookmark file. |
| ap_bookmark.pdf | Sample PDF output. |
| ap_bookmark_doc.pdf | A document describing the sample. |

## Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
   - Identify the target output device.
   - Identify the bookmark file using the **-abmk** command.
   - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

| To bookmark by ... | Use the command line parameter ... |
|---|---|
| Invoices | **-abmk**ap_bookmark.bmk **-abms**invoices |
| Type | **-abmk**ap_bookmark.bmk **-abms**type |
| Amount | **-abmk**ap_bookmark.bmk **-abms**amount |

3. Place the accompanying files in directories consistent with your implementation:
   - Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
   - Place **ap_bookmark.mdf** *in the forms subdirectory accessible to Central.*
   - Place **ap_bookmark.bmk** in an addressable directory.

## Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.