ACCELIO.

Mixed Manual
Prepared for: Silver Ledger Analytics
Owner: Liam Gupta (liam.gupta@silverledgeranalytic.com)
Date: 2026-03-23

This packet contains business/financial/operational information.
It may resemble commercial paperwork but does not itself constitute an executed contract or order schedule.
Reviewers should decide whether this should be rejected or escalated instead of extracted.

ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

ACCELIO.

Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
   - Identify the target output device.
   - Identify the bookmark file using the **-abmk** command.
   - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

   For example,

To bookmark by ...	Use the command line parameter ...
Invoices	`-abmkap_bookmark.bmk -abmsinvoices`
Type	`-abmkap_bookmark.bmk -abmstype`
Amount	`-abmkap_bookmark.bmk -abmsamount`

ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:
   - Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
   - Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
   - Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.