

```

{% extends "layout_content.html" %}
{% block content %}

<form method="POST" action="">
  {{ s_form.hidden_tag() }}
  <div class="form-group" style="display: flex;">
    {% if s_form.search_query.errors %}
      {{ s_form.search_query(class="form-control form-control-lg is-invalid", style="flex: 90%;", placeholder="Search Topics...") }}
    }

    <div class="invalid-feedback">
      {% for error in s_form.search_query.errors %}
        <span>{{ error }}</span>
      {% endfor %}
    </div>
    {% else %}
      {{ s_form.search_query(class="form-control form-control-lg", style="flex: 90%;", placeholder="Search Topics...") }}
    {% endif %}
    {{ s_form.submit(class="btn btn-light", style="flex: 10%; border: 1px solid #dddddd;") }}
  </div>
</form>

{% if srch %}
  {% if search_results.all()|length > 0 %}
    <h3>Search Results</h3>
    {% for topic in search_results %}
      <article class="media content-section">
        <div class="media-body">

          <div style="display: inline-block">
            <h2><a class="article-title" href="{{ url_for('topic', topic_id=topic.id) }}">{{ topic.name }}</a></h2>
          </div>

          <div style="display: inline-block; float: right;">
            <div style="display: inline-block;" class="dropdown show">
              <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                <i class='fas fa-plus'></i>
              </a>
              <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
                <a class="dropdown-item" href="{{ url_for('new_homework', topic_id=topic.id) }}">Add Homework</a>
                <a class="dropdown-item" href="{{ url_for('new_test', topic_id=topic.id) }}">Add Test</a>
              </div>
            </div>

            <div style="display: inline-block;" class="dropdown show">
              <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                <i class='fas fa-bars'></i>
              </a>
              <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
                <a class="dropdown-item" href="{{ url_for('topic', topic_id=topic.id) }}">Manage</a>
                <a class="dropdown-item" href="{{ url_for('update_topic', topic_id=topic.id) }}">Update Details</a>
                <button type="button" class="dropdown-item btn-danger" style="color: red;" data-toggle="modal" data-
target="#deleteModal{{ topic.id }}">Delete</button>
              </div>
            </div>

            <!-- <a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_topic', topic_id=topic.id) }}">Update
Details</a>
            <button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModal{{ topic.id }}">Delete</button> -->
          </div>

          <p>{{ topic.start_date.strftime('%b %Y') }}-{{ topic.end_date.strftime('%b %Y') }} ({{ topic.end_date-topic.start_date }}
Time)</p>

          {% if topic.homeworks|length > 0 %}

```

```

<h5>Homeworks</h5>
{% for homework in topic.homeworks %}
  <article class="content-section" style="background:#eeeeee;">
    <div style="display: inline-block;">
      <h6 class="mt-2">{{ homework.name }}</h6>
    </div>
    <div style="display: inline-block;" class="float-right">
      <a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('mark_homework',
homework_id=homework.id) }}">Mark Homework</a>

```

```

    <div style="display: inline-block;" class="dropdown show">
      <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
        <i class='fas fa-bars'></i>
      </a>
      <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
        <a class="dropdown-item" href="{{ url_for('homework', homework_id=homework.id) }}">Manage</a>
        <a class="dropdown-item" href="{{ url_for('update_homework', homework_id=homework.id) }}">Update

```

```

Details</a>
      <button type="button" class="dropdown-item btn-danger" style="color:red;" data-toggle="modal" data-
target="#deleteModalHH{{ homework.id }}">Delete</button>
    </div>
  </div>

```

```

    <!-- <a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('homework',
homework_id=homework.id) }}">Manage</a>
    <a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('mark_homework',
homework_id=homework.id) }}">Mark Homework</a>
    <a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_homework',
homework_id=homework.id) }}">Update Details</a>
    <button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModalHH{{ homework.id }}">Delete</button> -->
    <!-- Modal -->
    <div class="modal fade" id="deleteModalHH{{ homework.id }}" tabindex="-1" role="dialog" aria-
labelledby="deleteModalLabel" aria-hidden="true">
      <div class="modal-dialog" role="document">
        <div class="modal-content">
          <div class="modal-header">
            <h5 class="modal-title" id="deleteModalLabel">Delete Homework?</h5>
            <button type="button" class="close" data-dismiss="modal" aria-label="Close">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <p class="modal-body"><font color="red">Warning: All this Topics tests and homeworks will also be
deleted!</font></p>

```

```

        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
          <form action="{{ url_for('delete_homework', homework_id=homework.id) }}" method="POST">
            <input class="btn btn-danger" type="submit" value="Delete">
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>

```

```

    <div class="modal-footer">
      <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
      <form action="{{ url_for('delete_homework', homework_id=homework.id) }}" method="POST">
        <input class="btn btn-danger" type="submit" value="Delete">
      </form>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>

```

```

    <div class="modal-footer">
      <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
      <form action="{{ url_for('delete_homework', homework_id=homework.id) }}" method="POST">
        <input class="btn btn-danger" type="submit" value="Delete">
      </form>
    </div>
  </div>
</div>
</div>
</div>

```

```

    <div class="modal-footer">
      <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
      <form action="{{ url_for('delete_homework', homework_id=homework.id) }}" method="POST">
        <input class="btn btn-danger" type="submit" value="Delete">
      </form>
    </div>
  </div>
</div>
</div>
</div>

```

```
<div style="display: inline-block;">
<h6 class="mt-2">{{ test.name }}</h6>
</div>
<div style="display: inline-block;" class="float-right">
<a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('mark_test', test_id=test.id) }}">Mark
```

Test</a>

```

<div style="display: inline-block;" class="dropdown show">
  <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
    <i class='fas fa-bars'></i>
  </a>
  <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
    <a class="dropdown-item" href="{{ url_for('test', test_id=test.id) }}">Manage</a>
    <a class="dropdown-item" href="{{ url_for('update_test', test_id=test.id) }}">Update Details</a>
    <button type="button" class="dropdown-item btn-danger" style="color:red;" data-toggle="modal" data-
target="#deleteModalTTT{{ test.id }}">Delete</button>
  </div>
</div>
<!-- <a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('test', test_id=test.id) }}">Manage</a>
<a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_test', test_id=test.id) }}">Update
Details</a>
```

```

  <button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModalTT{{ test.id }}">Delete</button> -->
</div>
<!-- Modal -->
```

```

<div class="modal fade" id="deleteModalTT{{ test.id }}" tabindex="-1" role="dialog" aria-
labelledby="deleteModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="deleteModalLabel">Delete Test?</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <p class="modal-body"><font color="red">Warning: All this Topics tests and homeworks will also be
deleted!</font></p>
```

```

    <div class="modal-footer">
      <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
      <form action="{{ url_for('delete_test', test_id=test.id) }}" method="POST">
        <input class="btn btn-danger" type="submit" value="Delete">
      </form>
    </div>
  </div>
</div>
</div>
</article>
{% endfor %}
{% endif %}
```

```

</div>
</article>
<!-- Modal -->
<div class="modal fade" id="deleteModal{{ topic.id }}" tabindex="-1" role="dialog" aria-labelledby="deleteModalLabel"
aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="deleteModalLabel">Delete Topic?</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
```

```

        </button>
    </div>
    <p class="modal-body"><font color="red">Warning: All this Topics tests and homeworks will also be
deleted!</font></p>

    <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
        <form action="{{ url_for('delete_topic', topic_id=topic.id) }}" method="POST">
            <input class="btn btn-danger" type="submit" value="Delete">
        </form>
    </div>
</div>
</div>
</div>
</div>
{% endfor %}

{% else %}
    <h3>No results found!</h3>
{% endif %}
{% endif %}

{% for course in courses.items %}
    <!-- <br>
    <br> -->
    <h3 class="mb-3" style="display: inline-block;">{{ course.name }} Topics</h3>
    <a class="btn btn-secondary btn-sm ml-4 mb-3" style="display: inline-block;" href="{{ url_for('new_topic', course_id=course.id)
}}">Add Topic</a>

{% for topic in course.topics %}
    <article class="media content-section">
        <div class="media-body">

            <div style="display: inline-block">
                <h2><a class="article-title" href="{{ url_for('topic', topic_id=topic.id) }}">{{ topic.name }}</a></h2>
            </div>

            <div style="display: inline-block; float:right;">

                <div style="display: inline-block;" class="dropdown show">
                    <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                        <i class='fas fa-plus'></i>
                    </a>
                    <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
                        <a class="dropdown-item" href="{{ url_for('new_homework', topic_id=topic.id) }}">Add Homework</a>
                        <a class="dropdown-item" href="{{ url_for('new_test', topic_id=topic.id) }}">Add Test</a>
                    </div>
                </div>

                <div style="display: inline-block;" class="dropdown show">
                    <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                        <i class='fas fa-bars'></i>
                    </a>
                    <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
                        <a class="dropdown-item" href="{{ url_for('topic', topic_id=topic.id) }}">Manage</a>
                        <a class="dropdown-item" href="{{ url_for('update_topic', topic_id=topic.id) }}">Update Details</a>
                        <button type="button" class="dropdown-item btn-danger" style="color:red;" data-toggle="modal" data-
target="#deleteModal{{ topic.id }}">Delete</button>
                    </div>
                </div>
            </div>

```

```

<!-- <a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_topic', topic_id=topic.id) }}">Update
Details</a>
<button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModal{{ topic.id }}">Delete</button> -->
</div>

<p>
{{ topic.start_date.strftime('%d %b %Y') }} - {{ topic.end_date.strftime('%d %b %Y') }}
{% if topic.start_date < today and topic.end_date > today %}
<font color="white" style="background:green;">Current Topic</font>
{% endif %}
({{ (topic.end_date-topic.start_date).days }} Days)
</p>

{% if topic.homeworks|length > 0 %}
<h5>Homeworks</h5>
{% for homework in topic.homeworks %}
<article class="content-section" style="background:#eeeeee;">
<div style="display: inline-block;">
<a href="{{ url_for('homework', homework_id=homework.id) }}"><h6 class="mt-2">{{ homework.name }}</h6></a>
</div>
<div style="display: inline-block;" class="float-right">

<a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('mark_homework', homework_id=homework.id)
}}">Mark Homework</a>

<div style="display: inline-block;" class="dropdown show">
<a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
<i class='fas fa-bars'></i>
</a>
<div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
<a class="dropdown-item" href="{{ url_for('homework', homework_id=homework.id) }}">Manage</a>
<a class="dropdown-item" href="{{ url_for('update_homework', homework_id=homework.id) }}">Update
Details</a>
<button type="button" class="dropdown-item btn-danger" style="color:red;" data-toggle="modal" data-
target="#deleteModalHH{{ homework.id }}">Delete</button>
</div>
</div>
<!-- <a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_homework',
homework_id=homework.id) }}">Update Details</a>
<button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModalHH{{ homework.id }}">Delete</button> -->
</div>
<!-- Modal -->
<div class="modal fade" id="deleteModalHH{{ homework.id }}" tabindex="-1" role="dialog" aria-
labelledby="deleteModalLabel" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="deleteModalLabel">Delete Homework?</h5>
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body"><font color="red">Warning: All Students marks for this homework will also be
deleted!</font></div>

<div class="modal-footer">
<button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
<form action="{{ url_for('delete_homework', homework_id=homework.id) }}" method="POST">
<input class="btn btn-danger" type="submit" value="Delete">
</form>
</div>

```

```

        </div>
    </div>
</div>
</article>
{% endfor %}
{% endif %}

{% if topic.tests|length > 0 %}
<h5>Tests</h5>
{% for test in topic.tests %}
    <article class="content-section" style="background:#eeeeee;">
        <div style="display: inline-block;">
            <a href="{{ url_for('test', test_id=test.id) }}"><h6 class="mt-2">{{ test.name }}</h6></a>
        </div>
        <div style="display: inline-block;" class="float-right">
            <a class="btn btn-primary btn-sm mt-1 mb-1 mr-1" href="{{ url_for('mark_test', test_id=test.id) }}">Mark Test</a>

            <div style="display: inline-block;" class="dropdown show">
                <a class="btn btn-secondary btn-sm mt-1 mb-1 mr-1 dropdown-toggle" href="#" role="button"
id="dropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                    <i class='fas fa-bars'></i>
                </a>
                <div class="dropdown-menu" aria-labelledby="dropdownMenuLink">
                    <a class="dropdown-item" href="{{ url_for('test', test_id=test.id) }}">Manage</a>
                    <a class="dropdown-item" href="{{ url_for('update_test', test_id=test.id) }}">Update Details</a>
                    <button type="button" class="dropdown-item btn-danger" style="color:red;" data-toggle="modal" data-
target="#deleteModalTTT{{ test.id }}">Delete</button>
                </div>
            </div>
            <!-- <a class="btn btn-secondary btn-sm mt-1 mb-1" href="{{ url_for('update_test', test_id=test.id) }}">Update
Details</a>
            <button type="button" class="btn btn-danger btn-sm ml-1 mb-1 mt-1 mr-0" data-toggle="modal" data-
target="#deleteModalTTT{{ test.id }}">Delete</button> -->
        </div>
        <!-- Modal -->
        <div class="modal fade" id="deleteModalTTT{{ test.id }}" tabindex="-1" role="dialog" aria-
labelledby="deleteModalLabel" aria-hidden="true">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <h5 class="modal-title" id="deleteModalLabel">Delete Test?</h5>
                        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                            <span aria-hidden="true">&times;</span>
                        </button>
                    </div>
                    <div class="modal-body"><font color="red">Warning: All Students marks for this test will also be
deleted!</font></div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
                        <form action="{{ url_for('delete_test', test_id=test.id) }}" method="POST">
                            <input class="btn btn-danger" type="submit" value="Delete">
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </article>
{% endfor %}
{% endif %}

</div>

```

```

</article>
<!-- Modal -->
<div class="modal fade" id="deleteModal{{ topic.id }}" tabindex="-1" role="dialog" aria-labelledby="deleteModalLabel" aria-
hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="deleteModalLabel">Delete Topic?</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <p class="modal-body"><font color="red">Warning: All this Topics tests and homeworks will also be deleted!</font>

</p>

      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
        <form action="{{ url_for('delete_topic', topic_id=topic.id) }}" method="POST">
          <input class="btn btn-danger" type="submit" value="Delete">
        </form>
      </div>
    </div>
  </div>
</div>
</div>
</div>
{% endfor %}

{% endfor %}

<br>

{% for page_num in courses.iter_pages(left_edge=1, right_edge=1, left_current=1, right_current=2) %}
  {% if page_num %}
    {% if courses.page == page_num %}
      <a class="btn btn-info mb-4" href="{{ url_for('topics', page=page_num) }}">{{ page_num }}</a>
    {% else %}
      <a class="btn btn-outline-info mb-4" href="{{ url_for('topics', page=page_num) }}">{{ page_num }}</a>
    {% endif %}
  {% else %}
    ...
  {% endif %}
{% endfor %}

{% endblock content %}

```