

```
1 select distinct(sid) , sname from student natural join apply where major = 'CS';
```

SID	SNAME
123	Amy
345	Craig
543	Craig
876	Irene
987	Helen

Download CSV

5 rows selected.

```
1 select distinct(sid) , sname from student where sizehs in (select sizehs from student where sname = 'Jay');
```

SID	SNAME
234	Bob
765	Jay

Download CSV

2 rows selected.

```
1 select distinct(sid) , sname from student where sizehs in (select sizehs from student where sname = 'Jay') and sname not in ('Jay');
```

SID	SNAME
234	Bob

Download CSV


```
1 select sid, sname, gpa from student where gpa not in (select gpa from student where sname = 'Irene');
```

SID	SNAME	GPA
987	Helen	3.7
567	Edward	2.9
765	Jay	2.9
234	Bob	3.6
678	Fay	3.8
345	Craig	3.5
789	Gary	3.4
543	Craig	3.4

Download CSV

8 rows selected.

```
1 select cname, sname from apply natural join student where sname like 'J%';
```

CNAME	SNAME
Stanford	Jay
Cornell	Jay
Cornell	Jay

Download CSV

3 rows selected.

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

select major from apply where sid in (select sid from student where sname = 'Irene');

MAJOR
CS
biology
marine biology

Download CSV

3 rows selected.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)

Built with  using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)


```
1 select sid, major from apply where major in (select major from apply where sid in (select sid from student where sname = 'Irene'));
```

SID	MAJOR
123	CS
123	CS
234	biology
345	CS
987	CS
987	CS
876	CS
876	biology
876	marine biology
543	CS

Download CSV

```
1 select sid, major from apply where major in (select major from apply where sid in (select sid from student where sname = 'Irene')) and sid not in (select sid from student where sname = 'Irene');
```

SID	MAJOR
543	CS
987	CS
987	CS
345	CS
234	biology
123	CS
123	CS

Download CSV

7 rows selected.

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

select count(distinct(cname)) from apply where sid in (select sid from student where sname = 'Jay');

COUNT(DISTINCT(CNAME))

2

Download CSV

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use

```
1 SELECT sid FROM apply GROUP BY sid HAVING COUNT(DISTINCT cname) >= ( SELECT COUNT(DISTINCT cname) FROM apply WHERE sid = (SELECT sid FROM student WHERE sname = 'Jay') );
```

SID
876
345
987
765
123

Download CSV

5 rows selected.

```
1 select * from student where sid in (select sid from apply where major = 'CS' and sid not in (select sid from apply where major = 'EE'));
```

SID	SNAME	GPA	SIZEHS
876	Irene	3.9	400
543	Craig	3.4	2000
987	Helen	3.7	800

Download CSV

3 rows selected.


```
1 select cname from college c1 where exists (select cname from college c2 where c1.state = c2.state and c1.cname != c2.cname);
```

CNAME
Berkeley
Stanford
Harvard
MIT

Download CSV

4 rows selected.

```
1 SELECT cname FROM apply WHERE decision = 'Y' GROUP BY cname HAVING COUNT() = (SELECT MAX(cnt) FROM (SELECT COUNT() AS cnt FROM apply WHERE decision = 'Y' GROUP BY cname) tmp);
```

ORA-00909: invalid number of arguments

More Details: <https://docs.oracle.com/error-help/db/ora-00909>

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

SELECT sname FROM student WHERE gpa = (SELECT min(gpa) FROM student);

SNAME

Edward

Jay

Download CSV

2 rows selected.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)

Built with  using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)

1

select major from apply group by major having count(sid) = (select max(cnt) from (select count(sid) as cnt from apply group by major) tmp);

MAJOR
CS

Download CSV

```
1 select sID, sName, sizeHS from student where sizeHS != (select min(sizehs) from student);
```

SID	SNAME	SIZEHS
123	Amy	1000
234	Bob	1500
345	Craig	500
456	Doris	1000
567	Edward	2000
789	Gary	800
987	Helen	800
876	Irene	400
765	Jay	1500
654	Amy	1000
543	Craig	2000

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

select s.sname from student s where not exists ((select a.cname from apply a where sid = 987) minus (select b.cname from apply b where sid = s.sid)) and s.sid != 987;

SNAME

Amy

Download CSV

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use

SQL Worksheet

 Clear  Find Actions ▾  Save **Run** 

```
1 insert into Apply select s1.sID, 'Berkeley', 'CSE', 'Y' from student s1 where s1.sID IN (select s.sID from student s MINUS select a.sID from apply a where a.cName = 'Berkeley');
```

9 row(s) inserted.

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

Select s.sID, s.sName From Student S Where NOT Exists ((Select C.cName from College C) MINUS (Select A.cName from Apply A where A.sID=S.sID));

no data found

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with using Oracle APEX · Privacy · Terms of Use

```
1 select sid from student minus select sid from apply where cname = 'Stanford';
```

SID
234
345
456
543
567
654
789

Download CSV

7 rows selected.

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

select sid from apply where cname = 'Berkeley' intersect select sid from apply where cname = 'Stanford';

SID
123
678
765
876
987

Download CSV

5 rows selected.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

select sname from student union select cname from college;

SNAME
Amy
Berkeley
Bob
Cornell
Craig
Doris
Edward
Fay
Gary
Harvard
Helen

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · [Database Documentation](#) · [Ask Tom](#) · [Dev Gym](#)

Built with  using [Oracle APEX](#) · [Privacy](#) · [Terms of Use](#)

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

CREATE TABLE ApplicationInfo AS SELECT s.sid AS sID, s.sname AS sName, NVL(COUNT(a.sid), 0) AS number_of_applications FROM student s LEFT JOIN apply a ON s.sid = a.sid GROUP BY s.sid, s.sname;

Table created.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

CREATE TABLE ApplicationData AS SELECT s.sid AS sID, c.cname AS cName, c.state AS state FROM student s, college c, apply a where s.sid = a.sid and c.cname = a.cname;

Table created.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use

SQL Worksheet

 Clear  Find  Actions  Save 

```
1 update apply set decision = 'N' where cname = 'Stanford' and sid in (select sid from apply where cname = 'Berkeley');
```

6 row(s) updated.

Live SQL

Feedback

Help

gopal.agrawal_cs.aiml24@gla.ac.in

SQL Worksheet

Clear

Find

Actions

Save

Run

1

delete from apply where cname in (select cname from college where state='NY')

6 row(s) deleted.

2025 Oracle · Live SQL 24.4.1, running Oracle Database 19c EE Extreme Perf - 19.17.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with  using Oracle APEX · Privacy · Terms of Use