
Pico 2 mini OS Text Editor

Pico 2 mini OS · October 27, 2026



Contents


The editor

The full-screen text editor: `edit [file]` (or `ed`). It edits plain text files on the USB drive or a network share, such as programs, scripts and /AUTORUN.

The editor

`edit file` opens a file; a name that doesn't exist yet starts a new file.

The screen has a title row, 28 text rows and a status row. The status row shows the line and column, and whether the file uses CRLF or LF line endings. The editor keeps whichever the file had.




Above: `edit /NET/examples/NOVA.BAS`, a BASIC game from the examples (opened over a network share), after Ctrl-G 150. The bottom row lists the main keys.


Key	Action
Arrows, PgUp / PgDn, Home / End	Move
Backspace / Delete	Delete
Enter	New line, indented like the line above
Tab	Insert a tab (shown 8 columns wide)
Ctrl-S	Save
Ctrl-Q	Quit; with unsaved changes it asks: `y` save, `n` discard, Esc go back
Ctrl-F	Find
F3	Find next
Ctrl-G	Go to a line number
Ctrl-K	Cut the line (repeat to cut several)
Ctrl-U	Paste the cut lines

Key	Action
Ctrl-L	Redraw the screen

Finding: Ctrl-F asks for the text on the bottom row; Enter goes to the next place it appears, and F3 finds the one after.



Quitting with changes: the title row says `[modified]` once the text has changed, and Ctrl-Q asks whether to save: `y` saves and quits, `n` quits without saving, Esc goes back to editing.



Limits: files up to 64 KB, cut buffer 8 KB.