CSEC Week 06 Lab

Task 4 - TCP RST Attacks on Telnet and SSH Connections






ubuntu login: cybersec-server
Password:
Last login: Mon Oct 17 22:04:33 PDT 2016 from 10.0.2.8 on pts/6
Welcome to Ubuntu 14.04.5 LTS (GNU/Linux 4.2.0-42-generic x86_64)
* Documentation: https://help.ubuntu.com/
508 packages can be updated.
416 updates are security updates.
cybersec-server@ubuntu:~$ sConnection closed by foreign host.
cybersec-client@ubuntu:~$:(alexander thoren


csec-server
csec-attacker
csec-client
cybersec-client@ubuntu: ~
cybersec-server@ubuntu:~$ alexander t
alexander: command not found
cybersec-server@ubuntu:~$ ssh cybersec-client@10.0.2.8
The authenticity of host '10.0.2.8 (10.0.2.8)' can't be established.
ECDSA key fingerprint is 9a:97:a9:8f:03:2e:aa:66:fc:d0:6e:26:ed:e9:10:7b.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '10.0.2.8' (ECDSA) to the list of known hosts.
cybersec-client@10.0.2.8's password:
Welcome to Ubuntu 14.04.5 LTS (GNU/Linux 4.2.0-42-generic x86_64)
* Documentation: https://help.ubuntu.com/
381 packages can be updated.
309 updates are security updates.
Last login: Mon Oct 17 22:04:33 2016 from 10.0.2.8
cybersec-client@ubuntu:~$ # im in\
cybersec-client@ubuntu:~$


381 packages can be updated.
309 updates are security updates.
Last login: Mon Oct 17 22:04:33 2016 from 10.0.2.8
cybersec-client@ubuntu:~$ # im in\
cybersec-client@ubuntu:~$;Write failed: Broken pipe
cybersec-server@ubuntu:~$ oh no connection lost :(

Task 5 - ICMP Blind Connection-Reset and Source-Quench Attacks

(i) ICMP Blind Connection-Reset




csec-server
csec-attacker
csec-client
netwag
File Edit Session Options Help
Tool
Local info
Remote info
Clipboard
Search
Help
Form
Running
History
Parameters for tool 82 (Sniff and send ICMP4/ICMP6 destination unreachable):
Lo0
Eth0
device: device name
filter: pcap filter
2
code: ICMP code
10.0.2.6
src-ip: source IP address
Advanced parameters:
linkbraw
linkfbraw
link
rawlink
linkraw
best
spoofip: IP spoof initialization type



(ii) Source-Quench Attacks




csec-server
csec-attacker
csec-client
File Edit View Go Capture Analyze Statistics Telephony Tools Internals Help
Filter: icmp
No. Time Source Destination Protocol Length Info
cybersec-client@ubuntu: ~
cybersec-client@ubuntu:~$ # alexander t
cybersec-client@ubuntu:~$ ping 10.0.2.6
PING 10.0.2.6 (10.0.2.6) 56(84) bytes of data.
64 bytes from 10.0.2.6: icmp_seq=1 ttl=64 time=0.284 ms
64 bytes from 10.0.2.6: icmp_seq=2 ttl=64 time=0.218 ms
64 bytes from 10.0.2.6: icmp_seq=3 ttl=64 time=0.220 ms
64 bytes from 10.0.2.6: icmp_seq=4 ttl=64 time=0.389 ms
^C
--- 10.0.2.6 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2999ms
rtt min/avg/max/mdev = 0.218/0.277/0.389/0.072 ms
cybersec-client@ubuntu:~$


csec-server
csec-attacker
csec-client
Terminal
File Edit View Go Capture Analyze Statistics Telephony Tools Internals Help
Filter: icmp
No. Time Source Destination Protocol Length Info
cybersec-client@ubuntu: ~
4 packets transmitted, 3 received, +1 errors, 0% packet loss, time 2002ms
rtt min/avg/max/mdev = 0.260/0.285/0.328/0.035 ms
cybersec-client@ubuntu:~$ clear
cybersec-client@ubuntu:~$ # alexander t
cybersec-client@ubuntu:~$ ping 10.0.2.6
PING 10.0.2.6 (10.0.2.6) 56(84) bytes of data.
64 bytes from 10.0.2.6: icmp_seq=1 ttl=64 time=0.284 ms
64 bytes from 10.0.2.6: icmp_seq=2 ttl=64 time=0.218 ms
64 bytes from 10.0.2.6: icmp_seq=3 ttl=64 time=0.220 ms
64 bytes from 10.0.2.6: icmp_seq=4 ttl=64 time=0.389 ms
^C
--- 10.0.2.6 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2999ms
rtt min/avg/max/mdev = 0.218/0.277/0.389/0.072 ms
cybersec-client@ubuntu:~$ ping 10.0.2.6
PING 10.0.2.6 (10.0.2.6) 56(84) bytes of data.
64 bytes from 10.0.2.6: icmp_seq=1 ttl=64 time=0.240 ms
From 10.0.2.6: icmp_seq=1 Source Quench
64 bytes from 10.0.2.6: icmp_seq=2 ttl=64 time=0.342 ms
From 10.0.2.6: icmp_seq=2 Source Quench
64 bytes from 10.0.2.6: icmp_seq=3 ttl=64 time=0.313 ms
From 10.0.2.6: icmp_seq=3 Source Quench
64 bytes from 10.0.2.6: icmp_seq=4 ttl=64 time=0.411 ms
From 10.0.2.6: icmp_seq=4 Source Quench
^C^C
--- 10.0.2.6 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 0.240/0.326/0.411/0.063 ms
cybersec-client@ubuntu:~$
Frame 1: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Vmware e8:83:c1 (00:0c:29:e8:83:c1), Dst: Vmware 9d:94:e2 (00:0c:29:9d:94:e2)
Internet Protocol Version 4, Src: 10.0.2.8 (10.0.2.8), Dst: 10.0.2.6 (10.0.2.6)
Internet Control Message Protocol

Task 6 - TCP Session Hijacking




csec-server
csec-attacker
csec-client
Capturing from eth0 [Wireshark 1.10.6 (v1.10.6 from master-1.10)]
File Edit View Go Capture Analyze Statistics Telephony Tools Internals Help
Filter: telnet
Expression... Clear Apply Save
No. Time Source Destination Protocol Length Info
391 39.71162100€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
392 39.71172900€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
397 39.72622200€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
398 39.72627400€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
403 40.23108700€ 10.0.2.6 10.0.2.8 TELNET 68 Telnet Data ...
404 40.23134200€ 10.0.2.8 10.0.2.6 TELNET 68 Telnet Data ...
406 40.23230900€ 10.0.2.8 10.0.2.6 TELNET 315 Telnet Data ...
413 40.74475100€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
414 40.74488400€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
419 41.32645500€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
420 41.32656400€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
425 41.93941400€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
426 41.93951700€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
431 42.27055500€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
432 42.27069300€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
437 42.40311600€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
438 42.40321300€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
443 42.53585100€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
444 42.53598400€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
449 42.67163700€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
450 42.67178100€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
455 42.74233200€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
456 42.74247300€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
461 42.80691200€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
462 42.80706300€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
467 42.86610800€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
468 42.86622800€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
473 42.97378400€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
474 42.97388400€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
479 43.05226200€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
480 43.05236500€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
485 43.16079900€ 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
486 43.16091100€ 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
491 43.22650200€ 10.0.2.6 10.0.2.8 TELNET 68 Telnet Data ...
492 43.22672700€ 10.0.2.8 10.0.2.6 TELNET 124 Telnet Data ...
Frame 413: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface 0
Ethernet II, Src: Vmware_9d:94:e2 (00:0c:29:9d:94:e2), Dst: Vmware_e8:83:c1 (00:0c:29:e8:83:c1)
Internet Protocol Version 4, Src: 10.0.2.6 (10.0.2.6), Dst: 10.0.2.8 (10.0.2.8)
Transmission Control Protocol, Src Port: 35456 (35456), Dst Port: telnet (23), Seq: 174, Ack: 856, Len: 1
Telnet
Data: #
0000 00 0c 29 e8 83 c1 00 0c 29 9d 94 e2 08 00 45 10 ..).....)..... E.
0010 00 35 5b 3f 40 00 40 06 c7 66 0a 00 02 06 0a 00 .5[?@.@. .f......
0020 02 08 8a 80 00 17 b0 4d 49 f7 a4 4e 7c 9a 80 18 ....M I..N|...
0030 00 f5 4d da 00 00 01 01 08 0a 00 05 3b 4e 00 05 ..M..... ....;N..
0040 0b ba 23 ..#


ring from eth0 [Wireshark 1.10.6 (v1.10.6 from master-1.10)]
File Edit View Go Capture Analyze Statistics Telephony Tools Internals Help
Filter: telnet
Expression... Clear Apply Save
No. Time Source Destination Protocol Length Info
391 39.711621006 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
392 39.711729006 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
397 39.726222006 10.0.2.6 10.0.2.8 TELNET 67 Telnet Data ...
398 39.726274006 10.0.2.8 10.0.2.6 TELNET 67 Telnet Data ...
403 40.231087006 10.0.2.6 10.0.2.8 TELNET 68 Telnet Data ...
404 40.231342006 10.0.2.8 10.0.2.6 TELNET 68 Telnet Data ...
Frame 492: 124 bytes on wire (992 bits), 124 bytes captured (992 bits) on interface 0
Ethernet II, Src: Vmware_e8:83:c1 (00:0c:29:e8:83:c1), Dst: Vmware_9d:94:e2 (00:0c:29:9d:94:e2)
Internet Protocol Version 4, Src: 10.0.2.8 (10.0.2.8), Dst: 10.0.2.6 (10.0.2.6)
Transmission Control Protocol, Src Port: telnet (23), Dst Port: 35456 (35456), Seq: 2756607143, Ack: 2957855238, Len: 58
Source port: telnet (23)
Destination port: 35456 (35456)
[Stream index: 0]
Sequence number: 2756607143
[Next sequence number: 2756607201]
Acknowledgment number: 2957855238
Header length: 32 bytes
Flags: 0x018 (PSH, ACK)
Window size value: 227
[Calculated window size: 29056]
[Window size scaling factor: 128]
Checksum: 0x186e [validation disabled]
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
Telnet
0000 00 0c 29 9d 94 e2 00 0c 29 e8 83 c1 08 00 45 10
0010 00 6e 9d 90 40 00 40 06 84 dc 0a 00 02 08 0a 00
0020 02 06 00 17 8a 00 a4 4e 7c a7 b0 4d 4a 06 80 18
0030 00 e3 18 6e 00 00 01 01 08 0a 00 05 0e a6 00 05
0040 3d bb 0d 0a 1b 5d 30 3b 63 79 62 65 72 73 65 63
0050 2d 63 6c 69 65 6e 74 40 75 62 75 6e 74 75 3a 20
0060 7e 07 63 79 62 65 72 73 65 63 2d 63 6c 69 65 6e
0070 74 40 75 62 75 6e 74 75 3a 7e 24 20


1052 1875.459335€ 10.0.2.8 10.0.2.6 TELNET 70 Telnet Data ...
1218 2542.024152€ 10.0.2.6 10.0.2.8 TELNET 65 Telnet Data ...
1219 2542.025241€ 10.0.2.8 10.0.2.6 TELNET 78 Telnet Data ...
1220 2542.226989€ 10.0.2.8 10.0.2.6 TELNET 122 Telnet Data ...
1222 2542.431199€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1223 2542.840163€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1224 2543.654993€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1225 2545.291077€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1230 2548.558849€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1231 2555.103285€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
1232 2568.192684€ 10.0.2.8 10.0.2.6 TELNET 134 [TCP Retransmission] Telnet Data ...
Frame 1219: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface 0
Ethernet II, Src: Vmware_e8:83:c1 (00:0c:29:e8:83:c1), Dst: Vmware_9d:94:e2 (00:0c:29:9d:94:e2)
Internet Protocol Version 4, Src: 10.0.2.8 (10.0.2.8), Dst: 10.0.2.6 (10.0.2.6)
Transmission Control Protocol, Src Port: telnet (23), Dst Port: 35456 (35456), Seq: 2756607272, Ack: 2957855262, Len: 12
Telnet
Data: mkdir alex\r\n


From 10.0.2.6: icmp_seq=4 Source Quench
^X^C
--- 10.0.2.6 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3005ms
rtt min/avg/max/mdev = 0.240/0.326/0.411/0.063 ms
cybersec-client@ubuntu:~$ ls
alex Documents examples.desktop Pictures Templates
Desktop Downloads Music Public Videos
cybersec-client@ubuntu:~$