## There were issues affecting this run of Lighthouse:

• Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.



# Performance

Metrics			=
First Contentful Paint	2.5 s	▲ Time to Interactive	11.1 s
▲ Speed Index	6.8 s	▲ Total Blocking Time	2,650 ms
▲ Largest Contentful Paint	9.3 s	Cumulative Layout Shift	0.01

Values are estimated and may vary. The <u>performance score is calculated</u> directly from these metrics. <u>See calculator</u>.





Show audits relevant to: All FCP LCP TBT CLS

**Opportunities** — These suggestions can help your page load faster. They don't <u>directly affect</u> the Performance score.

Opportunity Estimated Savings

Reduce unused JavaScript

2.7 s ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. <u>Learn more</u>. <u>LCP</u>

	Show 3rd party r	eseurces (0)
URL	Transfer Size	Potential Savings
scripts-compressed/common-5221435min.en-US.js (assets.squarespace.com)	195.7 KiB	105.2 KiB
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	184.0 KiB	45.1 KiB
scripts-compressed/moment-jsmin.en-US.js (assets.squarespace.com)	45.5 KiB	42.5 KiB
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	76.5 KiB	41.8 KiB
scripts/site-bundle.b77b4dajs (static1.squarespace.com)	55.4 KiB	22.4 KiB
▲ Properly size images		1.65 s ^
Serve images that are appropriately-sized to save cellular data and improve load time. L	<u>Learn more</u> .	
	Show 3rd party r	eseurces (1)
URL	Resource Size	Potential Savings
6d2b23e8-ac61-465a-a956-731946d69b90/network-bg-fin.png? (images.squarespace-cdn.com)	1,124.1 KiB	329.4 KiB
Eliminate render-blocking resources		0.38 s ^
Resources are blocking the first paint of your page. Consider delivering critical JS/CSS i JS/styles. <u>Learn more</u> . <u>FCP</u> <u>LCP</u>	inline and deferring all no	n-critical
	Show 3rd-party r	esources (1)
URL	Transfer Size	Potential Savings
/css2?family= (fonts.googleapis.com)	1.1 KiB	760 ms
1101/site.css (static1.squarespace.com)	80.2 KiB	1,500 ms
Reduce unused CSS		0.3 s ^
Reduce unused rules from stylesheets and defer CSS not used for above-the-fold contents network activity. Learn more. FCP LCP	nt to decrease bytes con	sumed by
	Show 3rd-party r	esources (0)
URL	Transfer Size	Potential Savings
1101/site.css (static1.squarespace.com)	80.2 KiB	77.5 KiB
/*! Squarespace LESS Compiler (less.js language v1.3.3) */ .dark.page-section{color:#e5e5e5}	18.9 KiB	18.6 KiB
Use HTTP/2		0.15 s ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more.

2/20	21	
		Show 3rd party resources (0)
	URL	Protocol
	1.2.1/modern.js (assets.squarespace.com)	http/1.1
	scripts-compressed/moment-jsmin.en-US.js (assets.squarespace.com)	http/1.1
	scripts-compressed/cldr-resomin.en-US.js (assets.squarespace.com)	http/1.1
	scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	http/1.1
	scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	http/1.1
	scripts-compressed/common-5221435min.en-US.js (assets.squarespace.com)	http/1.1
	scripts-compressed/performanmin.en-US.js (assets.squarespace.com)	http/1.1
	/universal/default-favicon.ico (assets.squarespace.com)	http/1.1
	<b>gnostics</b> — More information about the performance of your application. These numbers of formance score.	lon't <u>directly affect</u> the
<u> </u>	Ensure text remains visible during webfont load	^
	Warnings: Lighthouse was unable to automatically check the `font-display` value for the o	rigin https://fonts.gstatic.com.
	Leverage the font-display CSS feature to ensure text is user-visible while webfonts are load	ding. <u>Learn more</u> . FCP <u>LCP</u>
		Show 3rd party resources (2)
	URL	Potential

...v24/6xKtdSZaM....woff2 (fonts.gstatic.com) 210 ms ...v15/pxiByp8kv....woff2 (fonts.gstatic.com) 80 ms

Some third-party resources can be lazy loaded with a facade — 1 facade alternative available

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn more. TBT

Product	Transfer Size	Main-Thread Blocking Time
YouTube Embedded Player (Video)	62 KiB	0 ms
webcomponents-all-noPatch.vflset/webcomponents-all-noPatch.js (www.youtube.com)	31 KiB	0 ms
/app_shell (www.youtube.com)	26 KiB	0 ms
69UP7cVsxpM/default.jpg (i.ytimg.com)	2 KiB	0 ms
/ytc/AKedOLSr=s68-c-k-c0x00ffffff-no-rj (yt3.ggpht.com)	1 KiB	0 ms
/sw.js_data (www.youtube.com)	1 KiB	0 ms

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more CLS

Show 3rd party resources (1)

Savings

URL

Failing Elements



 $...9181d2ec\text{-}65a0\text{-}4817\text{-}9593\text{-}0ae55e8fd266/logo.png?} \\ format\text{=}1500w \ (images.squarespace\text{-}cdn.com)$ 

			7	
L			_	
n				

m

# ▲ Minimize main-thread work — 10.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn more (TBT)

Category	Time Spent
Script Evaluation	4,036 ms
Style & Layout	2,105 ms
Other	1,762 ms
Script Parsing & Compilation	1,117 ms
Parse HTML & CSS	625 ms
Rendering	218 ms
Garbage Collection	120 ms

# ▲ Serve static assets with an efficient cache policy — 12 resources found

A long cache lifetime can speed up repeat visits to your page.  $\underline{\text{Learn more}}.$ 

✓ Show 3rd-party resources (5)

URL	Cache TTL	Transfer Size
scripts-compressed/common-5221435min.en-US.js (assets.squarespace.com)	1 h	196 KiB
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	1 h	184 KiB
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	1 h	76 KiB
scripts-compressed/moment-jsmin.en-US.js (assets.squarespace.com)	1 h	46 KiB
scripts-compressed/cldr-resomin.en-US.js (assets.squarespace.com)	1 h	25 KiB
1.2.1/modern.js (assets.squarespace.com)	1 h	23 KiB
scripts-compressed/performanmin.en-US.js (assets.squarespace.com)	1 h	14 KiB
69UP7cVsxpM/default.jpg (i.ytimg.com)	2 h	2 KiB
/ytc/AKedOLSr=s68-c-k-c0x00ffffff-no-rj (yt3.ggpht.com)	1 d	1 KiB
6d2b23e8-ac61-465a-a956-731946d69b90/network-bg-fin.png? (images.squarespace-cdn.com)	7 d	1,125 KiB
6d2b23e8-ac61-465a-a956-731946d69b90/network-bg-fin.png? (images.squarespace-cdn.com)	7 d	120 KiB
$9181d2ec-65a0-4817-9593-0ae55e8fd266/logo.png? format = 1500w \ (images.squarespace-cdn.com)$	7 d	33 KiB

▲ Reduce JavaScript execution time — 5.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>. (TBT)

Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
https://sphere-helix-wxpd.squarespace.com	3,153 ms	248 ms	492 ms
scripts-compressed/common-5221435min.en- US.js (assets.squarespace.com)	3,021 ms	2,394 ms	142 ms
Unattributable	986 ms	19 ms	1 ms
<pre>chrome- extension://kbfnbcaeplbcioakkpcpgfkobkghlhen/src/js/Grammarly- check.js</pre>	597 ms	374 ms	134 ms
scripts/site-bundle.b77b4dajs (static1.squarespace.com)	494 ms	322 ms	38 ms
1101/site.css (static1.squarespace.com)	364 ms	0 ms	0 ms
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	283 ms	18 ms	116 ms
scripts/user-items-list-simple.0fee94ejs (static1.squarespace.com)	274 ms	196 ms	8 ms
scripts-compressed/performanmin.en-US.js (assets.squarespace.com)	231 ms	203 ms	6 ms
/embed/69UP7cVsxpM?wmode=opaque&enablejsapi=1 (www.youtube.com)	119 ms	55 ms	30 ms
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	114 ms	18 ms	49 ms
1.2.1/modern.js (assets.squarespace.com)	110 ms	96 ms	13 ms

Avoid chaining critical requests — 3 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn more. FCP LCP

Maximum critical path latency: 1,540 ms

Initial Navigation

https://sphere-helix-wxpd.squarespace.com

/css2?family=... (fonts.googleapis.com)

...v24/6xKtdSZaM....woff2 (fonts.gstatic.com) - 210 ms, 25.60 KiB

...v15/pxiByp8kv....woff2 (fonts.gstatic.com) - 80 ms, 7.67 KiB

...1101/site.css (static1.squarespace.com) - 260 ms, 80.20 KiB

User Timing marks and measures — 2 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more</u>.

Name Type Start Time Duration

@grammarly-extension:checkScriptInitStart Mark 2,724.4 ms

Name		Type	Start Time	Duratio
@grammarly-extension:checkScriptl	InitEnd	Mark	2,764.54 ms	
Keep request counts low and transfer	sizes small — 42 red	quests • 2,140 KiB		
o set budgets for the quantity and size	ze of page resources, a	add a budget.json file. <u>Learn r</u>	nore.	
Resource Type		Requests		Transfer Si
Total		42		2,139.7 Ki
Image		6		1,281.5 Ki
Script		16		640.5 Ki
Stylesheet		3		81.3 Ki
Other		12		59.8 K
Font		3		43.8 K
Document		2		32.9 K
Media		0		0.0 K
Third-party		26		1,398.3 K
argest Contentful Paint element —  This is the largest contentful element		/port. <u>Learn More</u> (LCP)		
		/port. <u>Learn More</u> (LCP)		
This is the largest contentful element	painted within the view	/port. <u>Learn More</u> (LCP)		
This is the largest contentful element  Element  p	painted within the view			
This is the largest contentful element  Element  p  Avoid large layout shifts — 1 element	painted within the view		CL	S Contribut
This is the largest contentful element  Element  Avoid large layout shifts — 1 element  These DOM elements contribute mos	painted within the view nt found at to the CLS of the pag			S Contribut
This is the largest contentful element  Element  Avoid large layout shifts — 1 element  These DOM elements contribute mos	painted within the view nt found at to the CLS of the pag	je. CLS		S Contribut

✓ Show 3rd-party resources (1)

URL	Start Time	Duration
scripts-compressed/common-5221435min.en-US.js (assets.squarespace.com)	10,533 ms	1,654 ms
https://sphere-helix-wxpd.squarespace.com	1,198 ms	725 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkghlhen/src/js/Grammarly-check.js	3,117 ms	568 ms
1101/site.css (static1.squarespace.com)	3,759 ms	364 ms
https://sphere-helix-wxpd.squarespace.com	2,667 ms	278 ms
1.2.1/modern.js (assets.squarespace.com)	4,713 ms	262 ms
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	7,923 ms	244 ms
https://sphere-helix-wxpd.squarespace.com	2,424 ms	243 ms
Unattributable	1,923 ms	185 ms
https://sphere-helix-wxpd.squarespace.com	1,017 ms	181 ms
https://sphere-helix-wxpd.squarespace.com	2,108 ms	159 ms
https://sphere-helix-wxpd.squarespace.com	4,123 ms	149 ms
scripts/user-items-list-simple.0fee94ejs (static1.squarespace.com)	12,487 ms	132 ms
scripts-compressed/performanmin.en-US.js (assets.squarespace.com)	12,306 ms	128 ms
/embed/69UP7cVsxpM?wmode=opaque&enablejsapi=1 (www.youtube.com)	12,187 ms	119 ms
https://sphere-helix-wxpd.squarespace.com	2,307 ms	117 ms
scripts-compressed/common-vemin.en-US.js (assets.squarespace.com)	5,793 ms	95 ms
https://sphere-helix-wxpd.squarespace.com	2,988 ms	75 ms
Unattributable	3,063 ms	54 ms
Passed audits (20)		^
Defer offscreen images		^
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading interactive. Learn more.	ng to lower time to	0
Minify CSS		^
Minifying CSS files can reduce network payload sizes. <u>Learn more</u> . FCP <u>LCP</u>		
Minify JavaScript		^
Minifying JavaScript files can reduce payload sizes and script parse time. <u>Learn more</u> . FCP <u>LCP</u>		
Efficiently encode images		^
Optimized images load faster and consume less cellular data. <u>Learn more</u> .		
Serve images in next-gen formats		^
Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG faster downloads and less data consumption. <u>Learn more</u> .	or JPEG, which	means

Enable text compression	^
Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network $\underline{\text{more}}$ . FCP $\underline{\text{LCP}}$	bytes. <u>Learn</u>
Preconnect to required origins	^
Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important to Learn more. FCP LCP	hird-party origins.
Initial server response time was short — Root document took 420 ms	^
Keep the server response time for the main document short because all other requests depend on it. <u>Lear</u>	n more. (FCP)
Show 3rd-	<del>party resources</del> (0)
URL	Time Spent
https://sphere-helix-wxpd.squarespace.com	420 ms
Avoid multiple page redirects	^
Redirects introduce additional delays before the page can be loaded. <u>Learn more</u> . <u>FCP</u> <u>LCP</u>	
Preload key requests	^
Consider using ` <li>k rel=preload&gt;` to prioritize fetching resources that are currently requested later in pagenere. FCP LCP</li>	e load. <u>Learn</u>
Use video formats for animated content	^
Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for anima PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more (LCP)</u>	itions and
Remove duplicate modules in JavaScript bundles	^
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by net <a href="TBT">(TBT)</a>	work activity.
Avoid serving legacy JavaScript to modern browsers	^
Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't new modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/ detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers (TBT)	nomodule feature
Preload Largest Contentful Paint image	^
Preload the image used by the LCP element in order to improve your LCP time. <u>Learn more</u> . <u>LCP</u>	
Avoids enormous network payloads — Total size was 2,140 KiB	^
Large network payloads cost users real money and are highly correlated with long load times. Learn more	LCP
✓ Show 3rd-	party resources (3)
URL	Transfer Size
6d2b23e8-ac61-465a-a956-731946d69b90/network-bg-fin.png? (images.squarespace-cdn.com)	1,124.9 KiB
scripts-compressed/common-5221435min.en-US.js (assets.squarespace.com)	195.7 KiB

21		
URL		Transfer Size
scripts-compressed/common-vemin.en-US.js (	assets.squarespace.com)	184.0 KiB
6d2b23e8-ac61-465a-a956-731946d69b90/netwo	rk-bg-fin.png? (images.squarespace-cdn.com)	120.3 KiB
1101/site.css (static1.squarespace.com)		80.2 KiB
scripts-compressed/common-vemin.en-US.js (	assets.squarespace.com)	76.5 KiB
scripts/site-bundle.b77b4dajs (static1.squarespa	ce.com)	55.4 KiB
scripts-compressed/moment-jsmin.en-US.js (as	ssets.squarespace.com)	45.5 KiB
https://sphere-helix-wxpd.squarespace.com		32.9 KiB
9181d2ec-65a0-4817-9593-0ae55e8fd266/logo.pr	ng?format=1500w (images.squarespace-cdn.com)	32.6 KiB
Avoids an excessive DOM size — 328 elements		^
A large DOM will increase memory usage, cause long	ger <u>style calculations</u> , and produce costly <u>layout reflows</u> .	<u>Learn more</u> .
Statistic	Element	Value
Total DOM Elements		328
Maximum DOM Depth	strong	21
	article#sections.sections	

Minimize third-party usage  $\,$  — Third-party code blocked the main thread for 0 ms

Maximum Child Elements

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn more</u>. <u>TBT</u>

Third-Party	Transfer Size	Main-Thread Blocking Time
<u>YouTube</u>	62 KiB	0 ms
webcomponents-all-noPatch.vflset/webcomponents-all-noPatch.js (www.youtube.com)	31 KiB	0 ms
/app_shell (www.youtube.com)	26 KiB	0 ms
Other resources	5 KiB	0 ms
Google Fonts	45 KiB	0 ms
v24/6xKtdSZaMwoff2 (fonts.gstatic.com)	26 KiB	0 ms
v18/KFOmCnqEuwoff2 (fonts.gstatic.com)	11 KiB	0 ms
v15/pxiByp8kvwoff2 (fonts.gstatic.com)	8 KiB	0 ms
Other Google APIs/SDKs	14 KiB	0 ms
th/Ftj5O6nSjjs (www.google.com)	14 KiB	0 ms
Google/Doubleclick Ads	0 KiB	0 ms

6

Show 3rd-party resources (0)

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more.

Avoids document.write()

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. Learn more.

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn more CLS



# Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

**Names and labels** — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

<frame> or <iframe> elements do not have a title
Screen reader users rely on frame titles to describe the contents of frames. Learn more.
Failing Elements
iframe#yui\_3\_17\_2\_1\_1630590787653\_79

 $\textbf{Navigation} \ - \ \text{These are opportunities to improve keyboard navigation in your application}.$ 

▲ Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more</u>.

Failing Elements

h4

Some elements have a [tabindex] value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more</u>.

Failing Elements

a.header-skip-link

Additional items to manually check (10) — These items address areas which an automated testing tool cannot cover. Learn ^ more in our guide on conducting an accessibility review.		
The page has a logical tab order	^	
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <u>Learn more</u> .		
Interactive controls are keyboard focusable	^	
Custom interactive controls are keyboard focusable and display a focus indicator. <u>Learn more</u> .		
Interactive elements indicate their purpose and state	^	
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. <u>Learn more</u> .		
The user's focus is directed to new content added to the page	^	
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn more</u> .		
User focus is not accidentally trapped in a region	^	
A user can tab into and out of any control or region without accidentally trapping their focus. <u>Learn more</u> .		
Custom controls have associated labels	^	
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <u>Learn more</u> .		
Custom controls have ARIA roles	^	
Custom interactive controls have appropriate ARIA roles. <u>Learn more</u> .		
Visual order on the page follows DOM order	^	
DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more</u> .		
Offscreen content is hidden from assistive technology	^	
Offscreen content is hidden with display: none or aria-hidden=true. <u>Learn more</u> .		
HTML5 landmark elements are used to improve navigation	^	
Landmark elements ( <main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technolo Learn more.</nav></main>	gy.	
Passed audits (20)	^	
[aria-*] attributes match their roles	^	

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. Learn more. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn more. [role]s have all required [aria-\*] attributes Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more, Elements with an ARIA [role] that require children to contain a specific [role] have all required children. Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more. [role]s are contained by their required parent element Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more. [role] values are valid ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more. [aria-\*] attributes have valid values Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more. [aria-\*] attributes are valid and not misspelled Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more. Buttons have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more. The page contains a heading, skip link, or landmark region Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more. Background and foreground colors have a sufficient contrast ratio Low-contrast text is difficult or impossible for many users to read. Learn more. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. [id] attributes on active, focusable elements are unique All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn more. <a href="html"><a href="html">html</a> element has a [lang] attribute If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more.

<html> element has a valid value for its [lang] attribute Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. Links have a discernible name Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more. Lists contain only elements and script supporting elements (<script> and <template>). Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more. List items () are contained within or parent elements Screen readers require list items (`') to be contained within a parent '' or '' to be announced properly. Learn more. [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more. Not applicable (21) [accesskey] values are unique Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more. button, link, and menuitem elements have accessible names When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. [aria-hidden="true"] elements do not contain focusable descendents Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn more. ARIA input fields have accessible names When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. ARIA meter elements have accessible names When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. ARIA progressbar elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. ARIA toggle fields have accessible names When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. ARIA tooltip elements have accessible names When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. ARIA treeitem elements have accessible names When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more. <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more. Definition list items are wrapped in <dl> elements Definition list items ('<dt>' and '<dd>') must be wrapped in a parent '<dl>' element to ensure that screen readers can properly announce them. Learn more. ARIA IDs are unique The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn more. No form fields have multiple labels Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn more. <input type="image"> elements have [alt] text When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more. Form elements have associated labels Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more.

The document does not use <meta http-equiv="refresh">

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more.

<object> elements have [alt] text

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. Learn more.

Cells in a element that use the [headers] attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more.

elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more.

[lang] attributes have a valid value

Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn more.

<video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.



# **Best Practices**

#### General

Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more

Show 3rd party resources (2)

Source

static.doubleclick.n...ream/ad status.js:1

Description

googleads.g.doubleclick.net/pagead/id:1 Failed to load resource: net::ERR BLOCKED BY CLIENT

Failed to load resource: net::ERR BLOCKED BY CLIENT

Issues were logged in the Issues panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Show 3rd-party resources (0)

Issue type

### SameSite cookie

/embed/69UP7cVsxpM?wmode=opaque&enablejsapi=1 (www.youtube.com)

...th/Ftj5O6nSj....js (www.google.com)

/generate\_204?GE5JBg (www.youtube.com)

...v1/log\_event?alt=json&key=AlzaSyAO ... (www.youtube.com)

Passed audits (15)

**Uses HTTPS** All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more. Links to cross-origin destinations are safe Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. Learn more. Avoids requesting the geolocation permission on page load Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more. Avoids requesting the notification permission on page load Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more. Avoids front-end JavaScript libraries with known security vulnerabilities Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. Learn more. Allows users to paste into password fields Preventing password pasting undermines good security policy. Learn more. Displays images with correct aspect ratio Image display dimensions should match natural aspect ratio. Learn more. Serves images with appropriate resolution Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn more. Page has the HTML doctype Specifying a doctype prevents the browser from switching to quirks-mode. Learn more. Properly defines charset A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more. Avoids unload event listeners The 'unload' event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the 'pagehide' or 'visibilitychange' events instead. Learn more Avoids Application Cache Application Cache is deprecated. Learn more. Detected JavaScript libraries All front-end JavaScript libraries detected on the page. Learn more.

Name Version YUI3 3.17.2 Modernizr 2.8.3 core-js core-js-global@3.6.5; core-js-global@3.6.5; core-js-pure@2.6.11; core-js-global@3.6.5; core-js-pure@2.6.11 Avoids deprecated APIs Deprecated APIs will eventually be removed from the browser. Learn more. Page has valid source maps Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more. Show 3rd-party resources (0) **URL** Map URL ...scripts-compressed/performan...-min.en-...scripts-compressed/performan...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) ...scripts-compressed/moment-js...-min.en-...scripts-compressed/moment-js...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) ...scripts-compressed/common-ve...-min.en-...scripts-compressed/common-ve...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) ...scripts-compressed/common-ve...-min.en-...scripts-compressed/common-ve...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) ...scripts-compressed/common-5221435...-min.en-...scripts-compressed/common-456cd35...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) ...scripts-compressed/cldr-reso...-min.en-...scripts-compressed/cldr-reso...-min.en-US.js (assets.squarespace.com) US.js.map (sourcemaps.squarespace.net) Error: Failed fetching source map (null) Not applicable (1) Fonts with font-display: optional are preloaded Preload 'optional' fonts so first-time visitors may use them. Learn more



These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. Learn more.

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

Document does not have a meta description Description text is empty. Meta descriptions may be included in search results to concisely summarize page content. Learn more. Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. Structured data is valid Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more</u>. Passed audits (13) Has a <meta name="viewport"> tag with width or initial-scale Add a `<meta name="viewport">` tag to optimize your app for mobile screens. Learn more. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. Page has successful HTTP status code Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more. Links have descriptive text Descriptive link text helps search engines understand your content. Learn more. Links are crawlable Search engines may use 'href' attributes on links to crawl websites. Ensure that the 'href' attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn More Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more. robots.txt is valid If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more.

Document has a valid rel=canonical Canonical links suggest which URL to show in search results. Learn more. Document uses legible font sizes — 100% legible text Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more. Show 3rd-party resources (0) Source Selector % of Page Text Font Size Legible text 100.00% ≥ 12px Document avoids plugins Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more. Tap targets are sized appropriately — 100% appropriately sized tap targets



Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be

# **Progressive Web App**

These checks validate the aspects of a Progressive Web App. Learn more.

## Installable

lacktriangle Web app manifest or service worker do not meet the installability requirements -1 reason

easy enough to tap without overlapping onto other elements. Learn more.

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. <u>Learn more</u>.

Failure reason

No manifest was fetched

### **PWA Optimized**

Does not register a service worker that controls page and start\_url

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. <u>Learn more</u>.

	Redirects HTTP traffic to HTTPS	^
	If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u> .	
<b>A</b>	Is not configured for a custom splash screen Failures: No manifest was fetched.	^
	A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. <u>Learn more</u> .	
_	Does not set a theme color for the address bar.	^
	Failures: No manifest was fetched, No ` <meta name="theme-color"/> ` tag found.	
	The browser address bar can be themed to match your site. <u>Learn more</u> .	
	Content is sized correctly for the viewport	^
	If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. <u>Learn more</u> .	
	Has a <meta name="viewport"/> tag with width or initial-scale	^
	Add a ` <meta name="viewport"/> ` tag to optimize your app for mobile screens. <u>Learn more</u> .	
<b>A</b>	Does not provide a valid apple-touch-icon	^
	For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. <u>Learn More</u> .	
<b>A</b>	Manifest doesn't have a maskable icon No manifest was fetched	^
	A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. <u>Learn more</u> .	
	Iditional items to manually check (3) — These checks are required by the baseline PWA Checklist but are not tomatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.	^
	Site works cross-browser	^
	To reach the most number of users, sites should work across every major browser. <u>Learn more</u> .	
	Page transitions don't feel like they block on the network	^
	Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. <u>Learn more</u> .	
	Each page has a URL	^
	Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. <u>Learn more</u> .	

**Runtime Settings** 

URL

https://sphere-helix-wxpd.squarespace.com/

**Fetch Time** Sep 2, 2021, 4:51 PM GMT+3

**Device** Emulated Moto G4

**Network throttling** 150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)

**CPU throttling** 4x slowdown (Simulated)

Channel devtools

User agent (host) Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko)

Chrome/92.0.4515.131 Safari/537.36

User agent (network) Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like

Gecko) Chrome/90.0.4420.0 Mobile Safari/537.36 Chrome-Lighthouse

CPU/Memory Power 568

Axe version 4.1.3

Generated by Lighthouse 7.5.0 | File an issue