



Cannabis Data Science #82

September 7th, 2022




Early Optical Character Recognition (OCR)

- 1914 1931: Emanuel
 Goldberg created machines
 to read characters and
 convert them into standard
 telegraph code.
- 1974: Ray Kurzweil monetized OCR to recognize virtually any printed font.



Photo by Michael Lutch License: CC BY 1.0 https://creativecommons.org/licenses/by/1.0



An **optophone**, scans text and generates time-varying chords of tones to identify letters.

Note: Uses selenium photosensors!

- 1978: LexisNexis parsed legal documents into online databases.
- 2000s: First web-based OCR applications.

Cannabis Data Science Application

Questions of the Day

- Can the data be extracted from a COA image taken by a consumer at a retailer?
- Given consumer's history, \overline{X} , can we predict product(s) with chemical profile(s), \hat{Y} , that the consumer may *enjoy*?

Product Recommendation Algorithm

Algorithm:

- **1** Calculate average product concentrations by consumer, \bar{X} ;
- 2 Find k-nearest products, \hat{Y} , given the average concentrations;
- 3 Repeat when the consumer makes a purchase.

Extension:

• Weighted average by **sentiment analysis**:

$$\bar{X} = \frac{\sum_{m=1}^{M} \theta_m X_m}{\sum_{m=1}^{M} \theta_m},$$

where θ_m is a consumer's sentiment score (0 to 1) for a review of each product, m, of M total products.



Insights of the Day

- Start somewhere, then iterate.
- The place where you begin doesn't have to be perfect.

What is on your mind for next week?