

Simple I/O

Exercises

CS185

Copyright Notice

Copyright © 2013 DigiPen (USA) Corp. and its owners. All Rights Reserved

No parts of this publication may be copied or distributed, transmitted, transcribed, stored in a retrieval system, or translated into any human or computer language without the express written permission of DigiPen (USA) Corp., 9931 Willows Road NE, Redmond, WA 98052

Trademarks

DigiPen® is a registered trademark of DigiPen (USA) Corp.

All other product names mentioned in this booklet are trademarks or registered trademarks of their respective companies and are hereby acknowledged.

1. What is the following code's output?

```
std::cout << "|";
std::cout.width(10);
std::cout.precision(4);
std::cout << 83.162576f;
std::cout << "|" << std::endl;</pre>
```

2. What is the following code's output?

```
int i = 461012;

std::cout << "|";
std::cout.fill('#');
std::cout.width(8);
std::cout << i;
std::cout << "|" << std::endl;</pre>
```

□ | 461012|

□ |83.1625760| □ |83.16 |

- □ |00461012|
- | ##461012 |

3. What is the following code's output?

```
float f = 172.47f;

std::cout << "|";
std::cout.setf(std::ios_base::left, std::ios_base::adjustfield);
std::cout.setf(std::ios_base::showpoint);
std::cout.width(10);
std::cout.precision(8);
std::cout << f;
std::cout << "|" << std::endl;</pre>
```

- □ | 172.47000|
- □ |0172.47000|
- □ |172.47000 |



4.	The code found in Exercise 1,2 and 3 is not using manipulators. Rewrite the code using manipulators. (Of course, the same output is expected).		
	Exercise 1 Code		
	Exercise 2 Code		
	Exercise 3 Code		



5. What is dangerous in the below code?

Code	<pre>char s[12]; std::cin >> s; std::cout << s << std::endl;</pre>
Answer	

