

NE450 - Principles of nuclear engineering

Project 3 - Nuclear fuel cycle overview

Name

University of Idaho • Idaho Falls Center for Higher Education
Engineering/Technology Management, Industrial Technology
and
Nuclear Engineering Department

email

2020.07.29

1 Preface to the homework project

Refer to these references to start for aqueous reprocessing -

- (1) Countercurrent equilibrium extraction
- (2) Nuclear fuel reprocessing
- (3) Liquid-liquid extraction example problem
- (4) Liquid-liquid extraction example problem
- (5) Principles of stagewise separation process calculations

Use standard assumptions -

- Constant distribution coefficient
- Complete mixing
- Fresh solvent

In problems 3 - 8, please address how the solution will affect the engineering design of a commercial scale PUREX facility. *Required for full credit.*

(1) (10) Derive an expression for $\frac{F}{P}$ and $\frac{W}{P}$ explicitly in terms of x_F , x_P , x_W .

- (2) (10) Plot $\frac{SWU}{P}$ as a function of x_P . There is an interesting implication(s) of this curve, which we talked about, in terms of the JPCOA. What is it? Note that medical isotopes require $x_P = 0.20$.

(3) (20) Prove that the extract concentration (y_N) can be expressed as -

$$y_N = \frac{\beta^N - 1}{\beta - 1} (Dx_1 - y_0) + y_0.$$

- (4) (20) Now eliminate x_1 by applying an overall material balance to the above expression; i.e., a material balance on stage 1 and stage N.**

- (5) (20) Finally, using the definition of fractional recovery of the extractable component (ρ) and extraction factor (β), into the result from (4) above, and eliminate y_N .**

- (6) (20) Derive the contamination factor (f_{AB}) based on the result in (5) for both $y_0 = 0$ and $y_0 \neq 0$. What does the decontamination factor actually mean? How does the efficiency compare if $y_0 = 0$ or $y_0 \neq 0$?**

- (7) (25) a. Consider a multistage extraction system with two extractable components. What is the theoretical maximum for the decontamination factor?**
- b. If the extraction factor for U is 5 and for Tc is 0.01. What is the decontamination factor? What does it mean?**

- (8) (25) Show *with math* that for an extraction factor less than unity, complete extraction is impossible, even if an infinite number of stages is available. When (or would) there be a case where the extraction factor would be less than unity?**

- (9) (50) Write an op-ed style piece (750 - 1000 words) on ‘Into Eternity.’ Do you think the safety of a repository is feasible centuries into the future? What would you say to future society about the repository? Write a short op-ed piece (500 words or so) on Into Eternity. Do you think the safety of a repository is feasible centuries into the future? What would you say to future society about the repository?**

We will verify if the movie is available first.

- (10) (50) Everyone agrees that a ‘consent-based approach’ must be used when siting any nuclear facility. However, no one really says what this would look like. From an engineering perspective, we want models and easily quantifiable metrics. Within this context, what might a consent-based approach look like?**

- (11) (50) Give an update on the current status of the Yucca mountain geologic repository. Will it ever become a repository? What else could the facility/property be used for?**