


A dark blue vertical bar is on the left. A blue arrow points right from it, containing the date.

12/7/2021

# CA - 3

INT42D

Several thin, curved lines in dark blue and light grey originate from the left side and sweep upwards and to the right.

Chaitanya Vishwakarma  
12015919 A34 JK202 G-1

## CSS CODE

```
body {
    margin: 0px;
    padding: 0;
    background: #101010 url(images/logo.png) no-repeat left bottom;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 12px;
    color: #72809F;
}

h1, h2, h3 {
    margin: 0;
    font-weight: normal;
    color: #1E3F7F;
}

h1 {
    font-size: 44px;
}

h2 {
    font-size: 18px;
}

p, ul, ol {
    margin-top: 0;
    line-height: 240%;
    text-align: justify;
}

a {
    color: #ADBFE1;
}

a:hover {
    text-decoration: none;
}

a img {
    border: none;
}
```

```
img.left {
    float: left;
    margin: 7px 30px 0 0;
}

img.right {
    float: right;
    margin: 7px 0 0 30px;
}

hr {
    display: none;
}

.list1 li {
    float: left;
    line-height: normal;
}

.list1 li img {
    margin: 0 30px 30px 0;
}

.list1 li.alt img {
    margin-right: 0;
}

/* Header */

#header {
    width: 960px;
    height: 160px;
    margin: 0px auto;
    background: url(images/img01.jpg) no-repeat left top;
}

/* Menu */

#menu {
    float: left;
    width: 900px;
    height: 44px;
}

#menu ul {
```

```
margin: 0;
padding: 0px 0px 0px 0px;
list-style: none;
line-height: normal;
}

#menu li {
display: block;
float: left;
background: url(images/img05.jpg) no-repeat right top;
}

#menu a {
display: block;
float: left;
height: 34px;
margin-right: 1px;
padding: 30px 30px 0px 30px;
letter-spacing: -1px;
text-decoration: none;
text-align: center;
text-transform: lowercase;
font-family: Arial, Helvetica, sans-serif;
font-size: 12px;
font-weight: normal;
color: #FFFFFF;
}

#menu a:hover {
text-decoration: none;
}

#menu li.first {
background: none;
}

/* Page */

#page {
width: 960px;
margin: 0px auto 20px auto;
padding: 0px;
}

/** LOGO */
```

```
#logo {
    width: 960px;
    height: 100px;
    margin: 0 auto;
    padding: 0px 0px 20px 0px;
    text-transform: lowercase;
}

#logo h1, #logo h2 {
    margin: 0px;
    line-height: normal;
    font-family: Georgia, "Times New Roman", Times, serif;
    color: #FFFFFF;
}

#logo h1 {
    padding-top: 80px;
    font-size: 52px;
    font-weight: normal;
    font-style: italic;
    color: #FFFFFF;
}

/* Content */

#content {
    float: right;
    width: 640px;
    margin: 0px 0px 0px 0px;
    padding: 40px 30px 0px 20px;
}

/* Post */

.post {
    margin-bottom: 45px;
    padding-bottom: 30px;
    border-bottom: #203253 dashed 1px;
}

.post .title {
    border-bottom: 4px dashed #203253;
}
```

```
.post .title a {
  display: block;
  padding: 0px 0px 10px 0px;
  text-decoration: none;
  text-transform: capitalize;
  text-transform: uppercase;
  font-weight: bold;
  font-size: 28px;
  color: #FFFFFF;
}

.post .date {
  display: inline-block;
  margin: 0px;
  padding: 0px 0px;
  color: #FFFFFF;
}

.post .meta {
  margin-left: 2px;
  padding: 4px 30px 2px 0px;
  font-family: Arial, Helvetica, sans-serif;
  font-weight: normal;
  font-size: 10px;
  font-style: italic;
}

.post .meta span {
  margin: 0px;
}

.post .meta a {
  padding: 6px 10px 5px 10px;
  text-decoration: none;
  color: #FFFFFF;
}

.post .entry {
  padding: 10px 0px 20px 0px;
}

.post .links {
  height: 18px;
  margin: 0px 0px 4px 0px;
```

```
padding: 6px 10px 5px 10px;
background: #182739;
text-decoration: none;
font-family: Arial, Helvetica, sans-serif;
font-size: 11px;
text-decoration: none;
font-weight: bold;
color: #FFFFFF;
}

.post .comments {
    display: block;
    width: 120px;
    height: 18px;
    margin: 0px;
    padding: 3px 0px 0px 40px;
    border: 1px solid #5F817E;
    text-decoration: none;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 11px;
    text-decoration: none;
    font-weight: bold;
    color: #FFFFFF;
}

/* Sidebar */

#sidebar {
    float: left;
    width: 250px;
    padding: 40px 0px 0px 0px;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 12px;
}

#sidebar ul {
    margin: 0;
    padding: 0;
    list-style: none;
    line-height: normal;
}

#sidebar li {
    margin: 0px;
    padding: 0 0 0px 0px;
```

```
}

#sidebar li ul {
    margin: 0px 0px 30px 0px;
}

#sidebar li li {
    margin: 0px 20px;
    padding: 10px 0px 10px 0px;
    background: none;
    border-bottom: #203253 dashed 1px;
}

#sidebar li li a {
    font-weight: normal;
}

#sidebar p
{
    margin: 0px;
    padding: 20px 20px;
    line-height: 200%;
}

#sidebar li h2 {
    display: block;
    height: 37px;
    margin: 0px;
    padding: 15px 0px 0px 20px;
    background: url(images/img02.jpg) no-repeat left top;
    text-transform: uppercase;
    font-size: 18px;
    font-weight: bold;
    color: #FFFFFF;
}

#sidebar a {
    text-align: left;
    text-decoration: none;
    color: #71809E;
}

/* Footer */

#footer {
    width: 920px;
```



```
    height: 60px;
    margin: 0 auto;
    padding: 0;
}

#footer-bgcontent {
    height: 110px;
    background: url(images/img02.gif) repeat-x left top;
}

#footer p {
    margin: 0;
    padding: 28px 0px 0px 0px;
    text-align: center;
    line-height: normal;
    font-size: 12px;
}

#bg1 {
    background: url(images/img03.jpg) repeat-y left top;
}

#bg2 {
    margin-bottom: 10px;
    padding: 10px 0px 10px 0px;
    background: url(images/img04.jpg) no-repeat left bottom;
}

/* CONTACT*/
.contact
{
    padding: 7em 0;
}

.container
{
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
    margin-right: auto;
    margin-left: auto;
    justify-content: center;
}

.row
{
    display: flex;
```

```
    flex-wrap: wrap;
    margin-right: -15px;
    margin-left: -15px;
    justify-content: center;
}
.col
{
    position: relative;
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
}
.mgn
{
    margin-bottom: 3rem !important;
}
.hd
{
    font-size: 28px;
    color: rgb(165, 156, 250);
    text-align: center;
}
.cwrap
{
    width: 100%;
    overflow: hidden;
    border-radius: 10px;
    box-shadow: 0px 21px 41px -13px rgba(0, 0, 0, 0.18);
}
.dis
{
    display: flex !important;
}
.str
{
    align-items: stretch !important;
}
.cwraap
{
    background: #203253;
}
.cwraap h3
{
    color: #fff;
}
```

```
.w-100
{
  width: 100% !important;
}

.p-4
{
  padding: 1.5rem !important;
  padding-top: 3rem !important;
  padding-bottom: 3rem !important;
  padding: 3rem !important;
}

.mb-4
{
  margin-bottom: 1.5rem !important;
}

.contactForm .form-control
{
  border: none;
  border-bottom: 1px solid rgba(255, 255, 255, 0.2);
  padding: 0;
  font-size: 16px;
}

.form-group
{
  margin-bottom: 1rem;
}

.form-control
{
  display: block;
  width: 100%;
  height: calc(1.5em + 0.75rem + 2px);
  padding: 0.375rem 0.75rem;
  font-size: 1rem;
  font-weight: 400;
  line-height: 1.5;
  color: #495057;
  background-color: #fff;
  background-clip: padding-box;
  border: 1px solid #ced4da;
  border-radius: 0.25rem;
  transition: border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
}

.btn
{
  display: inline-block;
```

```
font-weight: 400;
color: #212529;
background-color: #007bff;
border-color: #007bff;
text-align: center;
vertical-align: middle;
user-select: none;
border: 1px solid transparent;
padding: 0.375rem 0.75rem;
font-size: 1rem;
line-height: 1.5;
border-radius: 0.25rem;
transition: color 0.15s ease-in-out, background-color 0.15s ease-in-out,
border-color 0.15s ease-in-out, box-shadow 0.15s ease-in-out;
}
.img
{
    background-size: cover;
    background-repeat: no-repeat;
    background-position: center center;
    vertical-align: middle;
    border-style: none;
    page-break-inside: avoid;
}
.align-items-start
{
    align-items: flex-start !important;
}
h3
{
    font-size: 24px;
}
.info-wrap
{
    background: #151F2B;
    width: 100%;
}
.info-wrap h3
{
    color: white;
    font-size: 22px;
    position: relative;
}
.info-wrap .dbox
{
```

```
    width: 100%;
    margin-bottom: 25px;
}
.info-wrap .dbox:last-child
{
    margin-bottom: 0;
}
.info-wrap .dbox p
{
    font-size: 18px;
    margin-bottom: 0;
}
.info-wrap .dbox p span
{
    font-size: 18px;
    font-weight: 400;
    color: #fff;
}
.info-wrap .dbox p a
{
    font-size: 18px;
    color: rgba(255, 255, 255, 0.3);
}
.info-wrap .dbox .icon
{
    width: 50px;
    height: 50px;
    border-radius: 50%;
    background: #203253;
}
.info-wrap .dbox .icon span
{
    font-size: 22px;
    color: #fff;
    padding-left: 1rem;
    padding-top: 1rem;
}
.info-wrap .dbox .text
{
    width: calc(100% - 50px);
    padding-left: 1rem !important;
}
```

## JS CODE

```
(function($)  
{  
  
    var contactForm = function()  
    {  
        if ($('#contactForm').length > 0 )  
        {  
            $( "#contactForm" ).validate(  
                {  
                    rules:  
                    {  
                        name: "required",  
                        subject: "required",  
                        email: {  
                            required: true,  
                            email: true  
                        },  
                        message: {  
                            required: true,  
                            minlength: 5  
                        }  
                    },  
                    messages:  
                    {  
                        name: "Please enter your name",  
                        subject: "Please enter your subject",  
                        email: "Please enter a valid email address",  
                        message: "Please enter a message"  
                    }  
                }  
            });  
        }  
    };  
    contactForm();  
})(jQuery);
```

# HTML CODE

Page -1

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
  />
  </head>
  <body>
    <div id="header">
      <div id="menu">
        <ul>
          <li><a href="CA - 3 pg1.html">Homepage</a></li>
          <li><a href="CA - 3 pg6.html">Blog</a></li>
          <li><a href="CA - 3 pg5.html">Contact</a></li>
        </ul>
      </div>

      <div id="logo">
        <h1>BlogSpot.CV</h1>
        <h2>A place where blogs mend...</h2>
      </div>
      <hr />
    </div>
    <!--MAIN PAGE-->
    <div id="page">
      <div id="page-bgtop">
        <div id="page-bgbtm">
          <div id="content">
            <div class="post">

              <h2 class="title"><a href="#">Welcome to BlogSpot.CV
</a></h2>

              <div class="entry">
                <p>This is <strong>BlogSpot.CV </strong>, a project
website that I made. As the name suggests, this is a blog website.
                <br>
                In this, I have tried to show everything I have
learnt in this semester. I can try to show a lot of things like "strikeout",
"bold", "italic", "underline" and much more.
```

The texts used in this website to fill the "blogs" are picked up from Google as I wasted a lot of time trying to repair my laptop.

I am still not too good with js hence made whatever I could in contact form; I have picked it from my portfolio website.

```
        </p>
      </div>
    </div>
  </div>
  <!-- end #content -->
  <div id="sidebar">
    <ul>
      <li>
        <h2>Context</h2>
        <div id="bg1">
          <div id="bg2">
            <p>Chaitanya
Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>
          </div>
        </div>
      </li>
      <li>
        <h2>Blogs</h2>
        <div id="bg1">
          <div id="bg2">
            <ul>
              <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
              <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
              <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
            </ul>
          </div>
        </div>
      </li>
    </ul>
  </div>
  <!-- end #sidebar -->
  <div style="clear: both;">&nbsp;</div>
</div>
<!-- END -->
</div>
```



```

    </div>
    <div id="footer-bgcontent">
      <div id="footer">
        <p>&copy; No rights reserved! Just for show</p>
      </div>
    </div>
  </body>
</html>

```

## Page - 2

```

<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
  />
  </head>
  <body>
    <div id="header">
      <div id="menu">
        <ul>
          <li><a href="CA - 3 pg1.html">Homepage</a></li>
          <li><a href="CA - 3 pg6.html">Blog</a></li>
          <li><a href="CA - 3 pg5.html">Contact</a></li>
        </ul>
      </div>

      <div id="logo">
        <h1>BlogSpot.CV</h1>
        <h2>A place where blogs mend...</h2>
      </div>
      <hr />
    </div>
    <!--MAIN PAGE-->
    <div id="page">
      <div id="page-bgtop">
        <div id="page-bgbtm">
          <div id="content">
            <div class="post">

```

```
<p class="meta"><span class="date">Sunday, December 5,
2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
<h2 class="title"><a href="#">What is CSS</a></h2>
<div class="entry">
    <p>Cascading Style Sheets, fondly referred to as CSS,
is a simple design language intended to simplify the process of making web pages
presentable.

    <br>
    CSS handles the look and feel part of a web page.
Using CSS, you can control the color of the text, the style of fonts, the spacing
between paragraphs, how columns are sized and laid out, what background images or
colors are used, layout designs, variations in display for different devices and
screen sizes as well as a variety of other effects.

    <br>
    CSS is easy to learn and understand but it
provides powerful control over the presentation of an HTML document. Most
commonly, CSS is combined with the markup languages HTML or XHTML.
</p>
<h4>Advantages of CSS</h4>
<ul>
    <li>CSS saves time - You can write CSS once and
then reuse same sheet in multiple HTML pages. You can define a style for each
HTML element and apply it to as many Web pages as you want.</li>

    <li>Pages load faster - If you are using CSS, you
do not need to write HTML tag attributes every time. Just write one CSS rule of a
tag and apply it to all the occurrences of that tag. So less code means faster
download times.</li>

    <li>Easy maintenance - To make a global change,
simply change the style, and all elements in all the web pages will be updated
automatically.</li>

    <li>Superior styles to HTML - CSS has a much
wider array of attributes than HTML, so you can give a far better look to your
HTML page in comparison to HTML attributes.</li>

    <li>Multiple Device Compatibility - Style sheets
allow content to be optimized for more than one type of device. By using the same
HTML document, different versions of a website can be presented for handheld
devices such as PDAs and cell phones or for printing.</li>

    <li>Global web standards - Now HTML attributes
are being deprecated and it is being recommended to use CSS. So its a good idea
```

to start using CSS in all the HTML pages to make them compatible to future browsers.</li>

</ul>

<h4>Who Creates and Maintains CSS?</h4>

<p>

CSS is created and maintained through a group of people within the W3C called the CSS Working Group. The CSS Working Group creates documents called specifications. When a specification has been discussed and officially ratified by the W3C members, it becomes a recommendation.

<br>

These ratified specifications are called recommendations because the W3C has no control over the actual implementation of the language. Independent companies and organizations create that software.

<br>

<emb>NOTE - The World Wide Web Consortium, or W3C is a group that makes recommendations about how the Internet works and how it should evolve.</emb>

</p>

<h4>CSS Versions</h4>

<p>

Cascading Style Sheets level 1 (CSS1) came out of W3C as a recommendation in December 1996. This version describes the CSS language as well as a simple visual formatting model for all the HTML tags.

<br>

CSS2 became a W3C recommendation in May 1998 and builds on CSS1. This version adds support for media-specific style sheets e.g. printers and aural devices, downloadable fonts, element positioning and tables.

</p>

</div>

</div>

</div>

<!-- end #content -->

<div id="sidebar">

<ul>

<li>

<h2>Context</h2>

<div id="bg1">

<div id="bg2">

<p>Chaitanya

Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>

</div>

```

        </div>
    </li>
    <li>
        <h2>Blogs</h2>
        <div id="bg1">
            <div id="bg2">
                <ul>
                    <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
                    <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
                    <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
                </ul>
            </div>
        </div>
    </li>
</ul>
</div>
<!-- end #sidebar -->
<div style="clear: both;">&nbsp;</div>
</div>
<!-- end #page -->
</div>
</div>
    <div id="footer-bgcontent">
        <div id="footer">
            <p>&copy; No rights reserved! Just for show</p>
        </div>
    <!-- end #footer -->
</div>
</body>
</html>

```

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
  />
</head>
<script>
  var name = prompt("Please enter your name", "");
  if (name!= null)
  {
    alert( "Hello " + name + "! Welcome");
  }
  alert("This is only to show JS script inside HTML!");
</script>
<body>
  <div id="header">
    <div id="menu">
      <ul>
        <li><a href="CA - 3 pg1.html">Homepage</a></li>
        <li><a href="CA - 3 pg6.html">Blog</a></li>
        <li><a href="CA - 3 pg5.html">Contact</a></li>
      </ul>
    </div>

    <div id="logo">
      <h1>BlogSpot.CV</h1>
      <h2>A place where blogs mend...</h2>
    </div>
    <hr />
  </div>
  <!--MAIN PAGE-->
  <div id="page">
    <div id="page-bgtop">
      <div id="page-bgbtm">
        <div id="content">
          <div class="post">
            <p class="meta"><span class="date">Sunday, December
5, 2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
            <h2 class="title"><a href="#">What is JS </a></h2>
```

```
<div class="entry">
```

```
<p>JavaScript is a dynamic computer programming language. It is lightweight and most commonly used as a part of web pages, whose implementations allow client-side script to interact with the user and make dynamic pages. It is an interpreted programming language with object-oriented capabilities.
```

```
<br>
```

```
JavaScript was first known as LiveScript, but Netscape changed its name to JavaScript, possibly because of the excitement being generated by Java. JavaScript made its first appearance in Netscape 2.0 in 1995 with the name LiveScript. The general-purpose core of the language has been embedded in Netscape, Internet Explorer, and other web browsers.
```

```
</p>
```

```
<h4>Client-Side JavaScript</h4>
```

```
<p>
```

```
Client-side JavaScript is the most common form of the language. The script should be included in or referenced by an HTML document for the code to be interpreted by the browser.
```

```
<br>
```

```
It means that a web page need not be a static HTML, but can include programs that interact with the user, control the browser, and dynamically create HTML content.
```

```
<br>
```

```
The JavaScript client-side mechanism provides many advantages over traditional CGI server-side scripts. For example, you might use JavaScript to check if the user has entered a valid e-mail address in a form field.
```

```
<br>
```

```
The JavaScript code is executed when the user submits the form, and only if all the entries are valid, they would be submitted to the Web Server.
```

```
<br>
```

```
JavaScript can be used to trap user-initiated events such as button clicks, link navigation, and other actions that the user initiates explicitly or implicitly.
```

```
</p>
```

```
<h4>Advantages of JavaScript</h4>
```

```
<ul>
```

```
<li>Less server interaction – You can validate user input before sending the page off to the server. This saves server traffic, which means less load on your server.</li>
```

`<li>Immediate feedback to the visitors - They don't have to wait for a page reload to see if they have forgotten to enter something.</li>`

`<li>Increased interactivity - You can create interfaces that react when the user hovers over them with a mouse or activates them via the keyboard.</li>`

`<li>Interfaces - You can use JavaScript to include such items as drag-and-drop components and sliders to give a Rich Interface to your site visitors.</li>`

`</ul>`

`<h4>Limitations of JavaScript</h4>`

`<ul>`

`We cannot treat JavaScript as a full-fledged programming language. It lacks the following important features -`

`<li>Client-side JavaScript does not allow the reading or writing of files. This has been kept for security reason.</li>`

`<li>JavaScript cannot be used for networking applications because there is no such support available.</li>`

`<li>JavaScript doesn't have any multi-threading or multiprocessor capabilities.</li>`

`Once again, JavaScript is a lightweight, interpreted programming language that allows you to build interactivity into otherwise static HTML pages.`

`</ul>`

`</div>`

`</div>`

`</div>`

`<!-- end #content -->`

`<div id="sidebar">`

`<ul>`

`<li>`

`<h2>Context</h2>`

`<div id="bg1">`

`<div id="bg2">`

`<p>Chaitanya`

`Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>`

`</div>`

```

        </div>
    </li>
    <li>
        <h2>Blogs</h2>
        <div id="bg1">
            <div id="bg2">
                <ul>
                    <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
                    <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
                    <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
                </ul>
            </div>
        </div>
    </li>
</ul>
</div>
<!-- end #sidebar -->
<div style="clear: both;">&nbsp;</div>
</div>
<!-- end #page -->
</div>
</div>
    <div id="footer-bgcontent">
        <div id="footer">
            <p>&copy; No rights reserved! Just for show</p>
        </div>
        <!-- end #footer -->
    </div>
</body>
</html>

```



```
<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
  />
  </head>
  <body>
    <div id="header">
      <div id="menu">
        <ul>
          <li><a href="CA - 3 pg1.html">Homepage</a></li>
          <li><a href="CA - 3 pg6.html">Blog</a></li>
          <li><a href="CA - 3 pg5.html">Contact</a></li>
        </ul>
      </div>

      <div id="logo">
        <h1>BlogSpot.CV</h1>
        <h2>A place where blogs mend...</h2>
      </div>
      <hr />
    </div>
    <!--MAIN PAGE-->
    <div id="page">
      <div id="page-bgtop">
        <div id="page-bgbtm">
          <div id="content">
            <div class="post">
              <p class="meta"><span class="date">Sunday, December 5,
2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
              <h2 class="title"><a href="#">HTML Elements</a></h2>
              <div class="entry">
                <h4>What is HTML</h4>
                <p>HTML stands for Hyper Text Markup Language<br>
                  HTML is the standard markup language for creating
Web pages<br>
                  HTML describes the structure of a Web page<br>
                  HTML consists of a series of elements<br>
```

HTML elements tell the browser how to display the content<br>

HTML elements label pieces of content such as "this is a heading", "this is a paragraph", "this is a link", etc.

</p>

<br>

<p>

HTML has a lot of elements which have a lot of attributes and we have learnt many too so I will try to cover everything here.

</p>

<b>This is Bold</b>

<i>This is Itallics</i>

<u>This is Underlined</u>

<font face="arial" size=5 color="gray">

<marquee behaviour="alternate" bgcolor="white" dir="rtl" direction=right height=25px loop=10 width=50% scrolldelay=100>

This is marquee

</marquee>

</font>

<form method="POST">

<fieldset>

<legend>Form Example</legend>

<label for="fname">First Name:</label>

<input type="text" name="fname" required><br><br>

<label for="lname">Last Name:</label>

<input type="text" name="lname" required><br>

<br>

<label for="email">E-mail:</label>

<input type="text" name="email"><br><br>

<label for="mobile">Mobile:</label>

<input type="tel" name="mobile"><br><br>

<label for="pass">Password:</label>

<input type="password" name="pass"><br><br>

<label for="gender">Gender:</label>

<input type="radio" value="male"

name="gender">Male

<input type="radio" value="female"

name="gender">Female

</fieldset>

<fieldset>

<legend>Form Example 2</legend>

<label for="fname">Specific

Instructions:</label><br>

```

        <textarea name="seladd" id="seladd" cols="70"
rows="10"></textarea><br>
        <label for="category">Type:</label>
        <select name="category" id="category">
            <option value="type1">Type - 1</option>
            <option value="type2">Type - 2</option>
            <option value="type3">Type - 3</option>
        </select><br><br>
        <label for="range">Price Range:</label>
        <input type="number" name="range" min="5000"
max="200000"><br><br>
        </fieldset><br><br>
        <input type="submit" value="Button-1" size="5px">
        <input type="reset" value="Button-2">
    </form>

    <a href="CA - frameset.html" target="_blank">This is
a link to frameset</a>

    <br>
    <font face="arial" size="5" color="ABC9AA">
        This line should display super<sup>script</sup>
and sub<sub>script</sub> effect.
    </font>

    <h4 style="text-decoration: line-through;">Strikeout
effect</h4>

    <br>The above line also shows <em>Inline CSS</em>.
    <br>
    <font face="calibri" size="10" color="EB1EDA">I STILL
MIGHT HAVE MISSED A LOT OF THINGS 😊</font>

</div>
    Back to Top Button with image styling<br>
    <a href="#top"></a>
</div>

</div>
<!-- end #content -->
<div id="sidebar">
    <ul>
        <li>
            <h2>Context</h2>
            <div id="bg1">
                <div id="bg2">

```

```

                <p>Chaitanya
Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>
            </div>
        </div>
    </li>
    <li>
        <h2>Blogs</h2>
        <div id="bg1">
            <div id="bg2">
                <ul>
                    <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
                    <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
                    <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
                </ul>
            </div>
        </div>
    </li>
</ul>
</div>
<!-- end #sidebar -->
<div style="clear: both;">&nbsp;</div>
</div>
<!-- end #page -->
</div>
</div>
    <div id="footer-bgcontent">
        <div id="footer">
            <p>&copy; No rights reserved! Just for show</p>
        </div>
        <!-- end #footer -->
    </div>
</body>
</html>

```

Page Linked to Page - 4 as frameset to show frameset and <a> element.

```
<html>
  <head>
    <title>

  </title>
</head>

  <frameset rows = "33%, 33%, 33%">
    <frame name = "top" src="https://github.com/TheFall3n1"/>

    <frameset cols="33%, 33%, 33%">
      <frame name="main" src="https://github.com/TheFALL3N1"/>
      <frame name="main" src= https://www.instagram.com/c_v_1108/ />
      <frame name="main" src="https://www.linkedin.com/in/chaitanya-
vishwakarma-1b510918b/" />
    </frameset>

    <frame name = "bottom" src = "A:\Portfolio\Portfolio Website\cvpw.html"/>
  </frameset>
</html>
```

Page - 5

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
/>

    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
  </head>
<body>
  <div id="header">
    <div id="menu">
      <ul>
        <li><a href="CA - 3 pg1.html">Homepage</a></li>
        <li><a href="CA - 3 pg6.html">Blog</a></li>
        <li><a href="CA - 3 pg5.html">Contact</a></li>
```

```

        </ul>
    </div>

    <div id="logo">
        <h1>BlogSpot.CV</h1>
        <h2>A place where blogs mend...</h2>
    </div>
    <hr />
</div>
<!--MAIN PAGE-->
<div id="page">
    <div id="page-bgtop">
        <div id="page-bgbtm">
            <div id="content">
                <section class="contact">
                    <div class="container">
                        <div class="row">
                            <div class="col mgn">
                                <h2 class="hd">Contact Us...</h2>
                            </div>
                        </div>
                        <div class="row">
                            <div class="col">
                                <div class="cwrap">
                                    <div class="row">
                                        <div class="col dis str">
                                            <div class="cwraap p-4">
                                                <h3 class="mb-4">If you got a
really nice idea on which I should write on, then please fill this form!
                                            </h3>
                                            <form method="POST"
id="contactForm" name="contactForm" class="contactForm">
                                                <div class="row">
                                                    <div class="col">
                                                        <div class="form-
group">
                                                            <input
type="text" class="form-control" name="name" id="name" placeholder="Name">
                                                        </div>
                                                    </div>
                                                    <div class="col">
                                                        <div class="form-
group">
                                                            <input
type="email" class="form-control" name="email" id="email" placeholder="Email">

```

```

        </div>
        <div class="col">
            <div class="form-
group">
                <input
type="text" class="form-control" name="subject" id="subject"
placeholder="Subject">
            </div>
        </div>
        <div class="col">
            <div class="form-
group">
                <textarea
name="message" class="form-control" id="message" cols="30" rows="6"
placeholder="Message"></textarea>
            </div>
        </div>
        <div class="col">
            <div class="form-
group">
                <input
type="submit" value="Send Message" class="btn">
            </div>
        </div>
    </div>
</div>
<div class="col dis str">
    <div class="info-wrap p-4 img">
        <h3>Contact me using these links
too</h3>
    </div>
    <div class="dbox dis align-items-
start">
        <div class="icon dis">
            <span class="fa fa-
map-marker"></span>
        </div>
        <div class="text pl-3">
            <p><span>Address:</span>
198 West 21th Street, Suite 721 New York NY 10016</p>
        </div>
    </div>

```

```

<div class="dbox dis">
  <div class="icon dis">
    <span class="fa fa-
phone"></span>

    </div>
    <div class="text pl-3">
      <p><span>Phone:</span> <a
href="tel://1234567920">+ 1235 2355 98</a></p>

    </div>
  </div>
  <div class="dbox dis">
    <div class="icon dis">
      <span class="fa fa-
paper-plane"></span>

      </div>
      <div class="text pl-3">
        <p><span>Email:</span> <a
href="mailto:info@yoursite.com">info@yoursite.com</a></p>

      </div>
    </div>
    <div class="dbox dis">
      <div class="icon dis">
        <span class="fa fa-
globe"></span>

        </div>
        <div class="text pl-3">
          <p><span>Website</span>
<a href="#">yoursite.com</a></p>

        </div>
      </div>
    </div>
  </div>
</div>
<div id="sidebar">
  <ul>
    <li>
      <h2>Context</h2>

```



```

        <div id="bg1">
            <div id="bg2">
                <p>Chaitanya
Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>
            </div>
        </div>
    </li>
    <li>
        <h2>Blogs</h2>
        <div id="bg1">
            <div id="bg2">
                <ul>
                    <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
                    <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
                    <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
                </ul>
            </div>
        </div>
    </li>
</ul>
</div>
<!-- end #sidebar -->
<div style="clear: both;">&nbsp;</div>
</div>
<!-- end #page -->
</div>
</div>
<div id="footer-bgcontent">
    <div id="footer">
        <p>&copy; No rights reserved! Just for show</p>
    </div>
    <!-- end #footer -->
</div>
</body>
</html>

```

Page - 6 [Thought a complete index page would be a good idea]

```
<!DOCTYPE html>
<html>
  <head>
    <title>
      BlogSpot.CV
    </title>
    <link href="CA - 3.css" rel="stylesheet" type="text/css" media="screen"
  />
  </head>
  <body>
    <div id="header">
      <div id="menu">
        <ul>
          <li><a href="CA - 3 pg1.html">Homepage</a></li>
          <li><a href="CA - 3 pg6.html">Blog</a></li>
          <li><a href="CA - 3 pg5.html">Contact</a></li>
        </ul>
      </div>

      <div id="logo">
        <h1>BlogSpot.CV</h1>
        <h2>A place where blogs mend...</h2>
      </div>
      <hr />
    </div>
    <!--MAIN PAGE-->
    <div id="page">
      <div id="page-bgtop">
        <div id="page-bgbtm">
          <div id="content">
            <div class="post">
              <p class="meta"><span class="date">Sunday, December 5,
2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
              <h2 class="title"><a href="CA - 3 pg2.html">What is
CSS</a></h2>

              <div class="entry">
                <p>Cascading Style Sheets, fondly referred to as CSS,
is a simple design language intended to simplify the process of making web pages
presentable.

                </p>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```

```

        <div><a href="CA - 3 pg2.html" class="links">View Full
Story</a></div>
    </div>
    <div class="post">
        <p class="meta"><span class="date">Sunday, December 5,
2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
        <h2 class="title"><a href="CA - 3 pg3.html">What is
JS</a></h2>

        <div class="entry">
            <p>JavaScript is a dynamic computer programming
language. It is lightweight and most commonly used as a part of web pages, whose
implementations allow client-side script to interact with the user and make
dynamic pages. It is an interpreted programming language with object-oriented
capabilities.</p>

            </div>
            <div><a href="CA - 3 pg3.html" class="links">View Full
Story</a></div>
        </div>
        <div class="post">
            <p class="meta"><span class="date">Sunday, December 5,
2021</span> 7:27 AM Posted by <a
href="https://www.instagram.com/c_v_1108/">Chaitanya</a></p>
            <h2 class="title"><a href="CA - 3 pg4.html">HTML
Elements</a></h2>

            <div class="entry">
                <p>Covering everything we learnt in classes till now.
</p>

            </div>
            <div><a href="CA - 3 pg4.html" class="links">View Full
Story</a></div>
        </div>
    </div>
<!-- end #content -->
<div id="sidebar">
    <ul>
        <li>
            <h2>Context</h2>
            <div id="bg1">
                <div id="bg2">
                    <p>Chaitanya
Vishwakarma<br>12015919<br>A34<br>JK202 G-1</p>
                </div>
            </div>
        </li>
    </ul>
</div>

```

```


        <li>
            <h2>Blogs</h2>
            <div id="bg1">
                <div id="bg2">
                    <ul>
                        <li><a href="CA - 3 pg2.html">Blog -
1</a></li>
                        <li><a href="CA - 3 pg3.html">Blog -
2</a></li>
                        <li><a href="CA - 3 pg4.html">Blog -
3</a></li>
                    </ul>
                </div>
            </div>
        </li>
    </ul>
</div>
<!-- end #sidebar -->
<div style="clear: both;">&nbsp;</div>
</div>
<!-- end #page -->
</div>
</div>
    <div id="footer-bgcontent">
        <div id="footer">
            <p>&copy; No rights reserved! Just for show</p>
        </div>
        <!-- end #footer -->
    </div>
</body>
</html>

```


# OUTPUT WEBSITE


Webpages are zoomed out to cover everything

## Page - 1








## Page - 2







Page - 3







## Page - 4











Linked page [some issues occurred here]





## Page - 6 [The Index Part]



THANK  
YOU FOR  
ACCEPTING  
THIS