

```

{
  "creator" : "ari.neko@cvut.cz",
  "timestamp" : "05-07-2026_13:36:14",
  "variant" : 3,
  "subjectName" : "mathematics",
  "categories" : [ "Stereometry", "Planimetry", "Combinatorics" ],
  "questions" : [ {
    "question" : "What is the volume formula for a perfect sphere with radius r?",
    "answers" : [ "(4/3) * pi * r^3", "pi * r^2", "4 * pi * r^2", "2 * pi * r" ],
    "correctIndex" : 0
  }, {
    "question" : "What is the total surface area formula of a cylinder?",
    "answers" : [ "2 * pi * r * h", "pi * r * s", "2 * pi * r * (r + h)", "pi * r^2 * h" ],
    "correctIndex" : 2
  }, {
    "question" : "How many vertices does a standard cube possess?",
    "answers" : [ "8", "6", "12", "16" ],
    "correctIndex" : 0
  }, {
    "question" : "What is the length of the hypotenuse of a right-angled triangle with sides 5 and 12?",
    "answers" : [ "15", "17", "14", "13" ],
    "correctIndex" : 3
  }, {
    "question" : "According to Brahmagupta's formula, what does it calculate?",
    "answers" : [ "Volume of a pyramid", "Area of a cyclic quadrilateral", "Area of a scalene triangle",
    "Perimeter of an ellipse" ],
    "correctIndex" : 1
  }, {
    "question" : "What is the sum of the interior angles of a regular hexagon?",
    "answers" : [ "720 degrees", "900 degrees", "540 degrees", "360 degrees" ],
    "correctIndex" : 0
  }, {
    "question" : "What is the area of a circle with a diameter of 10?",
    "answers" : [ "10 * pi", "25 * pi", "100 * pi", "50 * pi" ],
    "correctIndex" : 1
  }, {
    "question" : "How many distinct subsets can be formed from a set containing 5 elements?",
    "answers" : [ "16", "25", "32", "64" ],
    "correctIndex" : 2
  }, {
    "question" : "How many unique permutations can be made from the letters in the word 'APP'?",
    "answers" : [ "1", "9", "3", "6" ],

```

"correctIndex" : 2

}, {

"question" : "In how many ways can 4 people be seated in a straight line?",

"answers" : ["6", "24", "16", "12"],

"correctIndex" : 1

}]

}

