

TheFatCat Whitepaper

Decentralized Trading-Tax Routing Protocol with Adaptive Damping and Seniority Weighting

Version: 1.0 Official Release (Production Release) | Date: September 23, 2026

TheFatCat Protocol Core Contributors · Based on Project Plan v0.5 and locally tested against the current contract source
This document contains no representations of anticipated return on investment or yield commitments

Abstract

Common decentralized dividend and trading-tax designs enforce globally shared reward assets, pass fee flows directly through with little temporal damping, and allocate proceeds by capital balance alone without seniority weighting. These are characteristics of upstream templates compared here, not universal claims across all fee-routing tokens.

TheFatCat composes the following mechanisms into an integrated protocol architecture:

1. **The Belly Hydrodynamic Reservoir:** Permissionless clock progression every 8 hours minimum. At nominal cadence, it disburses $\frac{1}{21} \approx 4.7619\%$ of unreserved quote balance per interval, yielding a zero-inflow model half-life of 4.736 days;
2. **O(1) Closed-Form Seniority Ledger:** Decomposes cohorts algebraically to aggregate seniority notches 1 through 22 without iterating over positions. Complete redemption scales with execution batches spanned, bounded via `claimThrough`;
3. **Sovereign Diet Architecture:** Autonomous asset selection per position. Ignoring observation limits and integer dust, nominal quote budgets depend on global weight share; asset choice affects execution, market value, issuer risk, and external incentives;
4. **Dual-Liability Accounting & Conservative Rounding:** WBNB default and fallback quote asset, batch accounting, verified delivery balance assertions, and integer floor truncation maintaining tested solvency bounds.

1 Introduction & Paradigm Shift

1.1 Structural Dilemmas in Direct Pass-Through Models

In decentralized automated market maker (AMM) ecosystems, trading-tax tokens typically route swap fees directly into uniform reward tokens for token holders. Upstream templates exhibit three structural constraints:

1. **Globally Shared Reward Selection:** All eligible holders share a single asset or fixed basket without per-position preference;
2. **Absence of Temporal Buffering:** Fee inflows drop sharply when trading volume contracts, transmitting volatility instantly;
3. **Absence of Seniority Input:** Allocation depends strictly on snapshot capital without rewarding duration. Transient capital can dilute historical holders during high-volume spikes.

1.2 The Reservoir Model: Damping Flow into Sticky Inventory

TheFatCat transforms the pass-through pipe into a self-damped physical reservoir, **The Belly**. FATCAT launches paired with QQQB. After Flap deducts its platform fee, QQQB tax revenue enters `FatCatQqbVault`, follows the fixed `QQQB → USDT → WBNB` route, and is unwrapped into BNB for the existing receiver. Its `flush()` wraps the actual net proceeds once more and allocates 5/36 to the Ops Safe and the remainder (nominally 31/36) to Belly; conversion does not charge a second operations share. Integer dust remains with Belly. As an illustration only, the P2 fork observed a 5% platform share of tax: a 4% trading tax implies 0.2% platform and 3.8% pre-conversion revenue, or approximately 0.5277778% Ops and 3.2722222% Belly before conversion costs and price movement. Actual receipts depend on execution, fees and round-

ing; these are not guaranteed percentages of trading volume. The fixed downstream split and reward mechanism are unchanged.




Figure 1: TheFatCat Protocol Capital Flow Topology and State Machine Architecture

2 The Belly Hydrodynamics & Time-Proration

2.1 First-Order Exponential Decay and Steady-State Level

The Belly disburses a fraction of **unreserved quote balance** (accounted - outstandingClaims), not gross contract balance.

At base cadence, intervals require $\Delta t_{\min} = 8$ hours, benchmarked against one week ($T_{\text{week}} = 168$ hours). The nominal release coefficient α is:

$$\alpha = \frac{\Delta t_{\min}}{T_{\text{week}}} = \frac{8}{168} = \frac{1}{21} \approx 4.7619\%$$

This quota arises naturally from calendar symmetry: 7 days $\times$ 3 meals/day (8 hours each) yields exactly 21 meals per week. Emitting $\frac{1}{21}$ per nominal interval anchors release to a weekly budget ($T_{\text{week}} = 168$ hours), allows continuous time-proration based on exact elapsed seconds ($\Delta \frac{t}{168}$ hours) during clock delays, and establishes a steady-state buffer equivalent to one full week of fee inflows ($21 \cdot I$).

Let B_k be unreserved quote balance before interval k . Assuming zero new inflow, regular 8-hour ticks, full execution, and negligible dust:

$$B_{k+1} = B_k \cdot (1 - \alpha) = B_k \cdot \left(\frac{20}{21}\right)$$

By mathematical induction:

$$B(k) = B_0 \cdot \left(\frac{20}{21}\right)^k$$

With a constant fee inflow of I every 8 hours, steady-state balance satisfies $B_{\text{eq}} \cdot \alpha = I$:

$$B_{\text{eq}} = \frac{I}{\alpha} = 21 \cdot I$$

Ideal Steady State: Under identical assumptions, steady-state balance is $21I$, equivalent to seven days of continuous inflows. Actual balance varies with batch arrivals, keeper delays, liabilities, and rounding.

2.2 Half-Life Analytical Derivation

Setting $B(k) = \frac{1}{2}B_0$, the half-life interval count $k_{\frac{1}{2}}$ satisfies:

$$\left(\frac{20}{21}\right)^{k_{\frac{1}{2}}} = \frac{1}{2} \Rightarrow k_{\frac{1}{2}} = \frac{\ln(0.5)}{\ln(\frac{20}{21})} \approx 14.207 \text{ intervals}$$

Converting to physical elapsed time $t_{\frac{1}{2}}$:

$$t_{\frac{1}{2}} = k_{\frac{1}{2}} \times 8 \text{ hours} \approx 113.654 \text{ hours} \approx 4.736 \text{ days}$$

Elapsed Time	Interval k	Remaining %	Exact Value
Day 1 (24h)	3	$\left(\frac{20}{21}\right)^3$	86.38%
Day 3 (72h)	9	$\left(\frac{20}{21}\right)^9$	64.46%
Day 7 (168h)	21	$\left(\frac{20}{21}\right)^{21}$	35.89%
Day 14 (336h)	42	$\left(\frac{20}{21}\right)^{42}$	12.88%
Day 30 (720h)	90	$\left(\frac{20}{21}\right)^{90}$	1.24%

Reserve capital is not mathematically exhausted after 7 days of zero volume; after 30 days, approximately 1.24% of the initial balance remains.

2.3 Dynamic Time-Proration and Discrete Rate Limits

1. Single-Release Span Ceiling (CAP_SPAN):

In `IntervalController.sol`, maximum prorated time is capped $\left\{ \begin{array}{l} 0 \\ 1 + \min(m - \text{effectiveFrom}_i, 21) \end{array} \right\}$ if $m < \text{activeFrom}_i$ if $m \geq \text{activeFrom}_i$ and $m < \text{endInterval}_i$ at $\text{CAP_SPAN} = 2 \times \text{MIN_INTERVAL} = 16$ hours:

$$\text{Allocation} = \left\lfloor (\text{accounted} - \text{claims}) \cdot \frac{\min(\Delta t, \text{CAP_SPAN})}{T_{\text{week}}} \right\rfloor$$

2. Vault Outflow Rate Limit (windowAllowance):

In `Belly.sol`, immutable parameters restrict maximum window outflow:

$$\text{MaxOutflow} = \left\lfloor \text{Balance} \cdot \frac{16}{168} \right\rfloor \approx 9.5238\%$$

Even under compromised spenders, continuous 50% drawdown equivalent is:

$$n_{\frac{1}{2}}^{\text{eq}} = \frac{\ln(0.5)}{\ln(\frac{152}{168})} \approx 6.92569 \text{ windows} \approx 55.4055 \text{ hours}$$

Discrete execution requires seven full window allowances (49.6295% remaining after 7th). Spanning 6 intervals, it takes 48 hours if initial allowance is usable, and 56 hours if waiting for window rollover.




Figure 2: The Belly Hydrodynamic Decay Curve and Discrete Rate-Limiter Defensive Model

3 Seniority Ledger & Scalable Topology

3.1 Independent Positions and State Isolation

Each FATCAT stake creates an isolated position across two contracts:

$$\text{Position}_i = \{\text{owner, principal, diet, activeFrom, effectiveFrom, endInterval}\}$$

- Anti-merging:** Positions cannot be merged, preventing seniority whitewashing;
- Next-interval Activation:** Stakes in interval m become active at $\text{activeFrom} = m + 1$, neutralizing flash-loan dividend exploits;
- Effective Activation Mapping:** For standard positions, $\text{effectiveFrom} = \text{activeFrom}$; for positions opened with a Seniority Certificate (via `stakeWithCertificate`), let certificate head-start be $\text{head} = \text{multiplier} - 1$, setting $\text{effectiveFrom} = \text{activeFrom} - \text{head}$.

3.2 $O(1)$ Closed-Form Seniority Aggregation

Position i with principal p_i accrues seniority notch $c_{i(m)}$. Prior to activation, coefficient is 0; once active, it scales from virtual activation interval effectiveFrom_i up to 22:

Positions divide into:

- Climbing Cohort:** $m - \text{effectiveFrom}_i < 21$;
- Settled Cohort:** $m - \text{effectiveFrom}_i \geq 21$.

Summing over climbing positions:

$$\sum_{i \in \text{Climb}} p_i (1 + m - \text{effectiveFrom}_i) = (1 + m) \sum p_i - \sum (p_i \text{effectiveFrom}_i) \text{Pot}_a - \text{Forfeited}_a, \text{ increasing BatchRate for remaining participants.}$$

The contract maintains four global scalars: $P_{\text{climb}} = \sum_{i \in \text{Climb}} p_i$, $J_{\text{climb}} = \sum_{i \in \text{Climb}} (p_i \cdot \text{effectiveFrom}_i)$, $P_{\text{settled}} = \sum_{i \in \text{Settled}} p_i$, $\text{headOpening} = \sum_{i \in \text{Opening}} (\text{head}_i \cdot p_i)$ (Opening interval head-start weight)

Total active weight evaluation is strictly $O(1)$, subtracting transient headOpening in the opening interval:

$$W(m) = (1 + m)P_{\text{climb}} - J_{\text{climb}} + 22P_{\text{settled}} + W_{\text{exiting}} - \text{headOpening}$$




Figure 3: 22-Cohort Graduation Ring Mechanics

3.3 Dual-Accumulator Formulation

Per-interval yield per unit weight for asset a scaled by RAY = 10^{27} :

$$\omega_{a,m} = \left[\frac{\text{Share}_{a,m} \cdot \text{RAY}}{W_{\text{open}}(a,m)} \right]$$

Prefix accumulators:

$$A_{a,m} = A_{a,m-1} + (1 + m) \cdot \omega_{a,m}$$

$$B_{a,m} = B_{a,m-1} + \omega_{a,m}$$

Climbing position quote entitlement:

$$\text{Entitlement}(j, m) = \left\lfloor \frac{p \cdot (\Delta A_a - j \cdot \Delta B_a)}{\text{RAY}} \right\rfloor$$

Settled position quote entitlement:

$$\text{Entitlement}_{\text{settled}} = \left\lfloor \frac{22 \cdot p \cdot \Delta B_a}{\text{RAY}} \right\rfloor$$

Dual prefix subtraction yields $O(1)$ entitlement arithmetic per clean interval. Complete token redemption requires $O(K)$ batch iteration, boundable via `claimThrough`.

3.4 Mid-Interval Forfeiture Netting

Positions can redeem principal without lockup penalties (`redeem()`), forfeiting the active interval's meal:

$$\text{Forfeited}_a = \left\lfloor \text{Allocation}_a \cdot \frac{w_{\text{exit}}}{W_{\text{open}}(a)} \right\rfloor$$

Forfeited funds remain permanently in asset a 's pot, reducing denominator for subsequent batch execution: $\text{ClaimablePot}_a =$

4 Allocation Neutrality & Seniority Scenarios

4.1 Nominal Quote Allocation Under Ideal Conditions

Under security property S10, $\sum_{a \in \text{MENU}} W_{\text{open}}(a) = W_{\text{total}} \cdot \text{Asset } a$ allocation is:

$$Q_a = Q_{\text{total}} \cdot \frac{W_{\text{open}}(a)}{W_{\text{total}}}$$

Position i 's entitlement is:

$$\text{Share}_{i,a} = Q_a \cdot \frac{w_i}{W_{\text{open}}(a)} = Q_{\text{total}} \cdot \frac{w_i}{W_{\text{total}}}$$

Denominators cancel in real numbers without probation caps. Position quote budget is $\frac{w_i}{W_{\text{total}}}$, independent of cohort size.

4.2 Seniority Relative Advantage Analysis

Comparison	Multiplier	Economic Context
Max Mature vs Notch 1	22.0x	Temporary disparity, parity in 21 ticks
Max Mature vs Pool Average	$\frac{22}{\bar{c}}$	Distribution-dependent, $\bar{c} \in [1, 22]$
Mature in Stagnant Pool	1.0x	All mature, premium converges to 1

With principal-weighted average seniority $\bar{c} \in [1, 22]$, relative advantage $\frac{22}{\bar{c}}$ spans 1.0x to 22.0x. Uniform distribution ($\bar{c} = 11.5$) yields 1.913x as a representative scenario, not a mathematical upper bound.



Figure 4: Seniority Multiplier, Settled Premium Curve, and Linear Principal Bounds

4.3 Minimum Stake and Seniority Certificate Specification

- Immutable Minimum Stake:** `minStake` set to 100_000 FATCAT (0.01% supply), no setter post-deployment;

2. **Strict Linear Scaling:** Weight scales strictly linearly with capital beyond threshold;
3. **Seniority Physicalization Channel:**
 - **Genesis Deployment:** Deployed alongside core staking contracts. Once the Governor multisig opens issuance, stakers fully exiting standard positions with $\geq 100,000$ FATCAT can call `redeemAndIssueCertificate()` to imprint their achieved notch ($c_i \in [1, 22]$) into an ERC-721 credential;
 - **Permanent Dead Address Lock:** Transfers 100,000 FATCAT to blackhole `0x...dEaD` (via `transfer(DEAD, MINT_BURN)`, not reducing total supply via `burn()`); remaining principal refunded;
 - **Certificate Staking:** Call `stakeWithCertificate(principal, diet, certificateId)` to inherit starting multiplier, exempt from `minStake`; locks certificate during tenure; no re-minting;
 - **Hard Cap & One-Time Opening:** Capped at 9,999 tokens; issuance deploys closed and can be opened once by the Governor multisig, with no automatic unlock or on-chain minimum wait;
 - **100% On-Chain SVG Rendering:** Dynamic vector artwork and metadata computed purely on-chain with attributes `Starting multiplier` and `Status`.

5 Execution & Solvency Accounting

5.1 Dual-Liability Accounting System

RewardDistributor maintains two separate liability ledgers: **Token Liabilities** (`liability[asset]`): **D18{tok}** dimension; **Quote Liabilities** (`quoteLiability[asset]`): **D18{quote}** dimension.

Batch exchange rate:

$$\text{BatchRate} = \left\lfloor \frac{\text{TokensReceived} \cdot \text{RAY}}{\text{ClaimablePot}} \right\rfloor$$

An asset pot pending for more than 24 hours (`pendingAge > maxPendingAge`, default 86400 seconds) enables permissionless `fallbackFinalize()`. The clock starts when the pot becomes nonempty; retries and further allocations do not reset it until the pot is emptied. Fallback records WBNB liabilities that users may claim with unwrapping to BNB.

The scheduler and keeper prioritize eligible fallback, subject to the Belly's release allowance and whole-interval accounting. Settlement still requires a submitted transaction; it is neither an immediate payout at 24 hours nor an automatic wallet airdrop.

5.2 On-Chain TWAP and Execution Bounds

1. **FATCAT Pair:** `PancakeV2TwapOracle` reads cumulative price for TWAP;
2. **bStock Pairs:** Time-weighted liquidity verification;
3. **Slippage Protection:** Router verifies:

$$\text{minOut} = \left\lfloor \frac{\text{expectedOut} \cdot (10000 - \text{deviationBps})}{10000} \right\rfloor$$

5.3 Conservative Rounding and Solvency Invariants

For each batch with $\sum_i x_i \leq S$:

$$\text{Rate} = \left\lfloor \frac{R \cdot \text{RAY}}{S} \right\rfloor, \quad r_i = \left\lfloor \frac{x_i \cdot \text{Rate}}{\text{RAY}} \right\rfloor$$

Guarantees:

$$\sum_i r_i \leq R$$

Tested property D1 invariants: `balanceOf(Distributor, a) ≥ liability[a]`
`balanceOf(Distributor, quote) ≥  $\sum_a \text{quoteLiability}[a]$`

6 Security Posture & Dependencies

6.1 Restricted Vault Privileges

1. **The Belly:** Has immutable governor and guardian roles (governance 2-of-3 Gnosis Safe). The 5/36 revenue is allocated atomically as operations revenue with zero protocol privileges. No admin sweep, rescue, or withdrawal. Spender activation is one-time with timelock;
2. **StakingVault:** `redeem()` intentionally ignores pause. Pause blocks only new deposits.

6.2 Tax Processor External Ownership

Tax processor is retained by Flap factory post-graduation. Tax lasts for 100 years post-graduation (becoming permanently zero thereafter), and after a 1-year anti-farmer period taxes only the primary liquidity pool. Protocol provides `watch-processor.sh` to poll state. Direct custody risk affects future fees, not principal.

6.3 Default Diet and RWA Risk Isolation

1. **WBNB Default and Fallback:** Identity route requires no market swap, eliminating bStock RWA risk;
2. **bStock Credit Isolation:** 5% probation cap restricts exposure;
3. **FATCAT Listing:** Requires 3-day governance timelock post-graduation.

7 Verification & Disclaimers

7.1 Reproducible Test Evidence

The local non-fork suite passes (`FOUNDRY_PROFILE=local forge test`); release evidence must record the exact commit, command and result. Property tests do not equate to formal verification.

7.2 Deterministic Scope and Non-Goals

1. **Not a Fixed-Income Product:** Zero APY commitments;
2. **Not a Lockup:** Principal withdrawable in any block;
3. **Zero Superlinear Bias:** Capital scales strictly linearly;
4. **Not a Pension:** Half-life 4.736 days under zero volume; 1.24% balance after 30 days.

8 Appendix A: Notation & Dimensions Index

Symbol	Semantic Definition	Domain Bound	/	EVM Dimension Scale
m	Global interval index	$\mathbb{N}^+$		Dimensionless (uint256)
j_i	Active from interval	$m_{\text{stake}} + 1$		Dimensionless (uint256)

p_i	Staked principal	$\geq 100,000$	D18{FAT-CAT}
$c_{i(m)}$	Seniority notch	Integer [1, 22]	Dimensionless scalar
$w_{i(m)}$	Effective weight	$p_i \cdot c_{i(m)}$	D18{weight}
$W(m)$	Total active weight	$\sum w_{i(m)}$	D18{weight}
W_{open}	Asset open denominator	$\sum W_{\text{open}} = W$	D18{weight}
P_{climb}	Climbing principal sum	$\sum p_i$	D18{FAT-CAT}
J_{climb}	Climbing weighted virtual index	$\sum (p_i \cdot \text{effective})$	D18{FAT-CAT}
P_{settled}	Settled principal sum	$\sum p_i$	D18{FAT-CAT}
headOpen	Opening interval head weight	$\sum (\text{head}_i \cdot p_i)$	D18{weight}
W_{exiting}	Residual exit weight	$\sum w_i$	D18{weight}
RAY	Accumulator scale	Constant 10^{27}	D27 scale
$\omega_{a,m}$	Yield per unit weight	Yield scalar	D27 (uint256)
$A_{a,m}$	Accumulator A	$\sum (1+k)\omega$	D27 prefix sum
$B_{a,m}$	Accumulator B	$\sum \omega$	D27 prefix sum
α	Belly release fraction	$\frac{8}{168} = \frac{1}{21}$	Dimensionless ($\approx 4.76\%$)
B_k	Belly available balance	Unreserved quote	D18{quote} (WBNB)
BatchRate	Batch conversion rate	Fixed exchange rate	D27 ratio
liability	Token liability	≥ 0	D18{tok}
quoteLiab	Quote asset liability	≥ 0	D18{quote}

9 Appendix B: Solidity Rounding and Solvency Bounds

9.1 Integer Floor Division

$$\forall a, b \in \mathbb{N}^+, \left\lfloor \frac{a}{b} \right\rfloor = \frac{a - (a \bmod b)}{b} \leq \frac{a}{b}$$

Rounding error $\varepsilon = \frac{a \bmod b}{b}$ satisfies $0 \leq \varepsilon < 1$.

9.2 Non-negative Dust Theorem

Theorem: Given token purchase R , pot S , and $\sum_{i=1}^N x_i \leq S$:

$$\sum_{i=1}^N r_i \leq R$$

Proof:

1. Rate definition: $\text{Rate} = \left\lfloor \frac{R \cdot \text{RAY}}{S} \right\rfloor$
2. Position claim: $r_i = \left\lfloor \frac{x_i \cdot \text{Rate}}{\text{RAY}} \right\rfloor \leq \frac{x_i \cdot \text{Rate}}{\text{RAY}}$
3. Summing across N positions:

$$\sum_{i=1}^N r_i \leq \frac{\text{Rate}}{\text{RAY}} \sum_{i=1}^N x_i$$

4. Substituting $\sum x_i \leq S$ and $\text{Rate} \leq \frac{R \cdot \text{RAY}}{S}$:

$$\sum_{i=1}^N r_i \leq \frac{\text{Rate} \cdot S}{\text{RAY}} \leq \frac{\left(\frac{R \cdot \text{RAY}}{S}\right) \cdot S}{\text{RAY}} = R \quad \blacksquare$$

Corollary: Residual dust $\Delta_{\text{dust}} = R - \sum_{i=1}^N r_i \geq 0$ permanently settles in the distributor, ensuring physical balance dominates recorded liabilities (Balance $\geq$ Liability).

9.3 Solvency Preconditions

1. **Standard Token Behavior:** No fee-on-transfer, no negative rebase;
2. **Liability Monotonicity:** `finalize()` and `fallbackFinalize()` increment atomically; `claim()` decrements atomically;
3. **Ownerless Distributor:** No administrative sweep or drain functions.

10 Appendix C: On-Chain Gas Profiling Benchmark

Operation / Call	Caller	Complexity	Measured Gas Units
<code>stake()</code> (initial)	User	$O(1)$	142,500
<code>stakeWithCertificate()</code>	Holder	$O(1)$	168,000
<code>stake()</code> (top-up)	User	$O(1)$	98,200
<code>redeem()</code> (full)	User	$O(1)$	125,600
<code>redeemAndIssueCertificate()</code>	User	$O(1)$	189,000
<code>setDiet()</code>	User	$O(1)$	68,400
<code>advance()</code>	Keeper	$O(M)$	185,000 (5 assets)
<code>claim()</code> (1 batch)	User	$O(1)$	88,300
<code>claim()</code> (10 batches)	User	$O(K)$	164,800
<code>claimThrough()</code>	User	$O(K_{\text{bd}})$	195,000 (bounded)
<code>claimNative()</code>	User	$O(K)$	112,000 (1 batch)

11 Appendix D: Contracts Awaiting Mainnet Deployment and Verification

Component	Network	Verification Role
FATCAT Token	BNB Chain	1B fixed supply, immutable clone
PancakeSwap V2 Pool	BNB Chain	Locked liquidity, TWAP price feed

FatCatQqqbVault	BNB Chain	QQQB → USDT → WBNB → BNB; Beacon proxy
FatCatQqqbVault Factory	BNB Chain	Factory owns Beacon; Flap Guardian alone may upgrade or lock
FatCatStaking Vault	BNB Chain	Fixed BNB receiver; net proceeds split 5/36 Ops, remainder Belly
The Belly Vault	BNB Chain	Unprivileged exponential damped reservoir
StakingVault	BNB Chain	Isolated staking, unpausable redeem
SeniorityLedger	BNB Chain	$O(1)$ closed-form algebraic ledger
RewardAsset Registry	BNB Chain	MENU registry with 5% probation cap
ExecutionRouter	BNB Chain	Delayed activation, MEV-protected router
RewardDistributor	BNB Chain	Dual-liability independent accounting
Seniority Certificate (ERC-721)	BNB Chain	Genesis deployment; mint by transferring 100k FATCAT to DEAD on exit, 100% on-chain SVG
PancakeV2 TwapOracle	BNB Chain	Endogenous TWAP price reader

12 Appendix E: Responsible Disclosure & Security Channel

1. **Official Security Channel:** Submit reports via GitHub Private Security Advisories;
2. **Review & Feedback:** Regular review with prompt triage feedback upon technical evaluation;
3. **White-Hat Grants:** Critical and High vulnerabilities receive discretionary grants disbursed from Ops Safe operational funds. The reward core and BNB receiver have fixed implementations. Flap Guardian manages upstream QQQB vault upgrades through the Factory; core replacements require migration procedures.

— *Mathematics Belong to Everyone, Code is Law* —