



PRODUCT USER MANUAL

For the Global Ocean Physical Multi Year
product

GLOBAL_MULTIYEAR_PHY_001_030
Issue: 1.5

Contributors : M. Drévillon, E. Fernandez, J.M. Lellouche
Approval Date : November 2023



Copernicus
Marine Service



Implemented by

**MERCATOR
OCEAN**
INTERNATIONAL

MERCATOR OCEAN
INTERNATIONAL

2 avenue de l'Aérodrome de Montaudran, 31400 Toulouse, FRANCE

Tél : +33 5 61 39 38 02 - Fax : +33 5 61 39 38 99

Société civile de droit français au capital de 2 000 000 € - 522 911 577 RCS Toulouse - SIRET 522 911 577 00024

marine.copernicus.eu
mercator-ocean.eu

RECORD TABLE

Issue	Date	§	Description of Change	Author	Validated By
1.1	2018/02/16	All	Initial version	E. Fernandez, J.M. Lellouche	C. Derval
1.2	2021/01/13	all	Addition of climatology dataset	M Drevillon	C. Derval
1.3	2021/11/15	All	Product and dataset Nomenclature update	C. Derval	C. Derval
1.4	2022/11/29	All	New template	A. Biardeau	Copernicus Marine Product Management
1.5	2023/06/16	All	Add interim dataset	O. Le Galloudec	Copernicus Marine Product Management

TABLE OF CONTENTS

RECORD TABLE	2
GLOSSARY AND ABBREVIATIONS.....	4
DOWNLOAD A PRODUCT.....	4
1) INTRODUCTION.....	5
2) DESCRIPTION OF THE PRODUCT SPECIFICATION	6
a) General Information.....	6
b) Production System Description	8
c) Processing information.....	8
d) Details of datasets.....	9
e) Additional Information on parameters	11
3) FILES NOMENCLATURE.....	12
f) Nomenclature of files when downloaded through the Copernicus Marine Service Web Portal Subsetter Service	12
g) Nomenclature of files when downloaded through the Copernicus Marine FTP Service.....	12
h) File size	13
i) scale_factor & add_offset / missing_value / land mask.....	14
4) FILE FORMAT	14
j) NetCDF	14
k) Reader Software	14
5) REFERENCES	15
6) Structure and semantic of NetCDF maps files	15

GLOSSARY AND ABBREVIATIONS

CF	Climate Forecast (convention for NetCDF)
CMEMS	Copernicus Marine Environment Monitoring Service
ECMWF	European Centre for Medium Range Weather forecast
FTP	Protocol to download files
GLO	Global
NetCDF	Network Common Data Form
PUM	Product User Manual
QUID	Quality Information Document
Subsetter	Copernicus Marine service tool to download a NetCDF file of a selected geographical box and time range

DOWNLOAD A PRODUCT

After registration, you will be able to download our data. To assist you, our [HelpCenter](#) is available, and more specifically its [section about download](#).

Information on operational issues on products and services can be found on our [User Notification Service](#). If you have any questions, please [contact us](#).

1) INTRODUCTION

This document is the user manual for the Copernicus Marine global reanalysis product GLOBAL_MULTIYEAR_PHY_001_030. The reanalysis is built to be as close as possible to the observations (i.e. realistic) and in agreement with the model physics. It covers the period from 1992 to 31/06/2021. The interim datasets cover 01/07/2021 to M-4 period.

The goal of this Copernicus Marine global ocean reanalysis is to provide an eddy resolving (1/12°) global ocean simulation, covering the recent period during which altimeter data are available (period starting with the launch of TOPEX POSEIDON and ERS-1 satellites early in the nineties), constrained by assimilation of observations and describing the space-time evolution of 3D thermodynamic variables (T, S), 3D dynamic variables (U, V), sea surface height and sea-ice features (concentration, thickness and horizontal velocity).

This product is defined on a standard regular grid at 1/12 degree (approx. 8km) and on 50 standard levels. It is interpolated from the 1/12 degree and 50 vertical levels Arakawa C native grid. All variables are on the same regular grid points.

GLOBAL_MULTIYEAR_PHY_001_030 product is organized in three datasets:

- **cmems_mod_glo_phy_my_0.083deg_P1D-m** which contains the 3D daily mean fields: 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information.
- **cmems_mod_glo_phy_my_0.083deg_P1M-m** which contains the monthly mean fields: 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information.
- **cmems_mod_glo_phy_myint_0.083deg_P1D-m** which contains the 3D daily mean fields: 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information on the interim period.
- **cmems_mod_glo_phy_myint_0.083deg_P1M-m** which contains the monthly mean fields: 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information on the interim period.
- **cmems_mod_glo_phy_my_0.083deg-climatology_P1M-m** which contains the monthly climatology mean fields: for each month of the year, the 1993-2016 average of 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information.
- **cmems_mod_glo_phy_my_0.083deg_static** which contains the static fields for the system: coordinates, mean sea surface level, mask and bathymetry.

The product is published on the Copernicus Marine Service dissemination server after automatic and human quality controls. Files downloaded are in NetCDF format and follow CF-1.4 convention.

The analysis and forecasting system is described in the Quality Information Document (QUID – see [in REFERENCES](#)).

Information on operational issues on products and services can be found on our [User Notification Service](#). If you have any questions, please [contact us](#).

2) DESCRIPTION OF THE PRODUCT SPECIFICATION


a) General Information

Product Specification	GLOBAL_MULTIYEAR_PHY_001_030
Geographical coverage	Global (180°E to 180°E ; 89°S to 90°N)
Variables	<ul style="list-style-type: none"> • Potential temperature • Salinity • Sea surface height • Horizontal velocity (eastward and northward components) • Sea ice concentration • Sea ice velocity (eastward and northward components) • Sea ice thickness • Sea floor potential temperature • Density ocean mixed layer thickness
	Reanalysis
Update frequency	Yearly
Available time series	04/12/1991 to 31/06/2021 for my period and 01/07/2021 to M-4 for interim period
Target delivery time	N/A
Temporal resolution	<ul style="list-style-type: none"> - cmems_mod_glo_phy_my_0.083deg_P1D-m: daily mean - cmems_mod_glo_phy_my_0.083deg_P1M-m: monthly mean - cmems_mod_glo_phy_myint_0.083deg_P1D-m: daily mean - cmems_mod_glo_phy_myint_0.083deg_P1M-m: monthly mean - cmems_mod_glo_phy_my_0.083deg-climatology_P1M-m
Delivery mechanism	Subsetter and FTP
Horizontal resolution	1/12 ° (equirectangular grid)

Number of vertical levels	50 levels
Format	NetCDF CF1.4

b) Production System Description

The Operational Mercator global ocean reanalysis system at 1/12 degree is providing a 25-years time series starting on January, 1st, 1993. This product includes daily and monthly mean files of temperature, salinity, currents, sea level, mixed layer depth and ice parameters from the top to the bottom over the global ocean.

Domain	GLOBAL (180°W-180°E ; 80°S – 90°N)
Resolution and grid	1/12° ; regular grid ; 4320 x 2041
Geographic coverage	<p>This product is global with dedicated projection and spatial resolution. It is defined on a standard collocated grid at 1/12 degree (approx. 8 km). The parameters are interpolated from the native grid model, the 1/12 degree and 50 vertical levels Arakawa C native grid.</p> 
Model Version	LIM2 EVP NEMO 3.1
Atmospheric forcing	3-h and 24-h atmospheric forcing from ERA-Interim, including precipitation and radiative fluxes (SW+LW) corrections Hourly ERA5 forcing from January 1st 2019
Assimilation scheme	SAM2 (SEEK Kernel) + FGAT + IAU and 3D-VAR T/S bias correction
Assimilated observations	Reynolds 0.25° AVHRR-only SST, Delayed Time SLA from all altimetric satellites, in situ T/S profiles from Copernicus Marine CORAv4.1 database, CERSAT Sea Ice Concentration
Initial conditions	January 1993 T/S regressed from EN.4.2.0
Bathymetry	ETOPO1 for deep ocean and GEBCO8 on coast and continental shelf.

c) Processing information

1. Time coverage

The time series covers the following period from 01/01/1993

2. Time averaging

For the monthly dataset, the fields are monthly means over the calendar month (first to last day of the month). For the daily dataset, the fields are daily means over a day (midnight to midnight, centered at noon).

d) Details of datasets

GLOBAL_MULTIYEAR_PHY_001_030
cmems_mod_glo_phy_my_0.083deg_P1D-m contains the <u>daily mean fields</u> : 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information
cmems_mod_glo_phy_my_0.083deg_P1M-m contains the <u>monthly mean fields</u> : 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information.
cmems_mod_glo_phy_myint_0.083deg_P1D-m contains the <u>daily mean fields</u> : 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information on the interim period.
cmems_mod_glo_phy_myint_0.083deg_P1M-m contains the <u>monthly mean fields</u> : 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information on the interim period.
cmems_mod_glo_phy_my_0.083deg-climatology_P1M-m contains the <u>monthly climatology mean fields</u> : for each month of the year, the 1993-2016 average of 3D potential temperature, salinity and currents information from top to bottom and 2D sea surface level, bottom potential temperature, mixed layer thickness, sea ice thickness, sea ice fraction and sea ice velocities information.
These 5 datasets contained all the variables described below:
thetao [°C] Potential temperature sea_water_potential_temperature
so [psu] Salinity sea_water_salinity
uo [m/s] Eastward ocean current velocity eastward_sea_water_velocity
vo [m/s] Northward ocean current velocity northward_sea_water_velocity
zos [m] Sea surface height sea_surface_height_above_geoid
mldtst [m] Mixed layer thickness

ocean_mixed_layer_thickness_defined_by_sigma_theta
bottomT [°C] Sea floor potential temperature sea_water_potential_temperature_at_sea_floor
siconc [1] Sea ice concentration sea_ice_area_fraction
sithick [m] Sea ice thickness sea_ice_thickness
usi [m/s] Eastward sea ice velocity eastward_sea_ice_velocity
vsi [m/s] Northward sea ice velocity northward_sea_ice_velocity
cmems_mod_glo_phy_my_0.083deg_static contains the static fields for the system: coordinates, mean sea surface level, mask and bathymetry
e1t [m] Cell dimension along X axis
e2t [m] Cell dimension along Y axis
e3t [m/s] Cell dimension along Z axis cell_thickness
mask [1] Land-sea mask: 1 = sea ; 0 = land sea_binary_mask
deptho [m] Bathymetry sea_floor_depth_below_geoid
deptho_lev [1] Model level number at sea floor model_level_number_at_sea_floor
mdt [m] Mean dynamic topography sea_surface_height_above_geoid

Table 2: List of variables in datasets and their names and units in the NetCDF output files for the GLOBAL_MULTIYEAR_PHY_001_030 product

e) Additional Information on parameters

m1otst [m]	ocean_mixed_layer_thickness_defined_by_sigma_theta. It is the depth where the density increase compared to density at 10 m depth corresponds to a temperature decrease of 0.2°C in local surface conditions (θ_{10m} , S_{10m} , $P_0 = 0$ db, surface pressure)
zos [m]	sea_surface_height_above_geoid. The geoid is a surface of constant geopotential with which mean sea level would coincide if the ocean were at rest. The parameter "zos" is the difference between the actual sea surface height at any given time and place, and that which it would have if the ocean were at rest.
Ssh [m]	See the Help Center article

3) FILES NOMENCLATURE

f) Nomenclature of files when downloaded through the Copernicus Marine Service Web Portal Subsetter Service

GLOBAL_MULTIYEAR_PHY_001_030 files nomenclature when downloaded through the Copernicus Marine Service Web Portal Subsetter is based on product dataset name and a numerical reference related to the request date on the portal.

The scheme is: **datasetname_nnnnnnnnnnnnn.nc**

where:

- **datasetname**: as described previously
- **nnnnnnnnnnnnnn**: 13 digit integer corresponding to the current time (download time) in milliseconds since January 1, 1970 midnight UTC.
- **.nc**: standard NetCDF filename extension.

Example: cmems_mod_glo_phy_my_0.083deg_P1D-m_1669310276809.nc

g) Nomenclature of files when downloaded through the Copernicus Marine FTP Service

When downloading via FTP, the files are provided with the native nomenclature.

- Native nomenclature:

For the daily dataset, the scheme is:

mercatorglorys12v1_gl12_mean_yyyymmdd_RYYYYMMDD.nc

Where:

- yyyymmdd: field daily mean central date, on YYYYYMMDD format
- YYYYYMMDD: creation date of the file
- **.nc**: standard NetCDF filename extension.

For the monthly dataset, the scheme is:

mercatorglorys12v1_gl12_mean_yyyymm.nc

Where:

- yyyymm: field monthly mean central date, on YYYYYMM format
- **.nc**: standard NetCDF filename extension.

For the daily dataset, the scheme is:

mercatorglorys12v1_gl12_mean_yyyymmdd_RYYYYMMDD.nc

Where:

- yyyymmdd: field daily mean central date, on YYYYYMMDD format
- YYYYYMMDD: creation date of the file
- **.nc**: standard NetCDF filename extension.

For the monthly dataset, the scheme is:

mercatorglorys12v1_gl12_mean_yyyymm.nc

Where:

- yyyymm: field monthly mean central date, on YYYYMM format
- .nc: standard NetCDF filename extension.

h) File size

DATASET NAME	NAME OF FILE	DIMENSION [GB]
cmems_mod_glo_phy_my_0.083deg_P1D-m	mercatorglorys12v1_gl12_mean_\${date1}_R\${date2}.nc	3.4
cmems_mod_glo_phy_my_0.083deg_P1M-m	mercatorglorys12v1_gl12_mean_\${yyyymm}.nc	3.4
cmems_mod_glo_phy_myint_0.083deg_P1D-m	mercatorglorys12v1_gl12_mean_\${date1}_R\${date2}.nc	3.4
cmems_mod_glo_phy_myint_0.083deg_P1M-m	mercatorglorys12v1_gl12_mean_\${yyyymm}.nc	3.4
cmems_mod_glo_phy_my_0.083deg-climatology_P1M-m	mercatorglorys12v1_gl12_mean_1993_2016_07.nc	1.2

i) **scale_factor & add_offset / missing_value / land mask**

$\text{Real_Value} = (\text{Display_Value} \times \text{scale_factor}) + \text{add_offset}$

The missing value for this product is: -32767s

Land mask are equal to “_FillValue” (see variable attribute on NetCDF file).

4) FILE FORMAT

j) **NetCDF**

The products are stored using the NetCDF format.

To know more about the NetCDF format, please follow this link:

[What is the format of Copernicus Marine products ? NetCDF](#)

k) **Reader Software**

NetCDF data can be browsed and used through a number of software, like:

ncBrowse: <http://www.epic.noaa.gov/java/ncBrowse/>,

NetCDF Operator (NCO): <https://nco.sourceforge.net/>

IDL, Matlab, GMT...

Useful information on UNIDATA: <http://www.unidata.ucar.edu/software/netcdf/>

5) REFERENCES

Quality Information Document (QUID) CMEMS_GLO_QUID_001_030 :
<https://catalogue.marine.copernicus.eu/documents/QUID/CMEMS-GLO-QUID-001-030.pdf>

6) Structure and semantic of NetCDF maps files

cmems_mod_glo_phy_my_0.083deg_P1D-m

```
netcdf mercatorglorys12v1_gl12_mean_20201231_R20210106 {
```

```
dimensions:
```

```
    longitude = 4320 ;
    latitude = 2041 ;
    depth = 50 ;
    time = UNLIMITED ; // (1 currently)
```

```
variables:
```

```
    float longitude(longitude) ;
        longitude:valid_min = -180.f ;
        longitude:valid_max = 179.9167f ;
        longitude:step = 0.08332825f ;
        longitude:units = "degrees_east" ;
        longitude:unit_long = "Degrees East" ;
        longitude:long_name = "Longitude" ;
        longitude:standard_name = "longitude" ;
        longitude:axis = "X" ;
```

```
    float latitude(latitude) ;
        latitude:valid_min = -80.f ;
        latitude:valid_max = 90.f ;
        latitude:step = 0.08333588f ;
        latitude:units = "degrees_north" ;
        latitude:unit_long = "Degrees North" ;
        latitude:long_name = "Latitude" ;
        latitude:standard_name = "latitude" ;
        latitude:axis = "Y" ;
```

```
    float depth(depth) ;
        depth:valid_min = 0.494025f ;
        depth:valid_max = 5727.917f ;
        depth:units = "m" ;
        depth:positive = "down" ;
        depth:unit_long = "Meters" ;
        depth:long_name = "Depth" ;
        depth:standard_name = "depth" ;
        depth:axis = "Z" ;
```

```
    float time(time) ;
        time:long_name = "Time (hours since 1950-01-01)" ;
```

```

time:standard_name = "time" ;
time:calendar = "gregorian" ;
time:valid_min = 622380.f ;
time:valid_max = 622380.f ;
time:units = "hours since 1950-01-01 00:00:00" ;
time:axis = "T" ;
short mlotst(time, latitude, longitude) ;
    mlotst:long_name = "Density ocean mixed layer thickness" ;
    mlotst:standard_name =
"ocean_mixed_layer_thickness_defined_by_sigma_theta" ;
    mlotst:units = "m" ;
    mlotst:unit_long = "Meters" ;
    mlotst:add_offset = -0.152592554688454 ;
    mlotst:scale_factor = 0.152592554688454 ;
    mlotst:_FillValue = -32767s ;
    mlotst:valid_min = 1s ;
    mlotst:valid_max = 6447s ;
    mlotst:cell_methods = "area: mean" ;
short zos(time, latitude, longitude) ;
    zos:long_name = "Sea surface height" ;
    zos:standard_name = "sea_surface_height_above_geoid" ;
    zos:units = "m" ;
    zos:unit_long = "Meters" ;
    zos:add_offset = 0. ;
    zos:scale_factor = 0.000305185094475746 ;
    zos:_FillValue = -32767s ;
    zos:valid_min = -6181s ;
    zos:valid_max = 5039s ;
    zos:cell_methods = "area: mean" ;
short bottomT(time, latitude, longitude) ;
    bottomT:long_name = "Sea floor potential temperature" ;
    bottomT:standard_name =
"sea_water_potential_temperature_at_sea_floor" ;
    bottomT:units = "degrees_C" ;
    bottomT:unit_long = "Degrees Celsius" ;
    bottomT:_FillValue = -32767s ;
    bottomT:add_offset = 21. ;
    bottomT:scale_factor = 0.000732444226741791 ;
    bottomT:valid_min = -32757s ;
    bottomT:valid_max = 21318s ;
    bottomT:cell_methods = "area: mean" ;
short sithick(time, latitude, longitude) ;
    sithick:long_name = "Sea ice thickness" ;
    sithick:standard_name = "sea_ice_thickness" ;
    sithick:units = "m" ;
    sithick:unit_long = "Meters" ;
    sithick:add_offset = -0.000762962736189365 ;
    sithick:scale_factor = 0.000762962736189365 ;
    sithick:_FillValue = -32767s ;

```



```

sithick:valid_min = 1s ;
sithick:valid_max = 4618s ;
sithick:cell_methods = "area: mean where sea_ice" ;
short siconc(time, latitude, longitude) ;
    siconc:long_name = "Ice concentration" ;
    siconc:standard_name = "sea_ice_area_fraction" ;
    siconc:units = "1" ;
    siconc:unit_long = "Fraction" ;
    siconc:add_offset = -3.81481368094683e-05 ;
    siconc:scale_factor = 3.81481368094683e-05 ;
    siconc:_FillValue = -32767s ;
    siconc:valid_min = 1s ;
    siconc:valid_max = 28060s ;
    siconc:cell_methods = "area: mean where sea_ice" ;
short usi(time, latitude, longitude) ;
    usi:long_name = "Sea ice eastward velocity" ;
    usi:standard_name = "eastward_sea_ice_velocity" ;
    usi:units = "m s-1" ;
    usi:unit_long = "Meters per second" ;
    usi:add_offset = 0. ;
    usi:scale_factor = 3.05185094475746e-05 ;
    usi:_FillValue = -32767s ;
    usi:valid_min = -32707s ;
    usi:valid_max = 32144s ;
    usi:cell_methods = "area: mean where sea_ice" ;
short vsi(time, latitude, longitude) ;
    vsi:long_name = "Sea ice northward velocity" ;
    vsi:standard_name = "northward_sea_ice_velocity" ;
    vsi:units = "m s-1" ;
    vsi:unit_long = "Meters per second" ;
    vsi:add_offset = 0. ;
    vsi:scale_factor = 3.05185094475746e-05 ;
    vsi:_FillValue = -32767s ;
    vsi:valid_min = -31907s ;
    vsi:valid_max = 31690s ;
    vsi:cell_methods = "area: mean where sea_ice" ;
short thetao(time, depth, latitude, longitude) ;
    thetao:long_name = "Temperature" ;
    thetao:standard_name = "sea_water_potential_temperature" ;
    thetao:units = "degrees_C" ;
    thetao:unit_long = "Degrees Celsius" ;
    thetao:_FillValue = -32767s ;
    thetao:add_offset = 21. ;
    thetao:scale_factor = 0.000732444226741791 ;
    thetao:valid_min = -32764s ;
    thetao:valid_max = 21298s ;
    thetao:cell_methods = "area: mean" ;
short so(time, depth, latitude, longitude) ;
    so:long_name = "Salinity" ;

```

```

so:standard_name = "sea_water_salinity" ;
so:units = "1e-3" ;
so:unit_long = "Practical Salinity Unit" ;
so:_FillValue = -32767s ;
so:add_offset = -0.00152592547237873 ;
so:scale_factor = 0.00152592547237873 ;
so:valid_min = 1s ;
so:valid_max = 28336s ;
so:cell_methods = "area: mean" ;
short uo(time, depth, latitude, longitude) ;
uo:long_name = "Eastward velocity" ;
uo:standard_name = "eastward_sea_water_velocity" ;
uo:units = "m s-1" ;
uo:unit_long = "Meters per second" ;
uo:_FillValue = -32767s ;
uo:add_offset = 0. ;
uo:scale_factor = 0.000610370188951492 ;
uo:valid_min = -3573s ;
uo:valid_max = 3559s ;
uo:cell_methods = "area: mean" ;
short vo(time, depth, latitude, longitude) ;
vo:long_name = "Northward velocity" ;
vo:standard_name = "northward_sea_water_velocity" ;
vo:units = "m s-1" ;
vo:unit_long = "Meters per second" ;
vo:_FillValue = -32767s ;
vo:add_offset = 0. ;
vo:scale_factor = 0.000610370188951492 ;
vo:valid_min = -3300s ;
vo:valid_max = 3399s ;
vo:cell_methods = "area: mean" ;

// global attributes:
:title = "daily mean fields from Global Ocean Physics Analysis and
Forecast updated Daily" ;
:easting = "longitude" ;
:northing = "latitude" ;
:history = "2022/05/25 21:54:07 MERCATOR OCEAN Netcdf creation" ;
:source = "MERCATOR GLORYS12V1" ;
:institution = "MERCATOR OCEAN" ;
:references = "http://www.mercator-ocean.fr" ;
:comment = "CMEMS product" ;
:Conventions = "CF-1.4" ;
:domain_name = "GL12" ;
:field_type = "mean" ;
:field_date = "2020-12-31 00:00:00" ;
:field_julian_date = 25932.f ;
:julian_day_unit = "days since 1950-01-01 00:00:00" ;
:forecast_range = "" ;

```

```

:forecast_type = "";
:bulletin_date = "2021-01-06 00:00:00" ;
:bulletin_type = "operational" ;
:longitude_min = -180.f ;
:longitude_max = 179.9167f ;
:latitude_min = -80.f ;
:latitude_max = 90.f ;
:z_min = 0.494025f ;
:z_max = 5727.917f ;
:_NCProperties = "version=2,netcdf=4.7.1,hdf5=1.10.5," ;
}

```

cmems_mod_glo_phy_my_0.083deg_P1M-m

```

etcdf mercatorglorys12v1_gl12_mean_202012 {
dimensions:
    longitude = 4320 ;
    latitude = 2041 ;
    depth = 50 ;
    time = 1 ;
variables:
    float longitude(longitude) ;
        longitude:valid_min = -180.f ;
        longitude:valid_max = 179.9167f ;
        longitude:step = 0.08332825f ;
        longitude:units = "degrees_east" ;
        longitude:unit_long = "Degrees East" ;
        longitude:long_name = "Longitude" ;
        longitude:standard_name = "longitude" ;
        longitude:axis = "X" ;
    float latitude(latitude) ;
        latitude:valid_min = -80.f ;
        latitude:valid_max = 90.f ;
        latitude:step = 0.08333588f ;
        latitude:units = "degrees_north" ;
        latitude:unit_long = "Degrees North" ;
        latitude:long_name = "Latitude" ;
        latitude:standard_name = "latitude" ;
        latitude:axis = "Y" ;
    float depth(depth) ;
        depth:valid_min = 0.494025f ;
        depth:valid_max = 5727.917f ;
        depth:units = "m" ;
        depth:positive = "down" ;
        depth:unit_long = "Meters" ;
        depth:long_name = "Depth" ;
        depth:standard_name = "depth" ;
        depth:axis = "Z" ;
    short mlotst(time, latitude, longitude) ;

```

```

        mlotst:_FillValue = -32767s ;
        mlotst:long_name = "Density ocean mixed layer thickness" ;
        mlotst:standard_name =
"ocean_mixed_layer_thickness_defined_by_sigma_theta" ;
        mlotst:units = "m" ;
        mlotst:unit_long = "Meters" ;
        mlotst:cell_methods = "area: mean" ;
        mlotst:add_offset = -0.152592554688454 ;
        mlotst:scale_factor = 0.152592554688454 ;
        mlotst:valid_min = 1s ;
        mlotst:valid_max = 23400s ;
    short zos(time, latitude, longitude) ;
        zos:_FillValue = -32767s ;
        zos:long_name = "Sea surface height" ;
        zos:standard_name = "sea_surface_height_above_geoid" ;
        zos:units = "m" ;
        zos:unit_long = "Meters" ;
        zos:cell_methods = "area: mean" ;
        zos:add_offset = 0. ;
        zos:scale_factor = 0.000305185094475746 ;
        zos:valid_min = -7000s ;
        zos:valid_max = 6100s ;
    short bottomT(time, latitude, longitude) ;
        bottomT:_FillValue = -32767s ;
        bottomT:long_name = "Sea floor potential temperature" ;
        bottomT:standard_name =
"sea_water_potential_temperature_at_sea_floor" ;
        bottomT:units = "degrees_C" ;
        bottomT:unit_long = "Degrees Celsius" ;
        bottomT:cell_methods = "area: mean" ;
        bottomT:add_offset = 21. ;
        bottomT:scale_factor = 0.000732444226741791 ;
        bottomT:valid_min = -32767s ;
        bottomT:valid_max = 22600s ;
    short sithick(time, latitude, longitude) ;
        sithick:_FillValue = -32767s ;
        sithick:long_name = "Sea ice thickness" ;
        sithick:standard_name = "sea_ice_thickness" ;
        sithick:units = "m" ;
        sithick:unit_long = "Meters" ;
        sithick:cell_methods = "area: mean where sea_ice" ;
        sithick:add_offset = -0.000762962736189365 ;
        sithick:scale_factor = 0.000762962736189365 ;
        sithick:valid_min = 1s ;
        sithick:valid_max = 10700s ;
    short siconc(time, latitude, longitude) ;
        siconc:_FillValue = -32767s ;
        siconc:long_name = "Ice concentration" ;
        siconc:standard_name = "sea_ice_area_fraction" ;

```

```

siconc:units = "1" ;
siconc:unit_long = "Fraction" ;
siconc:cell_methods = "area: mean where sea_ice" ;
siconc:add_offset = -3.81481368094683e-05 ;
siconc:scale_factor = 3.81481368094683e-05 ;
siconc:valid_min = 1s ;
siconc:valid_max = 28700s ;
short usi(time, latitude, longitude) ;
    usi:_FillValue = -32767s ;
    usi:long_name = "Sea ice eastward velocity" ;
    usi:standard_name = "eastward_sea_ice_velocity" ;
    usi:units = "m s-1" ;
    usi:unit_long = "Meters per second" ;
    usi:cell_methods = "area: mean where sea_ice" ;
    usi:add_offset = 0. ;
    usi:scale_factor = 3.05185094475746e-05 ;
    usi:valid_min = -32767s ;
    usi:valid_max = 32760s ;
short vsi(time, latitude, longitude) ;
    vsi:_FillValue = -32767s ;
    vsi:long_name = "Sea ice northward velocity" ;
    vsi:standard_name = "northward_sea_ice_velocity" ;
    vsi:units = "m s-1" ;
    vsi:unit_long = "Meters per second" ;
    vsi:cell_methods = "area: mean where sea_ice" ;
    vsi:add_offset = 0. ;
    vsi:scale_factor = 3.05185094475746e-05 ;
    vsi:valid_min = -32767s ;
    vsi:valid_max = 32760s ;
short thetao(time, depth, latitude, longitude) ;
    thetao:_FillValue = -32767s ;
    thetao:long_name = "Temperature" ;
    thetao:standard_name = "sea_water_potential_temperature" ;
    thetao:units = "degrees_C" ;
    thetao:unit_long = "Degrees Celsius" ;
    thetao:cell_methods = "area: mean" ;
    thetao:add_offset = 21. ;
    thetao:scale_factor = 0.000732444226741791 ;
    thetao:valid_min = -32767s ;
    thetao:valid_max = 22600s ;
short so(time, depth, latitude, longitude) ;
    so:_FillValue = -32767s ;
    so:long_name = "Salinity" ;
    so:standard_name = "sea_water_salinity" ;
    so:units = "1e-3" ;
    so:unit_long = "Practical Salinity Unit" ;
    so:cell_methods = "area: mean" ;
    so:add_offset = -0.00152592547237873 ;
    so:scale_factor = 0.00152592547237873 ;

```

```

        so:valid_min = 1s ;
        so:valid_max = 31700s ;
short uo(time, depth, latitude, longitude) ;
        uo:_FillValue = -32767s ;
        uo:long_name = "Eastward velocity" ;
        uo:standard_name = "eastward_sea_water_velocity" ;
        uo:units = "m s-1" ;
        uo:unit_long = "Meters per second" ;
        uo:cell_methods = "area: mean" ;
        uo:add_offset = 0. ;
        uo:scale_factor = 0.000610370188951492 ;
        uo:valid_min = -3800s ;
        uo:valid_max = 4700s ;
short vo(time, depth, latitude, longitude) ;
        vo:_FillValue = -32767s ;
        vo:long_name = "Northward velocity" ;
        vo:standard_name = "northward_sea_water_velocity" ;
        vo:units = "m s-1" ;
        vo:unit_long = "Meters per second" ;
        vo:cell_methods = "area: mean" ;
        vo:add_offset = 0. ;
        vo:scale_factor = 0.000610370188951492 ;
        vo:valid_min = -4900s ;
        vo:valid_max = 4300s ;
double time(time) ;
        time:units = "hours since 1950-01-01" ;
        time:axis = "T" ;
        time:long_name = "Time (hours since 1950-01-01)" ;
        time:standard_name = "time" ;
        time:calendar = "gregorian" ;

// global attributes:
        :title = "Monthly mean fields for product
GLOBAL_REANALYSIS_PHY_001_030" ;
        :references = "http://marine.copernicus.eu" ;
        :credit = "E.U. Copernicus Marine Service Information (CMEMS)" ;
        :licence = "http://marine.copernicus.eu/services-portfolio/service-
commitments-and-licence/" ;
        :contact = "servicedesk.cmems@mercator-ocean.eu" ;
        :producer = "CMEMS - Global Monitoring and Forecasting Centre" ;
        :institution = "Mercator Ocean" ;
        :Conventions = "CF-1.6" ;
        :area = "GLOBAL" ;
        :product = "GLOBAL_REANALYSIS_001_030" ;
        :dataset = "global-reanalysis-001-030-monthly" ;
        :source = "MERCATOR GLORYS12V1" ;
        :product_user_manual =
"http://marine.copernicus.eu/documents/PUM/CMEMS-GLO-PUM-001-030.pdf" ;

```

```

:quality_information_document =
"http://marine.copernicus.eu/documents/QUID/CMEMS-GLO-QUID-001-030.pdf" ;
:_NCProperties = "version=2,netcdf=4.8.1,hdf5=1.12.2" ;
}

```

cmems_mod_glo_phy_myint_0.083deg_P1D-m

```

netcdf mercatorglorys12v1_gl12_mean_20210101_R20210113 {
dimensions:

```

```

    longitude = 4320 ;
    latitude = 2041 ;
    depth = 50 ;
    time = UNLIMITED ; // (1 currently)

```

```
variables:
```

```

    float longitude(longitude) ;
        longitude:valid_min = -180.f ;
        longitude:valid_max = 179.9167f ;
        longitude:step = 0.08332825f ;
        longitude:units = "degrees_east" ;
        longitude:unit_long = "Degrees East" ;
        longitude:long_name = "Longitude" ;
        longitude:standard_name = "longitude" ;
        longitude:axis = "X" ;

```

```

    float latitude(latitude) ;
        latitude:valid_min = -80.f ;
        latitude:valid_max = 90.f ;
        latitude:step = 0.08333588f ;
        latitude:units = "degrees_north" ;
        latitude:unit_long = "Degrees North" ;
        latitude:long_name = "Latitude" ;
        latitude:standard_name = "latitude" ;
        latitude:axis = "Y" ;

```

```

    float depth(depth) ;
        depth:valid_min = 0.494025f ;
        depth:valid_max = 5727.917f ;
        depth:units = "m" ;
        depth:positive = "down" ;
        depth:unit_long = "Meters" ;
        depth:long_name = "Depth" ;
        depth:standard_name = "depth" ;
        depth:axis = "Z" ;

```

```

    float time(time) ;
        time:long_name = "Time (hours since 1950-01-01)" ;
        time:standard_name = "time" ;
        time:calendar = "gregorian" ;
        time:valid_min = 622380.f ;
        time:valid_max = 622380.f ;
        time:units = "hours since 1950-01-01 00:00:00" ;
        time:axis = "T" ;

```



```

short mlotst(time, latitude, longitude) ;
    mlotst:long_name = "Density ocean mixed layer thickness" ;
    mlotst:standard_name =
"ocean_mixed_layer_thickness_defined_by_sigma_theta" ;
    mlotst:units = "m" ;
    mlotst:unit_long = "Meters" ;
    mlotst:add_offset = -0.152592554688454 ;
    mlotst:scale_factor = 0.152592554688454 ;
    mlotst:_FillValue = -32767s ;
    mlotst:valid_min = 1s ;
    mlotst:valid_max = 6447s ;
    mlotst:cell_methods = "area: mean" ;
short zos(time, latitude, longitude) ;
    zos:long_name = "Sea surface height" ;
    zos:standard_name = "sea_surface_height_above_geoid" ;
    zos:units = "m" ;
    zos:unit_long = "Meters" ;
    zos:add_offset = 0. ;
    zos:scale_factor = 0.000305185094475746 ;
    zos:_FillValue = -32767s ;
    zos:valid_min = -6181s ;
    zos:valid_max = 5039s ;
    zos:cell_methods = "area: mean" ;
short bottomT(time, latitude, longitude) ;
    bottomT:long_name = "Sea floor potential temperature" ;
    bottomT:standard_name =
"sea_water_potential_temperature_at_sea_floor" ;
    bottomT:units = "degrees_C" ;
    bottomT:unit_long = "Degrees Celsius" ;
    bottomT:_FillValue = -32767s ;
    bottomT:add_offset = 21. ;
    bottomT:scale_factor = 0.000732444226741791 ;
    bottomT:valid_min = -32757s ;
    bottomT:valid_max = 21318s ;
    bottomT:cell_methods = "area: mean" ;
short sithick(time, latitude, longitude) ;
    sithick:long_name = "Sea ice thickness" ;
    sithick:standard_name = "sea_ice_thickness" ;
    sithick:units = "m" ;
    sithick:unit_long = "Meters" ;
    sithick:add_offset = -0.000762962736189365 ;
    sithick:scale_factor = 0.000762962736189365 ;
    sithick:_FillValue = -32767s ;
    sithick:valid_min = 1s ;
    sithick:valid_max = 4618s ;
    sithick:cell_methods = "area: mean where sea_ice" ;
short siconc(time, latitude, longitude) ;
    siconc:long_name = "Ice concentration" ;
    siconc:standard_name = "sea_ice_area_fraction" ;

```



```

siconc:units = "1" ;
siconc:unit_long = "Fraction" ;
siconc:add_offset = -3.81481368094683e-05 ;
siconc:scale_factor = 3.81481368094683e-05 ;
siconc:_FillValue = -32767s ;
siconc:valid_min = 1s ;
siconc:valid_max = 28060s ;
siconc:cell_methods = "area: mean where sea_ice" ;
short usi(time, latitude, longitude) ;
    usi:long_name = "Sea ice eastward velocity" ;
    usi:standard_name = "eastward_sea_ice_velocity" ;
    usi:units = "m s-1" ;
    usi:unit_long = "Meters per second" ;
    usi:add_offset = 0. ;
    usi:scale_factor = 3.05185094475746e-05 ;
    usi:_FillValue = -32767s ;
    usi:valid_min = -32707s ;
    usi:valid_max = 32144s ;
    usi:cell_methods = "area: mean where sea_ice" ;
short vsi(time, latitude, longitude) ;
    vsi:long_name = "Sea ice northward velocity" ;
    vsi:standard_name = "northward_sea_ice_velocity" ;
    vsi:units = "m s-1" ;
    vsi:unit_long = "Meters per second" ;
    vsi:add_offset = 0. ;
    vsi:scale_factor = 3.05185094475746e-05 ;
    vsi:_FillValue = -32767s ;
    vsi:valid_min = -31907s ;
    vsi:valid_max = 31690s ;
    vsi:cell_methods = "area: mean where sea_ice" ;
short thetao(time, depth, latitude, longitude) ;
    thetao:long_name = "Temperature" ;
    thetao:standard_name = "sea_water_potential_temperature" ;
    thetao:units = "degrees_C" ;
    thetao:unit_long = "Degrees Celsius" ;
    thetao:_FillValue = -32767s ;
    thetao:add_offset = 21. ;
    thetao:scale_factor = 0.000732444226741791 ;
    thetao:valid_min = -32764s ;
    thetao:valid_max = 21298s ;
    thetao:cell_methods = "area: mean" ;
short so(time, depth, latitude, longitude) ;
    so:long_name = "Salinity" ;
    so:standard_name = "sea_water_salinity" ;
    so:units = "1e-3" ;
    so:unit_long = "Practical Salinity Unit" ;
    so:_FillValue = -32767s ;
    so:add_offset = -0.00152592547237873 ;
    so:scale_factor = 0.00152592547237873 ;

```

```

so:valid_min = 1s ;
so:valid_max = 28336s ;
so:cell_methods = "area: mean" ;
short uo(time, depth, latitude, longitude) ;
  uo:long_name = "Eastward velocity" ;
  uo:standard_name = "eastward_sea_water_velocity" ;
  uo:units = "m s-1" ;
  uo:unit_long = "Meters per second" ;
  uo:_FillValue = -32767s ;
  uo:add_offset = 0. ;
  uo:scale_factor = 0.000610370188951492 ;
  uo:valid_min = -3573s ;
  uo:valid_max = 3559s ;
  uo:cell_methods = "area: mean" ;
short vo(time, depth, latitude, longitude) ;
  vo:long_name = "Northward velocity" ;
  vo:standard_name = "northward_sea_water_velocity" ;
  vo:units = "m s-1" ;
  vo:unit_long = "Meters per second" ;
  vo:_FillValue = -32767s ;
  vo:add_offset = 0. ;
  vo:scale_factor = 0.000610370188951492 ;
  vo:valid_min = -3300s ;
  vo:valid_max = 3399s ;
  vo:cell_methods = "area: mean" ;

// global attributes:
  :title = "daily mean fields from Global Ocean Physics Analysis and
Forecast updated Daily" ;
  :easting = "longitude" ;
  :northing = "latitude" ;
  :history = "2022/05/25 21:54:07 MERCATOR OCEAN Netcdf creation" ;
  :source = "MERCATOR GLORYS12V1" ;
  :institution = "MERCATOR OCEAN" ;
  :references = "http://www.mercator-ocean.fr" ;
  :comment = "CMEMS product" ;
  :Conventions = "CF-1.4" ;
  :domain_name = "GL12" ;
  :field_type = "mean" ;
  :field_date = "2021-01-01 00:00:00" ;
  :field_julian_date = 25933.f ;
  :julian_day_unit = "days since 1950-01-01 00:00:00" ;
  :forecast_range = "" ;
  :forecast_type = "" ;
  :bulletin_date = "2021-01-13 00:00:00" ;
  :bulletin_type = "operational" ;
  :longitude_min = -180.f ;
  :longitude_max = 179.9167f ;
  :latitude_min = -80.f ;

```

```

        :latitude_max = 90.f ;
        :z_min = 0.494025f ;
        :z_max = 5727.917f ;
        :_NCProperties = "version=2,netcdf=4.7.1,hdf5=1.10.5," ;
    }

```

cmems_mod_glo_phy_myint_0.083deg_P1M-m

```

etcdf mercatorglorys12v1_gl12_mean_202101 {
dimensions:

```

```

    longitude = 4320 ;
    latitude = 2041 ;
    depth = 50 ;
    time = 1 ;

```

```

variables:

```

```

    float longitude(longitude) ;
        longitude:valid_min = -180.f ;
        longitude:valid_max = 179.9167f ;
        longitude:step = 0.08332825f ;
        longitude:units = "degrees_east" ;
        longitude:unit_long = "Degrees East" ;
        longitude:long_name = "Longitude" ;
        longitude:standard_name = "longitude" ;
        longitude:axis = "X" ;

```

```

    float latitude(latitude) ;
        latitude:valid_min = -80.f ;
        latitude:valid_max = 90.f ;
        latitude:step = 0.08333588f ;
        latitude:units = "degrees_north" ;
        latitude:unit_long = "Degrees North" ;
        latitude:long_name = "Latitude" ;
        latitude:standard_name = "latitude" ;
        latitude:axis = "Y" ;

```

```

    float depth(depth) ;
        depth:valid_min = 0.494025f ;
        depth:valid_max = 5727.917f ;
        depth:units = "m" ;
        depth:positive = "down" ;
        depth:unit_long = "Meters" ;
        depth:long_name = "Depth" ;
        depth:standard_name = "depth" ;
        depth:axis = "Z" ;

```

```

    short mlotst(time, latitude, longitude) ;
        mlotst:_FillValue = -32767s ;
        mlotst:long_name = "Density ocean mixed layer thickness" ;
        mlotst:standard_name =

```

```

"ocean_mixed_layer_thickness_defined_by_sigma_theta" ;
        mlotst:units = "m" ;
        mlotst:unit_long = "Meters" ;

```

```

mlostst:cell_methods = "area: mean" ;
mlostst:add_offset = -0.152592554688454 ;
mlostst:scale_factor = 0.152592554688454 ;
mlostst:valid_min = 1s ;
mlostst:valid_max = 23400s ;
short zos(time, latitude, longitude) ;
zos:_FillValue = -32767s ;
zos:long_name = "Sea surface height" ;
zos:standard_name = "sea_surface_height_above_geoid" ;
zos:units = "m" ;
zos:unit_long = "Meters" ;
zos:cell_methods = "area: mean" ;
zos:add_offset = 0. ;
zos:scale_factor = 0.000305185094475746 ;
zos:valid_min = -7000s ;
zos:valid_max = 6100s ;
short bottomT(time, latitude, longitude) ;
bottomT:_FillValue = -32767s ;
bottomT:long_name = "Sea floor potential temperature" ;
bottomT:standard_name =
"sea_water_potential_temperature_at_sea_floor" ;
bottomT:units = "degrees_C" ;
bottomT:unit_long = "Degrees Celsius" ;
bottomT:cell_methods = "area: mean" ;
bottomT:add_offset = 21. ;
bottomT:scale_factor = 0.000732444226741791 ;
bottomT:valid_min = -32767s ;
bottomT:valid_max = 22600s ;
short sithick(time, latitude, longitude) ;
sithick:_FillValue = -32767s ;
sithick:long_name = "Sea ice thickness" ;
sithick:standard_name = "sea_ice_thickness" ;
sithick:units = "m" ;
sithick:unit_long = "Meters" ;
sithick:cell_methods = "area: mean where sea_ice" ;
sithick:add_offset = -0.000762962736189365 ;
sithick:scale_factor = 0.000762962736189365 ;
sithick:valid_min = 1s ;
sithick:valid_max = 10700s ;
short siconc(time, latitude, longitude) ;
siconc:_FillValue = -32767s ;
siconc:long_name = "Ice concentration" ;
siconc:standard_name = "sea_ice_area_fraction" ;
siconc:units = "1" ;
siconc:unit_long = "Fraction" ;
siconc:cell_methods = "area: mean where sea_ice" ;
siconc:add_offset = -3.81481368094683e-05 ;
siconc:scale_factor = 3.81481368094683e-05 ;
siconc:valid_min = 1s ;

```

```

        siconc:valid_max = 28700s ;
short usi(time, latitude, longitude) ;
    usi:_FillValue = -32767s ;
    usi:long_name = "Sea ice eastward velocity" ;
    usi:standard_name = "eastward_sea_ice_velocity" ;
    usi:units = "m s-1" ;
    usi:unit_long = "Meters per second" ;
    usi:cell_methods = "area: mean where sea_ice" ;
    usi:add_offset = 0. ;
    usi:scale_factor = 3.05185094475746e-05 ;
    usi:valid_min = -32767s ;
    usi:valid_max = 32760s ;
short vsi(time, latitude, longitude) ;
    vsi:_FillValue = -32767s ;
    vsi:long_name = "Sea ice northward velocity" ;
    vsi:standard_name = "northward_sea_ice_velocity" ;
    vsi:units = "m s-1" ;
    vsi:unit_long = "Meters per second" ;
    vsi:cell_methods = "area: mean where sea_ice" ;
    vsi:add_offset = 0. ;
    vsi:scale_factor = 3.05185094475746e-05 ;
    vsi:valid_min = -32767s ;
    vsi:valid_max = 32760s ;
short thetao(time, depth, latitude, longitude) ;
    thetao:_FillValue = -32767s ;
    thetao:long_name = "Temperature" ;
    thetao:standard_name = "sea_water_potential_temperature" ;
    thetao:units = "degrees_C" ;
    thetao:unit_long = "Degrees Celsius" ;
    thetao:cell_methods = "area: mean" ;
    thetao:add_offset = 21. ;
    thetao:scale_factor = 0.000732444226741791 ;
    thetao:valid_min = -32767s ;
    thetao:valid_max = 22600s ;
short so(time, depth, latitude, longitude) ;
    so:_FillValue = -32767s ;
    so:long_name = "Salinity" ;
    so:standard_name = "sea_water_salinity" ;
    so:units = "1e-3" ;
    so:unit_long = "Practical Salinity Unit" ;
    so:cell_methods = "area: mean" ;
    so:add_offset = -0.00152592547237873 ;
    so:scale_factor = 0.00152592547237873 ;
    so:valid_min = 1s ;
    so:valid_max = 31700s ;
short uo(time, depth, latitude, longitude) ;
    uo:_FillValue = -32767s ;
    uo:long_name = "Eastward velocity" ;
    uo:standard_name = "eastward_sea_water_velocity" ;

```

```

uo:units = "m s-1" ;
uo:unit_long = "Meters per second" ;
uo:cell_methods = "area: mean" ;
uo:add_offset = 0. ;
uo:scale_factor = 0.000610370188951492 ;
uo:valid_min = -3800s ;
uo:valid_max = 4700s ;
short vo(time, depth, latitude, longitude) ;
vo:_FillValue = -32767s ;
vo:long_name = "Northward velocity" ;
vo:standard_name = "northward_sea_water_velocity" ;
vo:units = "m s-1" ;
vo:unit_long = "Meters per second" ;
vo:cell_methods = "area: mean" ;
vo:add_offset = 0. ;
vo:scale_factor = 0.000610370188951492 ;
vo:valid_min = -4900s ;
vo:valid_max = 4300s ;
double time(time) ;
time:units = "hours since 1950-01-01" ;
time:axis = "T" ;
time:long_name = "Time (hours since 1950-01-01)" ;
time:standard_name = "time" ;
time:calendar = "gregorian" ;

// global attributes:
:title = "Monthly mean fields for product
GLOBAL_REANALYSIS_PHY_001_030" ;
:references = "http://marine.copernicus.eu" ;
:credit = "E.U. Copernicus Marine Service Information (CMEMS)" ;
:licence = "http://marine.copernicus.eu/services-portfolio/service-
commitments-and-licence/" ;
:contact = "servicedesk.cmems@mercator-ocean.eu" ;
:producer = "CMEMS - Global Monitoring and Forecasting Centre" ;
:institution = "Mercator Ocean" ;
:Conventions = "CF-1.6" ;
:area = "GLOBAL" ;
:product = "GLOBAL_REANALYSIS_001_030" ;
:dataset = "global-reanalysis-001-030-monthly" ;
:source = "MERCATOR GLORYS12V1" ;
:product_user_manual =
"http://marine.copernicus.eu/documents/PUM/CMEMS-GLO-PUM-001-030.pdf" ;
:quality_information_document =
"http://marine.copernicus.eu/documents/QUID/CMEMS-GLO-QUID-001-030.pdf" ;
:_NCProperties = "version=2,netcdf=4.8.1,hdf5=1.12.2" ;
}

```

cmems_mod_glo_phy_my_0.083deg-climatology_P1M-m

```

netcdf mercatorglorys12v1_gl12_mean_1993_2016_12 {
dimensions:
    time = UNLIMITED ; // (1 currently)
    longitude = 4320 ;
    latitude = 2041 ;
    depth = 50 ;
variables:
    double time(time) ;
        time:standard_name = "time" ;
        time:long_name = "Time (hours since 1950-01-01)" ;
        time:units = "hours since 1950-01-01" ;
        time:calendar = "gregorian" ;
        time:axis = "T" ;
    float longitude(longitude) ;
        longitude:standard_name = "longitude" ;
        longitude:long_name = "Longitude" ;
        longitude:units = "degrees_east" ;
        longitude:axis = "X" ;
    float latitude(latitude) ;
        latitude:standard_name = "latitude" ;
        latitude:long_name = "Latitude" ;
        latitude:units = "degrees_north" ;
        latitude:axis = "Y" ;
    float depth(depth) ;
        depth:standard_name = "depth" ;
        depth:long_name = "Depth" ;
        depth:units = "m" ;
        depth:positive = "down" ;
        depth:axis = "Z" ;
        depth:unit_long = "Meters" ;
    short mlotst(time, latitude, longitude) ;
        mlotst:standard_name =
"ocean_mixed_layer_thickness_defined_by_sigma_theta" ;
        mlotst:long_name = "Density ocean mixed layer thickness" ;
        mlotst:units = "m" ;
        mlotst:add_offset = -0.1525926f ;
        mlotst:scale_factor = 0.1525926f ;
        mlotst:_FillValue = -32767s ;
        mlotst:missing_value = -32767s ;
        mlotst:unit_long = "Meters" ;
        mlotst:cell_methods = "area: mean" ;
    short zos(time, latitude, longitude) ;
        zos:standard_name = "sea_surface_height_above_geoid" ;
        zos:long_name = "Sea surface height" ;
        zos:units = "m" ;
        zos:add_offset = 0.f ;
        zos:scale_factor = 0.0003051851f ;

```



```

        zos:_FillValue = -32767s ;
        zos:missing_value = -32767s ;
        zos:unit_long = "Meters" ;
        zos:cell_methods = "area: mean" ;
    short bottomT(time, latitude, longitude) ;
        bottomT:standard_name =
"sea_water_potential_temperature_at_sea_floor" ;
        bottomT:long_name = "Sea floor potential temperature" ;
        bottomT:units = "degrees_C" ;
        bottomT:add_offset = 21.f ;
        bottomT:scale_factor = 0.0007324442f ;
        bottomT:_FillValue = -32767s ;
        bottomT:missing_value = -32767s ;
        bottomT:unit_long = "Degrees Celsius" ;
        bottomT:cell_methods = "area: mean" ;
    short sithick(time, latitude, longitude) ;
        sithick:standard_name = "sea_ice_thickness" ;
        sithick:long_name = "Sea ice thickness" ;
        sithick:units = "m" ;
        sithick:add_offset = -0.0007629627f ;
        sithick:scale_factor = 0.0007629627f ;
        sithick:_FillValue = -32767s ;
        sithick:missing_value = -32767s ;
        sithick:unit_long = "Meters" ;
        sithick:cell_methods = "area: mean where sea_ice" ;
    short siconc(time, latitude, longitude) ;
        siconc:standard_name = "sea_ice_area_fraction" ;
        siconc:long_name = "Ice concentration" ;
        siconc:units = "1" ;
        siconc:add_offset = -3.814814e-05f ;
        siconc:scale_factor = 3.814814e-05f ;
        siconc:_FillValue = -32767s ;
        siconc:missing_value = -32767s ;
        siconc:unit_long = "Fraction" ;
        siconc:cell_methods = "area: mean where sea_ice" ;
    short usi(time, latitude, longitude) ;
        usi:standard_name = "eastward_sea_ice_velocity" ;
        usi:long_name = "Sea ice eastward velocity" ;
        usi:units = "m s-1" ;
        usi:add_offset = 0.f ;
        usi:scale_factor = 3.051851e-05f ;
        usi:_FillValue = -32767s ;
        usi:missing_value = -32767s ;
        usi:unit_long = "Meters per second" ;
        usi:cell_methods = "area: mean where sea_ice" ;
    short vsi(time, latitude, longitude) ;
        vsi:standard_name = "northward_sea_ice_velocity" ;
        vsi:long_name = "Sea ice northward velocity" ;
        vsi:units = "m s-1" ;

```



```

vsi:add_offset = 0.f ;
vsi:scale_factor = 3.051851e-05f ;
vsi:_FillValue = -32767s ;
vsi:missing_value = -32767s ;
vsi:unit_long = "Meters per second" ;
vsi:cell_methods = "area: mean where sea_ice" ;
short thetao(time, depth, latitude, longitude) ;
thetao:standard_name = "sea_water_potential_temperature" ;
thetao:long_name = "Temperature" ;
thetao:units = "degrees_C" ;
thetao:add_offset = 21.f ;
thetao:scale_factor = 0.0007324442f ;
thetao:_FillValue = -32767s ;
thetao:missing_value = -32767s ;
thetao:unit_long = "Degrees Celsius" ;
thetao:cell_methods = "area: mean" ;
short so(time, depth, latitude, longitude) ;
so:standard_name = "sea_water_salinity" ;
so:long_name = "Salinity" ;
so:units = "1e-3" ;
so:add_offset = -0.001525925f ;
so:scale_factor = 0.001525925f ;
so:_FillValue = -32767s ;
so:missing_value = -32767s ;
so:unit_long = "Practical Salinity Unit" ;
so:cell_methods = "area: mean" ;
short uo(time, depth, latitude, longitude) ;
uo:standard_name = "eastward_sea_water_velocity" ;
uo:long_name = "Eastward velocity" ;
uo:units = "m s-1" ;
uo:add_offset = 0.f ;
uo:scale_factor = 0.0006103702f ;
uo:_FillValue = -32767s ;
uo:missing_value = -32767s ;
uo:unit_long = "Meters per second" ;
uo:cell_methods = "area: mean" ;
short vo(time, depth, latitude, longitude) ;
vo:standard_name = "northward_sea_water_velocity" ;
vo:long_name = "Northward velocity" ;
vo:units = "m s-1" ;
vo:add_offset = 0.f ;
vo:scale_factor = 0.0006103702f ;
vo:_FillValue = -32767s ;
vo:missing_value = -32767s ;
vo:unit_long = "Meters per second" ;
vo:cell_methods = "area: mean" ;

```

// global attributes:

```

:CDI = "Climate Data Interface version 1.9.3 (http://mpimet.mpg.de/cdi)"
;
:source = "MERCATOR GLORYS12V1" ;
:institution = "Mercator Ocean" ;
:Conventions = "CF-1.6" ;
:_NCProperties =
"version=1 | netcdfversion=4.4.1.1 | hdf5libversion=1.8.18" ;
:references = "http://marine.copernicus.eu" ;
:credit = "E.U. Copernicus Marine Service Information (CMEMS)" ;
:licence = "http://marine.copernicus.eu/services-portfolio/service-
commitments-and-licence/" ;
:contact = "servicedesk.cmems@mercator-ocean.eu" ;
:producer = "CMEMS - Global Monitoring and Forecasting Centre" ;
:area = "GLOBAL" ;
:product = "GLOBAL_REANALYSIS_001_030" ;
:product_user_manual =
"http://marine.copernicus.eu/documents/PUM/CMEMS-GLO-PUM-001-030.pdf" ;
:quality_information_document =
"http://marine.copernicus.eu/documents/QUID/CMEMS-GLO-QUID-001-030.pdf" ;
:CDO = "Climate Data Operators version 1.9.3
(http://mpimet.mpg.de/cdo)" ;
:title = "Monthly climatology fields for product
GLOBAL_REANALYSIS_PHY_001_030" ;
:dataset = "global-reanalysis-phy-001-030-monthly-climatology" ;
}

```