



# Aloy's Focus

Visual and engineering reference / Quest 3S / first iteration



ORIGINAL DEVICE STUDY



RADIAL UI STUDY

## Purpose

A reusable design reference for reconstructing the visible Focus experience and extending it incrementally. The fidelity target is the game reference; the deliverable is a real mixed reality application with explicit limits.

## Read the evidence labels

Observed = inspected primary visual or developer reference. Proposed = our design or engineering choice. Prepared = authored source or assets. Verified = a completed check with retained evidence. Headset verified = measured or observed on Shane's Quest 3S.

## Current milestone


The passthrough baseline exists at commit 452d6e4. This increment adds research, original assets and runtime preparation. A newly authored feature is not proved by the older baseline APK.

## Research date

October 7, 2026. Versioned first-study reference. Colour values and dimensions below are estimates for implementation, not extracted Guerrilla production specifications.

# Choose a reference family

Zero Dawn and Forbidden West have related, distinct visual systems



ORIGINAL DEVICE STUDY



RADIAL UI STUDY

## Zero Dawn

Use its violet scan-field identity as the reference for the surrounding effect. Territory's portfolio is explicitly concept development: translucent triangulation and hexagonal component motifs are useful process references, not proof that every concept shipped unchanged. [S1]

## Forbidden West

The designer's portfolio establishes a circular reticle, radial component sections, information panels and changing component states. Our original reticle study follows that structural vocabulary. [S2]

## Avoid accidental mixtures


Keep separate style profiles for each game in later iterations. The current study explores shared language and is not an exact recreation of either complete shipped interface. Record the selected game, scene and state for each fidelity comparison.

## Observed footage


Official PlayStation reveal: sampled frames at 06:10-06:24 show the wearable on Aloy; 15:25 shows a closer character shot; 16:25 visibly shows yellow/orange climbing marks. The transcript locates the Focus explanation at 16:22-16:26. Reviewed selected segments, not the entire nineteen-minute video. [S3]

# The wearable silhouette

A small temple device, separate from the XR interface



ORIGINAL DEVICE STUDY



RADIAL UI STUDY

## Observed form

The Focus is a compact triangular device worn beside Aloy's right temple. Its cool luminous detail reads differently from the warmer environmental and combat markers. The gameplay close-ups establish placement and overall silhouette, not reliable millimetre measurements. [S3]

## Original device study

Our mesh uses a pointed triangular prism, a dark metallic outer shell, a luminous blue inset, a smaller pale cap and four etched channels. It is intentionally simple, original geometry to test the authoring and export pipeline.

## Proposed proportions


Study height: 50 mm; thickness: 8 mm. These are model dimensions chosen for consistent metre-based assets, not canonical device dimensions. The enlarged presentation instance is six times larger and must never define the exported scale.

## Role in the headset

A rendered device icon can indicate activation; a physical prop is optional. A Quest app cannot replace the headset with a tiny neural-link device. The useful first output is the visual overlay the wearer sees.

# Colour as information

Estimated sRGB design tokens; tune on the device



## Violet and blue

Reserve violet for the scan-field identity and quieter foundation geometry. Blue supplies reticle foundations and panel depth. A full-screen saturated wash would make passthrough difficult to read.

## Cyan and magenta

Use cyan for telemetry and available geometry, and magenta for a deliberately tagged selection. These colours need shape or text cues as well; colour alone cannot identify state.

## Amber and red


Use amber for discovered resources or named components in practice content. Reserve red for unavailable/destroyed states and actual status errors. A bright dot should not imply a real-world threat assessment.

## Text and contrast

Primary text is near-white over a dark blue backing. Smaller labels should remain opaque enough to read over a bright room. Emission can bleach the palette; compare rendered RGB appearance, not only shader inputs.

# Shape grammar

Reusable geometry rather than a wall of decoration



## Central reticle

Concentric rings, a tiny centre square, spaced telemetry ticks and lower radial component wedges. The designer's progression shows partial segments appearing during scanning, with differentiated tagged and destroyed states. [S2]

## Information cards

Title and symbol first, then a variable body sized to the subject. A simple object needs less detail than a machine. Keep a consistent diamond badge and coherent title/body hierarchy. [S2]

## Spatial decoration


Triangulated lattices, fine edges and restrained particles can suggest a field. Concept hexagons are an alternate Zero Dawn motif; do not replace the Forbidden West radial system indiscriminately. [S1]

## Original icon set

Build readable diamonds, arrows, rings and brackets from geometry. Add distinct original component symbols only when they carry information. Do not fill the demo with unexplained pseudo-data.

# States and transitions

Runtime availability and target information are separate



## Runtime states

Unavailable: XR has not become ready. Ready: scan can start. Scanning: one finite pulse is active. Suspended: the app is paused, unfocused or the head is not tracked. Returning to Ready never replays a cancelled scan.

## Input admission

Each pointer source needs valid tracking and observed physical neutral. Cancellation, loss of hand tracking, pointer exit and SDK Unselect are not proof of a released pinch or trigger. A held input must not restart on recovery.

## Target states


For future practice targets, distinguish Unknown, Available, Selected, Tagged and Destroyed. Display authored status for virtual content. A component marker is not a claim that we inspected a real device.

## Failure visibility

Hand tracking loss should explain why hand input is temporarily unavailable while leaving controller fallback possible. Head tracking loss cancels visuals and sound. Restore a usable Ready state after valid tracking returns.

# Motion and sound

Proposed implementation timings, not copied game constants



## Accepted Scan

One activation starts a 1.25-second effect. Capture the world-space origin once from the head position. An expanding lattice stays attached to that origin while the wearer moves; it does not drag along with the camera.

## Pulse schedule

0.00 s: acknowledgement and small field. 0.15-0.95 s: expansion. 0.95-1.25 s: fade and cleanup. A faint envelope limits brightness; no persistent strobe or forced camera movement is part of the design.

## Audio design

Generate an original short electronic chirp with a rising pitch and soft attack/release. Play it once for an accepted activation, at a modest level. Duplicate requests do not add more audio. Suspension stops active sound.

## Reticle motion

Reveal partial rings and component sections as information becomes available. Avoid spinning the entire reading surface continuously. The Blender study contains a small three-keyframe motion to verify animation authoring; the exported study mesh is static.

# Capability catalogue

A game capability is not evidence of a physical sensor

|                                   |                                       |                           |
|-----------------------------------|---------------------------------------|---------------------------|
| Scan field / pulse                | Rendered XR geometry                  | First demo                |
| Reticle / information cards       | UI and authored metadata              | First demo / extend       |
| Machine identity / components     | Virtual object database               | Practice content next     |
| Real object identification        | Camera + perception model             | Later research            |
| Weakness / resistance data        | Trusted authored database             | Virtual only              |
| Tag targets or components         | Selection + persistent markers        | Later increment           |
| Tracks / patrol paths             | Authored paths; real sensing separate | Later increment           |
| Climbing / resource highlights    | Known geometry / authored data        | Virtual only initially    |
| Datapoints / notebook             | Text/audio records + saved state      | Later increment           |
| Holographic recordings            | Animated rendered 3D content          | Later assets              |
| Communications / shared Focus     | Networking + spatial alignment        | Later system              |
| World map / navigation            | Spatial model + localization          | Later system              |
| Remote machine control            | Authorized real device protocol       | Separate robotics work    |
| Through-wall / hidden information | Virtual rendering only                | No physical sensing claim |
| Neural link / full-dive           | Requires absent hardware/science      | Unavailable               |
| Unaided physical hologram         | Requires display hardware             | Unavailable               |

## How to use this matrix

The catalogue includes gameplay and narrative categories. Primary UI/game references substantiate scanning, component information, tagging and datapoint/notebook presentation. The secondary lore index is a discovery aid for broader fiction and needs scene-specific validation before a faithful implementation. [S2, S4, S9]


## Implementation rule

Reproduce the interaction or presentation independently from the source of information. An authored virtual machine can have parts and metadata; a real machine needs identification, a trusted database and registration. Those are separate development tasks.



# What Quest 3S can supply

Real XR input and compositing; later perception is possible



## Passthrough

The headset compositor can show the real room behind our rendered objects. The baseline requests passthrough and hand tracking. It does not request camera permission and does not inspect raw camera images.

## Hands and controllers

Meta's Interaction SDK supplies tracked hand/controller data and ray/poke interaction machinery. We still need to wire controls, test the source identity and neutral rules, and physically verify performance. Installed SDKs alone do not provide working product behaviour. [S6]

## Camera access later


Meta currently supports a passthrough camera API on Quest 3 and Quest 3S. A later recognition feature is technically possible, with the required OS support and permissions; it needs a model, confidence handling, latency testing and data handling. Do not equate passthrough display with object recognition. [S5]

## Hard boundaries

No Quest software measures neural activity or makes a physical hologram float in the room without the headset. Through-wall highlights for authored virtual objects are rendering tricks, not a new real-world sensing ability.

# Mixed reality layout

Starting values to test with the wearer



## Control panel

Place the initial world-space panel roughly 0.8 m ahead and slightly below eye level. Use a large Scan hit area and a clear Ready/Scanning/Suspended label. A headset user must be able to understand it without inspecting Unity.

## Placement and reach

Direct poke is useful only if the panel is within comfortable reach; ray selection remains primary at the default distance. Offer repositioning in a later step. Metre scale, text size and perceived depth must be checked on the actual headset.

## Legibility


Keep the centre of vision relatively open. A compact card and thin field mesh are preferable to opaque full-screen geometry. Inspect a bright room, dark room and patterned background. The headset is the final colour/contrast reference.

## Practice content

If targets are included, label them VIRTUAL PRACTICE. No object names, health values or weak spots should appear on real room objects unless their information source is explicit and accurate.

# Authoring and toolchain

Keep the build independent of live agent integrations



## Unity path

C# describes behaviour; scenes/prefabs store the configured rig and controls; shaders/materials draw effects. Unity exports the Android project and IL2CPP native code; the bounded Gradle wrapper packages the APK. This is a standalone Quest application.

## Blender path

MCP commands run real Blender Python. The original study has material nodes, polygon meshes and keyframes, a saved blend source and FBX exports. Keep blend source outside Assets so Unity does not depend on launching the Store Blender executable to import it.

## Unity MCP

Coplay's package adds Editor tools; a local Python server exposes them to an MCP client. Pin Editor package and server to the same version. Verify a harmless scene/console round trip inside this project, never configure all unrelated clients. [S7, S8]

## Model capability assessment

The agent can author code, procedural shapes, shaders, sound synthesis and Blender scripts, then inspect real outputs. This does not establish specialist sculpting quality or perceptual fidelity. Judge the produced assets and tests, not a claim about model capability.

# Acceptance and delivery

Evidence needed before a demo is called ready



UNAVAILABLE



READY



SCANNING



SUSPENDED

## Offline checks

Run meaningful domain tests, actual Unity EditMode and PlayMode tests, inspect a URP preview, make a fresh Core export/APK, verify its signature and manifest, and record the hash with the source commit. The older baseline remains a separate diagnostic build.

## Physical checks

Install and launch on Shane's Quest 3S. Verify real passthrough; left/right hand ray pinch; poke where reachable; controller fallback; held-input recovery; pause/head tracking loss; comfortable layout; and measured frame timing. A 72 Hz target is not a measured frame rate.

## Critic rubric

Experience 3 points; visual/audio quality 2; engineering/reproducibility 2; research/booklet 2; GitHub handoff 1. Without headset evidence, the ceiling is 7/10. A requested score of 9-9.5 does not override the evidence.

## Handoff

Commit source, original assets, this booklet and its generator, pinned packages and continuation instructions. Attach an APK to GitHub only with its matching commit and verified hash. Report blockers and unverified items explicitly.

# Observed reticle states

Primary visual plate / analysis reference, not runtime content



## Attribution

Focus interface designs from the Forbidden West UI designer portfolio. Copyright Guerrilla Games, 2022. Used here as a credited reference for analysis. The reference image is not included in the game assets. [S2]

## Comparison method

Compare ring spacing, lower component wedges and state cues against the original study. The prototype is an approximation; matching these structures does not establish pixel-perfect fidelity.

# Original asset study

Actual Blender render / original geometry / October 7, 2026



## Produced assets

The triangular wearable study and radial reticle were built with procedural Blender geometry, saved as an editable blend source and exported as FBX. This image is a real render of those assets, not a proposed screenshot of the Quest application.

## Engineering boundary

The reticle is combined into one mesh with colour material groups. The source contains a small three-frame-keyed animation; the exported reticle is static. Unity import, stereo rendering and on-headset appearance still need verification.

# Reference register

Primary references first; links are clickable

## Research method

Inspected primary portfolio images for reticles, panels and concept lattice motifs. Inspected selected official gameplay frames and the developer transcript; no claim that every video or fictional ability has been exhaustively examined.

## Fidelity work still needed

Choose one shipped game/version and repeat comparable scan/selection/datapoint scenes. Compare silhouette, placement, thickness, colour, timing and state transitions side by side. Perform the same checks in stereo on the headset. Expand the catalogue only with new evidence.

## Refresh policy

Check vendor documentation when changing SDKs or adding camera/scene APIs. Keep chosen package versions pinned until there is a concrete reason to update. Record a research revision when sources or implementation claims change.

[S1 / Territory Studio - Zero Dawn UI concepts](#)

[S2 / The Ghost Monkey - Forbidden West Focus UI](#)

[S3 / PlayStation - official gameplay reveal, 2021](#)

[S4 / PlayStation - Forbidden West gameplay guidance](#)

[S5 / Meta - passthrough camera API overview](#)

[S6 / Meta - Interaction SDK UI](#)

[S7 / Coplay - Unity MCP source and setup](#)

[S8 / OpenAI - Codex MCP configuration](#)

[S9 / Secondary index - Focus game/lore catalogue](#)