```
C
                d message
   a
   1
       2
                     hello
0
                4
   5
            7
1
       6
                8
                     world
2
                       foo
   9
      10
           11
               12
   0
        1
            2
                3
                        4
       2
                    hello
0
   1
                4
   5
            7
                    world
1
       6
                8
2
   9
      10
           11
               12
                      foo
       b
                d message
            C
   a
                     hello
0
   1
       2
                4
1
   5
       6
            7
                8
                     world
2
   9
      10
           11
               12
                       foo
              b
                       d
                   C
          а
message
hello
          1
              2
                       4
          5
              6
world
                  7
                       8
foo
          9
             10
                  11
                      12
            value1
                     value2
key1 key2
     a
                           2
one
                  1
     b
                  3
                           4
                  5
                          6
     C
                  7
     d
                          8
                  9
                         10
two
     a
     b
                11
                         12
                13
                         14
     C
     d
                15
                         16
                             В
                                         C\n',
                 Α
0
   'aaa -0.264438 -1.026059
                                -0.619500\n',
   'bbb
                                -0.032399\n',
1
         0.927272 0.302904
   'ccc -0.264273 -0.386314
                                -0.217601\n',
2
   'ddd -0.871858 -0.348382
                                 1.100491\n']
```

```
3
0
  1
      2
              4
                  hello
  5
      6
          7
              8
                  world
1
      10
         11
             12
2
  9
                    foo
  something
                b
                          d message
            a
                      C
0
       one
            1
                2
                    3.0
                          4
                                NaN
       two
            5
                6
                    NaN
                          8
                              world
1
2
      three
               10
                   11.0
                         12
                                foo
            9
  something
                b
            a
                          d message
0
       one 1
                2
                    3.0
                          4
                                NaN
1
       NaN
            5
                6
                    NaN
                          8
                              world
2
               10
      three
            9
                   11.0
                         12
                                NaN
                 two
                         three
                                    four key
       one
  0.348672
            0.866635
                      0.839602
                                0.734693
                                           L
            0.229550 0.035383 0.385595
                                           В
  0.727612
1
  0.936568 0.028942 0.785329 0.240970
                                           G
2
  0.408566
            R
  0.473175
                      0.783506
                                0.444646
            0.433197
                                           Q
<pandas.io.parsers.readers.TextFileReader object at 0x00000028B8A79D220>
key
В
    1111
G
    1111
L
    1111
Q
    1111
R
    1111
D
    1110
F
    1110
Н
    1110
    1110
J
dtype: object
  something
            a
                b
                          d message
                      C
0
                2
                    3.0
                          4
       one
            1
                                NaN
                6
                    NaN
                          8
                              world
1
       two
2
            9
               10
                   11.0
                         12
                                foo
      three
```

a

None

d message

```
|something|a|b|c|d|message
0|one|1|2|3.0|4|
1|two|5|6||8|world
2|three|9|10|11.0|12|foo
None
,something,a,b,c,d,message
0, one, 1, 2, 3.0, 4, NULL
1,two,5,6,NULL,8,world
2, three, 9, 10, 11.0, 12, foo
None
one,1,2,3.0,4,
two,5,6,,8,world
three, 9, 10, 11.0, 12, foo
None
a,b,c
1,2,3.0
5,6,
9,10,11.0
None
None
{'a': ('1', '1'), 'b': ('2', '2'), 'c': ('3', '3')}
      b c d message
              4 hello
0
  1 2 3
      6 7 8 world
1 5
2 9
     10 11 12
                    foo
              d message
      b c
              4 hello
  1
      2
          3
0
  5
      6
          7
              8
                  world
1
2
  9
      10
         11
             12
                    foo
```

