


TRANSFER STATE MODEL (EACH BATCH)



LOGICAL DATA FLOW. NOT TO SCALE.

DATA FLOW // SCALE: NONE

REVISIONS

REV	DATE	DESCRIPTION	BY	APPR
E	16 SEP 2024	Processing at the nodes before transfer.	RL	AC
D	04 FEB 2008	Compression on node links.		
C	11 SEP 2000	Transfer schedule for DS3 links.		
B	06 MAY 1998	Transfer state model.		
A	16 OCT 1997	Initial issue. Regional transfer contract: spool, transfer, commit verification.		

NOTES

1. A spooled batch is deleted at the node only after Site A returns a verification receipt (record count and checksum match).
2. Each batch moves QUEUED, SENDING, SENT, VERIFIED, RELEASED. A failed send or missing receipt goes to RETRY; after 12 tries the batch is HELD and the watch floor is alerted.
3. Transfer interval 5 min (DS3 and faster links).
4. Batches compressed before transfer.
5. Nodes process records before spooling; raw records kept at the node for the retention period.
6. Node spool holds at least 14 days at full collection rate. Recovery by dial-up was manual (NET-002) until replaced by MPLS paths.
7. Software architecture per SWA-001.

LEGEND

- Software component
- Data store
- Data flow
- Acknowledgement / control

OER // ENGINEERING

DATA FLOW, REGIONAL NODE TO CORE

DRAWING NO.	REV	SHEET
SWA-002	E	1 OF 1

DRAWN	CHECKED	APPROVED
R. LIN	C. BROOKS	A. COLE

DATE	SERIES
16 SEP 2024	SOFTWARE

CONTROLLED DOCUMENT // CUSTODIAN: ENGINEERING / MAINTENANCE // DO NOT SCALE