



# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 1 of 11

**Applicant** : ILightThat Ltd  
**Address** : 35 Orchard Road, Leeds, LS15 7LP  
**Manufacturer** : ILightThat Ltd  
**Address** : 35 Orchard Road, Leeds, LS15 7LP

Report on the submitted samples said to be:

**Sample Name** : Baldrick Board Family  
**Trade Mark** : Baldrick Board  
**Tested model** : Baldrick8  
**Series models** : Baldrick8, BaldrickInput1, BaldrickDMX, BaldrickSwitchy, BaldrickSignals, Baldrick17, BaldrickInput8, Baldrick2, BaldrickCue, BaldrickScene  
**Date of Sample Received** : May 08, 2025  
**Testing Period** : May 08, 2025 ~ May 14, 2025  
**Results** : Please refer to next page(s).

\*\*\*\*\*

## TEST REQUEST

## CONCLUSION

According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibutyl Phthalate (DBP), Benzylbutyl Phthalate (BBP), Bis(2-ethylhexyl) Phthalate (DEHP), Diisobutyl phthalate (DIBP) content comply with The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (Amendment) Regulations 2021 (SI 2012/3032) (RoHS Regulations)

Pass

\*\*\*\*\*

Signed for and on behalf of AZT

Jack Zhong



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com






# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 2 of 11

## Test Item Description And Photo List

| No. | Tested Part(s)                   | The photo of the sample                                                              |
|-----|----------------------------------|--------------------------------------------------------------------------------------|
| 01  | Silvery metal                    |    |
| 02  | Black plastic                    |                                                                                      |
| 03  | Silvery metal pin                |                                                                                      |
| 04  | Silvery metal crystal oscillator |                                                                                      |
| 05  | IC                               |                                                                                      |
| 06  | IC                               |                                                                                      |
| 07  | IC                               |                                                                                      |
| 08  | Black plastic                    |                                                                                      |
| 09  | Silvery metal sheet              |                                                                                      |
| 10  | Grey inductor                    |                                                                                      |
| 11  | IC                               |   |
| 12  | Chip capacitor                   |                                                                                      |
| 13  | Chip resistor                    |                                                                                      |
| 14  | Green plastic                    |                                                                                      |
| 15  | Silvery metal                    |                                                                                      |
| 16  | Green plastic                    |                                                                                      |
| 17  | Silvery metal pin                |                                                                                      |
| 18  | White LED                        |                                                                                      |
| 19  | Black PCB                        |  |



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 3 of 11

## Results:

### The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (Amendment) Regulations 2021 (SI 2012/3032)(RoHS Regulations)

#### A. XRF screening Result

Test method: With reference to BS EN 62321-3-1:2014, Screening by X-ray Fluorescence Spectroscopy (XRF)

| No. | Tested Part(s)                   | Results |    |    |     |      |       |
|-----|----------------------------------|---------|----|----|-----|------|-------|
|     |                                  | Cd      | Pb | Hg | Cr▼ | Br▼  |       |
|     |                                  |         |    |    |     | PBBs | PBDEs |
| 01  | Silvery metal                    | BL      | BL | BL | BL  | /    | /     |
| 02  | Black plastic                    | BL      | BL | BL | BL  | X    | X     |
| 03  | Silvery metal pin                | BL      | BL | BL | BL  | /    | /     |
| 04  | Silvery metal crystal oscillator | BL      | BL | BL | BL  | /    | /     |
| 05  | IC                               | BL      | BL | BL | BL  | BL   | BL    |
| 06  | IC                               | BL      | BL | BL | BL  | BL   | BL    |
| 07  | IC                               | BL      | BL | BL | BL  | BL   | BL    |
| 08  | Black plastic                    | BL      | BL | BL | BL  | BL   | BL    |
| 09  | Silvery metal sheet              | BL      | BL | BL | BL  | /    | /     |
| 10  | Grey inductor                    | BL      | BL | BL | BL  | /    | /     |
| 11  | IC                               | BL      | BL | BL | BL  | BL   | BL    |
| 12  | Chip capacitor                   | BL      | BL | BL | BL  | BL   | BL    |
| 13  | Chip resistor                    | BL      | BL | BL | BL  | BL   | BL    |
| 14  | Green plastic                    | BL      | BL | BL | BL  | BL   | BL    |
| 15  | Silvery metal                    | BL      | BL | BL | BL  | /    | /     |
| 16  | Green plastic                    | BL      | BL | BL | BL  | BL   | BL    |
| 17  | Silvery metal pin                | BL      | BL | BL | BL  | /    | /     |
| 18  | White LED                        | BL      | BL | BL | BL  | BL   | BL    |
| 19  | Black PCB                        | BL      | BL | BL | BL  | BL   | BL    |



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 4 of 11

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to BS EN 62321-3-1:2014.

## XRF screening limits for different materials:

| Element | Unit  | Non-metal                                            | Metal                                                | Composite Material                                   |
|---------|-------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Cd      | mg/kg | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$   | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$   | $BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$   |
| Pb      | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Hg      | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Cr      | mg/kg | $BL \leq 700 - 3\sigma < X$                          | $BL \leq 700 - 3\sigma < X$                          | $BL \leq 500 - 3\sigma < X$                          |
| Br      | mg/kg | $BL \leq 300 - 3\sigma < X$                          | --                                                   | $BL \leq 250 - 3\sigma < X$                          |

Note:

- BL=Below Limit
- OL=Over Limit (Screening result was over limit, thus further confirmation test was conducted.)
- X=Inconclusive(Screening result was inconclusive, thus further confirmation test was conducted.)
- /=Not Applicable
- mg/kg = milligram per kilogram = ppm

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (Amendment) Regulations 2021 (SI 2012/3032)(RoHS Regulations).
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr (VI), and the results showed the total Cr content.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com





# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 5 of 11

| 2021 (SI 2012/3032)(RoHS Regulations)  | Maximum Concentration Value (mg/kg)<br>(by weight in homogenous materials) |
|----------------------------------------|----------------------------------------------------------------------------|
| Cadmium (Cd)                           | 100                                                                        |
| Lead (Pb)                              | 1000                                                                       |
| Mercury (Hg)                           | 1000                                                                       |
| Hexavalent Chromium (Cr(VI))           | 1000                                                                       |
| Polybrominated biphenyls (PBBs)        | 1000                                                                       |
| Polybrominated diphenyl ethers (PBDEs) | 1000                                                                       |
| Dibutyl Phthalate (DBP)                | 1000                                                                       |
| Benzyl butyl Phthalate (BBP)           | 1000                                                                       |
| Bis(2-ethylhexyl) Phthalate (DEHP)     | 1000                                                                       |
| Diisobutyl Phthalate (DIBP)            | 1000                                                                       |

## Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: [azt-ep@azt-tech.com](mailto:azt-ep@azt-tech.com); Http: [www.azt-tech.com](http://www.azt-tech.com)



# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 6 of 11

## **B. Result of Wet Chemical Testing**

### Test method:

Lead & Cadmium Content:

With reference to BS EN 62321-5:2014, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Mercury Content:

With reference to BS EN 62321-4:2014+A1:2017, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Hexavalent Chromium Content:

With reference to BS EN 62321-7-1:2015 & BS EN 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to BS EN 62321-6:2015, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

DBP, BBP, DEHP, DIBP Content:

With reference to BS EN 62321-8:2017, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

### **1) The test results of DBP, BBP, DEHP & DIBP**

| Test Items                         | CAS No.  | Unit  | MDL | Results  |       | Limit |
|------------------------------------|----------|-------|-----|----------|-------|-------|
|                                    |          |       |     | 02+08+14 | 16+19 |       |
| Dibutyl Phthalate (DBP)            | 84-74-2  | mg/kg | 50  | N.D.     | N.D.  | 1000  |
| Benzyl butyl Phthalate (BBP)       | 85-68-7  | mg/kg | 50  | N.D.     | N.D.  | 1000  |
| Bis(2-ethylhexyl) Phthalate (DEHP) | 117-81-7 | mg/kg | 50  | N.D.     | N.D.  | 1000  |
| Diisobutyl Phthalate (DIBP)        | 84-69-5  | mg/kg | 50  | N.D.     | N.D.  | 1000  |



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 7 of 11

## 5) The test results of PBBs & PBDEs

| Test Items                             | Unit  | MDL | Results | Limit |
|----------------------------------------|-------|-----|---------|-------|
|                                        |       |     | 02      |       |
| Polybrominated Biphenyls (PBBs)        |       |     |         |       |
| Monobromobiphenyl                      | mg/kg | 50  | N.D.    | /     |
| Dibromobiphenyl                        | mg/kg | 50  | N.D.    | /     |
| Tribromobiphenyl                       | mg/kg | 50  | N.D.    | /     |
| Tetrabromobiphenyl                     | mg/kg | 50  | N.D.    | /     |
| Pentabromobiphenyl                     | mg/kg | 50  | N.D.    | /     |
| Hexabromobiphenyl                      | mg/kg | 50  | N.D.    | /     |
| Heptabromobiphenyl                     | mg/kg | 50  | N.D.    | /     |
| Octabromobiphenyl                      | mg/kg | 50  | N.D.    | /     |
| Nonabromodiphenyl                      | mg/kg | 50  | N.D.    | /     |
| Decabromodiphenyl                      | mg/kg | 50  | N.D.    | /     |
| Total content                          | mg/kg | /   | N.D.    | 1000  |
| Polybrominated Diphenyl ethers (PBDEs) |       |     |         |       |
| Monobromodiphenyl ether                | mg/kg | 50  | N.D.    | /     |
| Dibromodiphenyl ether                  | mg/kg | 50  | N.D.    | /     |
| Tribromodiphenyl ether                 | mg/kg | 50  | N.D.    | /     |
| Tetrabromodiphenyl ether               | mg/kg | 50  | N.D.    | /     |
| Pentabromodiphenyl ether               | mg/kg | 50  | N.D.    | /     |
| Hexabromodiphenyl ether                | mg/kg | 50  | N.D.    | /     |
| Heptabromodiphenyl ether               | mg/kg | 50  | N.D.    | /     |
| Octabromodiphenyl ether                | mg/kg | 50  | N.D.    | /     |
| Nonabromodiphenyl ether                | mg/kg | 50  | N.D.    | /     |
| Decabromodiphenyl ether                | mg/kg | 50  | N.D.    | /     |
| Total content                          | mg/kg | /   | N.D.    | 1000  |

### Remark:

- mg/kg = milligram per kilogram = ppm
- N.D. = Not detected
- MDL= Method detected limited
- The samples were mixed for phthalic acid test
- Flow chart appendix is included
- Photo appendix is included.




Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com

# TEST REPORT

## Appendix

### Pb/Cd/Hg/Cr<sup>6+</sup> Testing Flow Chart








# TEST REPORT


## PBBs/PBDEs Testing Flow Chart





# TEST REPORT

## Phthalates Testing Flow Chart







# TEST REPORT

Report No.: AZT250508048C-E0

Date of issue: May 14, 2025

Page 11 of 11

## The photo of the sample



AZT authenticate the photo on original report only

Note : All the results refer to test report AZT250508047C-E0.

Statement:

1. This test report is invalid without the signature of the approver and the special seal of the company's report.
2. The copy of the test report is invalid if the "Special Seal for Inspection and Testing" or "Special Seal for testing" or the official seal of the testing unit is not re-stamped.
3. After the test report is altered, the test report is invalid.
4. If there is any objection to the test report, please submit written comments to the laboratory within 15 days from the date of receipt of the report.
5. This test is only responsible for samples provided by customers.
6. This report shall not be reproduced in whole or in part without the written authorization of the Company.
7. The laboratory is not responsible for sampling, all samples are provided by customers.
8. The test results in this test report are only related to the samples provided by the customer.
9. If the report is not stamped with the qualification mark, it is only used for scientific research, teaching, internal quality control and other activities, and does not have a proof role for the society.

\*\*\* End of Report \*\*\*



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China  
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com