



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 1 of 11

Applicant : ILightThat Ltd
Address : 35 Orchard Road, Leeds, LS15 7LP
Manufacturer : ILightThat Ltd
Address : 35 Orchard Road, Leeds, LS15 7LP

Report on the submitted samples said to be:

Sample Name : Baldrick Board Family
Trade Mark : Baldrick Board
Tested model : Baldrick8
Series models : Baldrick8,BaldrickInput1,BaldrickDMX,BaldrickSwitchy,BaldrickSignals,Baldrick17,BaldrickInput8,Baldrick2,BaldrickCue,BaldrickScene
Date of Sample Received : May 08, 2025
Testing Period : May 08, 2025 ~ May 14, 2025
Results : Please refer to next page(s).

TEST REQUEST

According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibutyl Phthalate (DBP), Benzyl butyl Phthalate (BBP), Bis(2-ethylhexyl) Phthalate (DEHP), Diisobutyl phthalate (DIBP) content comply with the limit as set of RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863.

CONCLUSION

Pass

Signed for and on behalf of AZT



Jack Zhong



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com






TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 2 of 11

Test Item Description And Photo List

No.	Tested Part(s)	The photo of the sample
01	Silvery metal	
02	Black plastic	
03	Silvery metal pin	
04	Silvery metal crystal oscillator	
05	IC	
06	IC	
07	IC	
08	Black plastic	
09	Silvery metal sheet	
10	Grey inductor	
11	IC	
12	Chip capacitor	
13	Chip resistor	
14	Green plastic	
15	Silvery metal	
16	Green plastic	
17	Silvery metal pin	
18	White LED	
19	Black PCB	

Results:



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 3 of 11

RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863

A. XRF screening Result

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

No.	Tested Part(s)	Results					
		Cd	Pb	Hg	Cr▼	Br▼	
						PBBs	PBDEs
01	Silvery metal	BL	BL	BL	BL	/	/
02	Black plastic	BL	BL	BL	BL	X	X
03	Silvery metal pin	BL	BL	BL	BL	/	/
04	Silvery metal crystal oscillator	BL	BL	BL	BL	/	/
05	IC	BL	BL	BL	BL	BL	BL
06	IC	BL	BL	BL	BL	BL	BL
07	IC	BL	BL	BL	BL	BL	BL
08	Black plastic	BL	BL	BL	BL	BL	BL
09	Silvery metal sheet	BL	BL	BL	BL	/	/
10	Grey inductor	BL	BL	BL	BL	/	/
11	IC	BL	BL	BL	BL	BL	BL
12	Chip capacitor	BL	BL	BL	BL	BL	BL
13	Chip resistor	BL	BL	BL	BL	BL	BL
14	Green plastic	BL	BL	BL	BL	BL	BL
15	Silvery metal	BL	BL	BL	BL	/	/
16	Green plastic	BL	BL	BL	BL	BL	BL
17	Silvery metal pin	BL	BL	BL	BL	/	/
18	White LED	BL	BL	BL	BL	BL	BL
19	Black PCB	BL	BL	BL	BL	BL	BL

Note:



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 4 of 11

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

XRF screening limits for different materials:

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

Note:

- BL=Below Limit
- OL=Over Limit (Screening result was over limit, thus further confirmation test was conducted.)
- X=Inconclusive(Screening result was inconclusive, thus further confirmation test was conducted.)
- /=Not Applicable
- mg/kg = milligram per kilogram = ppm

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863.
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr (VI), and the results showed the total Cr content.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 5 of 11

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenyl ethers (PBDEs)	1000
Dibutyl Phthalate (DBP)	1000
Benzyl butyl Phthalate (BBP)	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	1000
Diisobutyl Phthalate (DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 6 of 11

B. Result of Wet Chemical Testing

Test method:

Lead & Cadmium Content:

With reference to IEC 62321-5:2013, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Mercury Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Hexavalent Chromium Content:

With reference to IEC 62321-7-1:2015& IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

DBP, BBP, DEHP, DIBP Content:

With reference to IEC 62321-8:2017, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of DBP, BBP, DEHP & DIBP

Test Items	CAS No.	Unit	MDL	Results		Limit
				02+08+14	16+19	
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	50	N.D.	N.D.	1000
Benzyl butyl Phthalate (BBP)	85-68-7	mg/kg	50	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	mg/kg	50	N.D.	N.D.	1000
Diisobutyl Phthalate (DIBP)	84-69-5	mg/kg	50	N.D.	N.D.	1000



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT250508047C-E0

Date of issue: May 14, 2025

Page 7 of 11

2) The test results of PBBs & PBDEs

Test Items	Unit	MDL	Results	Limit
			02	
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	mg/kg	50	N.D.	/
Dibromobiphenyl	mg/kg	50	N.D.	/
Tribromobiphenyl	mg/kg	50	N.D.	/
Tetrabromobiphenyl	mg/kg	50	N.D.	/
Pentabromobiphenyl	mg/kg	50	N.D.	/
Hexabromobiphenyl	mg/kg	50	N.D.	/
Heptabromobiphenyl	mg/kg	50	N.D.	/
Octabromobiphenyl	mg/kg	50	N.D.	/
Nonabromodiphenyl	mg/kg	50	N.D.	/
Decabromodiphenyl	mg/kg	50	N.D.	/
Total content	mg/kg	/	N.D.	1000
Polybrominated Diphenyl ethers (PBDEs)				
Monobromodiphenyl ether	mg/kg	50	N.D.	/
Dibromodiphenyl ether	mg/kg	50	N.D.	/
Tribromodiphenyl ether	mg/kg	50	N.D.	/
Tetrabromodiphenyl ether	mg/kg	50	N.D.	/
Pentabromodiphenyl ether	mg/kg	50	N.D.	/
Hexabromodiphenyl ether	mg/kg	50	N.D.	/
Heptabromodiphenyl ether	mg/kg	50	N.D.	/
Octabromodiphenyl ether	mg/kg	50	N.D.	/
Nonabromodiphenyl ether	mg/kg	50	N.D.	/
Decabromodiphenyl ether	mg/kg	50	N.D.	/
Total content	mg/kg	/	N.D.	1000

Remark:

- mg/kg = milligram per kilogram = ppm
- N.D. = Not detected
- MDL= Method detected limited
- The samples were mixed for phthalic acid test
- Tested part(s) was/were specified by client
- Flow chart appendix is included
- Photo appendix is included




Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com

TEST REPORT

Appendix


Pb/Cd/Hg/Cr⁶⁺ Testing Flow Chart





TEST REPORT


PBBs/PBDEs Testing Flow Chart







TEST REPORT

Phthalates Testing Flow Chart



The photo of the sample



AZT authenticate the photo on original report only

Statement:

1. This test report is invalid without the signature of the approver and the special seal of the company's report.
2. The copy of the test report is invalid if the "Special Seal for Inspection and Testing" or "Special Seal for testing" or the official seal of the testing unit is not re-stamped.
3. After the test report is altered, the test report is invalid.
4. If there is any objection to the test report, please submit written comments to the laboratory within 15 days from the date of receipt of the report.
5. This test is only responsible for samples provided by customers.
6. This report shall not be reproduced in whole or in part without the written authorization of the Company.
7. The laboratory is not responsible for sampling, all samples are provided by customers.
8. The test results in this test report are only related to the samples provided by the customer.
9. If the report is not stamped with the qualification mark, it is only used for scientific research, teaching, internal quality control and other activities, and does not have a proof role for the society.

*** End of Report ***

