

Project Proposal

ClassSync AI

Submitted in partial fulfillment of the requirements for the award of degree of

Bachelor of Science

in

Computer Science

Submitted by

Saad Mughal

F2023-009

Khadijah Zahoor

F2023-956

Sheikh Muhammad Ibrahim

F2023-630

Submitted to

Miss Noreen Khalid



School of Computer & IT

Beaconhouse National University

Main Campus 13 KM Off Thokar Niaz Baig -

Raiwind Road, Tarogil, Lahore, Pakistan

Abstract

This study aims to develop an AI-driven university timetable management system that optimizes scheduling for students and instructors by leveraging machine learning techniques. The proposed system will analyze student enrollment data, instructor availability, course schedules, and time constraints to generate efficient, conflict-free timetables. By integrating artificial intelligence with automated scheduling algorithms, this research seeks to enhance efficiency, reduce manual workload, and improve timetable adaptability. The methodology involves analyzing real-world university scheduling datasets and implementing machine learning models to predict optimal course arrangements. The system will incorporate constraint-based optimization techniques and historical scheduling data to ensure fair distribution of courses and efficient utilization of available time slots. Additionally, the AI model will be evaluated against existing scheduling methods to assess improvements in accuracy, efficiency, and flexibility. Future research will explore refining optimization algorithms and integrating dynamic scheduling features to handle real-time changes in instructor availability or student enrollment.

Keywords: Machine Learning, Timetable Scheduling, University Management, Artificial Intelligence, Optimization Algorithms




Table of Contents

Abstract.....	2
Introduction and background.....	4
Main Research Question and Hypothesis.....	4
Summary.....	4
Target Population of Interest.....	4
Deficiencies in Previous Studies.....	4
Need for the Research.....	5
Problem statement.....	5
Objectives.....	5
Significance of the study.....	6
Research question.....	7
Literature review.....	7
Challenges in Traditional Scheduling Systems.....	7
AI-Based Scheduling: Current Research.....	7
Gaps in Existing Literature.....	10
Addressing the Research Gap.....	10
Research methodology.....	10
Phase 1: Data Collection and Preprocessing.....	10
Step 1: Data Collection.....	10
1. Classroom Availability & Capacity.....	10
2. Instructor Schedules & Constraints.....	10
3. Student Enrollment Data.....	11
4. Course Requirements & Dependencies.....	11
5. Time Slot Preferences & Restrictions.....	11
6. Historical Timetables & Conflict Analysis.....	11
Dataset Example (Structured Format):.....	11
Step 2: Data Preprocessing.....	11
1. Data Cleaning.....	11
2. Data Normalization.....	11
3. Data Augmentation (Feature Engineering).....	12
4. Dataset Splitting.....	12
Phase 2: Model Development and Validation.....	12
Model Development.....	12
Feature Engineering.....	13
Model Validation.....	13
Phase 3: Deployment and Evaluation.....	13
Deployment Steps.....	13
Final Evaluation & Institutional Adoption.....	14
Reference and Bibliography.....	15

Introduction and background

Efficient course scheduling is a fundamental challenge in academic institutions, where managing student enrollments, instructor availability, and time slot constraints often requires a time-consuming and error-prone manual process. Universities worldwide struggle with timetable management due to constraints such as overlapping classes, limited classroom availability, and scheduling conflicts that disrupt both students and faculty. Traditional scheduling methods rely on manual input or rule-based software, often leading to inefficiencies and inconsistencies in timetable creation.

Artificial Intelligence (AI) and Machine Learning (ML) offer a promising solution to optimize timetable scheduling through data-driven decision-making and automation. By integrating AI with existing university management systems, institutions can generate optimized schedules that balance course loads, avoid conflicts, and improve overall resource utilization. This research focuses on leveraging AI algorithms to create a smart, adaptive timetable scheduling system that ensures fairness, efficiency, and scalability.

Main Research Question and Hypothesis

Research Question:

How can machine learning models be used to improve timetable generation in universities, reducing conflicts and enhancing scheduling efficiency?

Hypothesis:

An AI-driven timetable generation system can significantly reduce scheduling conflicts, optimize instructor and student allocations, and enhance overall university management efficiency through predictive analytics and real-time adjustments.

Summary

This research builds upon established scheduling theories and optimization techniques, integrating them with machine learning algorithms to automate and refine the timetable creation process. By analyzing historical scheduling data, class sizes, instructor preferences, and classroom availability, the system will generate optimized timetables that dynamically adapt to constraints. The integration of AI ensures data-driven decision-making, improving scheduling accuracy and reducing the time required for manual adjustments.

Target Population of Interest

The primary stakeholders of this research include:

- University administrators who manage course scheduling.
- Professors and lecturers whose availability and course assignments need to be efficiently managed.
- Students who require well-structured, conflict-free timetables to enhance their learning experience.

Secondary stakeholders include software developers, university IT departments, and policymakers interested in implementing AI-based solutions for educational institutions.

Deficiencies in Previous Studies

Many existing university scheduling systems rely on rule-based or heuristic approaches, which often fail to accommodate real-time constraints, fairness in class distribution, and student preferences. Prior research in AI-driven scheduling has primarily focused on industrial applications or workforce

management, with limited implementations tailored specifically for academic institutions. Additionally, most existing AI-based scheduling solutions have not been extensively tested in real-world university settings, leading to limited adaptability and practical usability.

Need for the Research

This research addresses a crucial gap by providing a real-world, AI-based solution for university timetable management. By developing an intelligent system that adapts to dynamic constraints, this study aims to:

1. Reduce scheduling conflicts by optimizing time slot and instructor allocation.
2. Improve efficiency in course scheduling by automating the process.
3. Enhance fairness and adaptability, ensuring balanced course distribution.
4. Provide a scalable and data-driven approach to university scheduling problems.

The outcomes of this research could serve as a model for AI-driven scheduling systems in educational institutions globally, paving the way for smarter, more efficient academic management.

Problem statement

Universities face significant challenges in creating efficient, conflict-free timetables due to overlapping course schedules, instructor availability constraints, and classroom limitations. Traditional scheduling methods rely heavily on manual efforts or rule-based systems, which often result in errors, inefficiencies, and student-instructor dissatisfaction. The increasing complexity of academic scheduling, especially in large institutions, further exacerbates these challenges.

Current timetable generation methods lack the ability to adapt dynamically to changes, such as course demand fluctuations, faculty preferences, or last-minute schedule adjustments. This leads to mismanaged course allocations, scheduling conflicts, and underutilized resources, ultimately impacting both faculty workload and student learning experiences.

There is a critical need for an AI-driven scheduling system that can analyze historical scheduling data, student enrollment trends, and instructor constraints to generate optimized timetables. By leveraging machine learning algorithms, such a system can reduce conflicts, improve course distribution, and enhance overall efficiency in university scheduling. Addressing this problem will not only streamline academic operations but also enhance the student and faculty experience, ensuring a fair, adaptable, and scalable timetable management system.

Objectives

The primary objectives of this research are as follows:

1. **Develop an AI-Driven Timetable System** – Design and implement an AI-based system that automates university timetable generation by integrating data such as course schedules, faculty availability, student enrollments, classroom capacities, and time constraints.
2. **Ensure Real-Time Data Handling** – Enable the system to process and adapt to real-time changes, such as course demand shifts, faculty unavailability, and last-minute scheduling conflicts.
3. **Implement Machine Learning Algorithms** – Develop and integrate machine learning models for intelligent scheduling, predicting potential conflicts, and optimizing resource allocation for maximum efficiency.

4. **Improve Student and Faculty Experience** – Ensure the system provides conflict-free scheduling, equitable faculty workload distribution, and balanced class assignments, reducing manual intervention and frustration.
5. **Develop a User-Friendly Interface** – Create an interactive dashboard that allows administrators, faculty, and students to view and manage schedules with ease and clarity.
6. **Enable Interactive Visualization** – Implement real-time schedule visualization tools that allow users to analyze scheduling efficiency, course distribution trends, and room utilization.
7. **Gather User Feedback for Optimization** – Collect feedback from faculty, students, and administrators to refine and improve the system for better usability and performance.
8. **Enhance University Efficiency & Scalability** – Demonstrate how AI-powered scheduling can streamline academic operations, ensuring scalability for different university structures and future adaptability.

Significance of the study

This study aims to revolutionize university timetable scheduling by leveraging Artificial Intelligence (AI) and data-driven automation. The key areas of impact are:

1. **Reduced Scheduling Conflicts & Errors** – The AI-based system will minimize clashes between courses, optimize faculty allocations, and efficiently utilize classroom resources, reducing the manual workload of university administrators.
2. **Improved University Resource Management** – By intelligently distributing courses across available time slots and locations, the system ensures better utilization of classrooms, faculty hours, and student schedules, ultimately saving time and effort for all stakeholders.
3. **Increased Student & Faculty Satisfaction** – A well-optimized timetable reduces overlapping classes, long student gaps, and unfair faculty workload distribution, leading to higher efficiency and satisfaction for both students and instructors.
4. **Scalability & Adaptability** – The AI-driven scheduling model can be scaled to different universities and academic institutions, adapting to various constraints such as semester structures, faculty preferences, and course demand variations.
5. **Academic and Practical Contributions** – This study contributes to academic research by bridging gaps in AI-driven timetable generation and automated scheduling algorithms. Practically, it provides a tested model that can be adopted or improved by other institutions facing similar scheduling challenges.
6. **Future-Proofing Timetable Management** – The system introduces AI-powered adaptability, allowing universities to respond to unexpected scheduling changes, such as faculty unavailability, additional course sections, or new classroom assignments, without requiring manual rework.

By implementing this AI-based timetable system, universities can streamline academic operations, enhance student learning experiences, and improve institutional efficiency, making the scheduling process smarter, faster, and more effective.

Research question

RQ1: How can AI-driven algorithms improve the efficiency and accuracy of university timetable generation while considering multiple constraints such as course availability, instructor preferences, and classroom allocations?

RQ2: What impact does a data-driven scheduling system have on reducing conflicts, improving faculty workload distribution, and enhancing student satisfaction compared to traditional manual scheduling methods?

RQ3: Can machine learning models effectively predict and adapt to changing scheduling constraints, such as faculty availability, student demand, and classroom occupancy, to ensure an optimized and scalable timetable management system?

Literature review

Existing literature extensively explores AI-driven scheduling systems, particularly in academic institutions, workforce management, and resource allocation. Research highlights the benefits of automation, optimization, and predictive analytics in scheduling, with a focus on reducing conflicts and improving efficiency. However, several limitations remain, particularly in handling dynamic constraints, adapting to real-world scheduling complexities, and ensuring user-centric flexibility.

Challenges in Traditional Scheduling Systems

Manual and semi-automated scheduling approaches often struggle with:

- Constraint violations due to faculty unavailability, classroom shortages, and overlapping courses.
- Time inefficiencies, requiring significant human effort to resolve conflicts.
- Lack of adaptability, making it difficult to accommodate last-minute changes in faculty schedules, student preferences, or institutional policies.

AI-Based Scheduling: Current Research

Several studies from 2022 to 2024 have investigated the role of AI and ML in automated timetable generation:

- Research in the *Journal of Artificial Intelligence & Education* (2023) demonstrated the potential of genetic algorithms (GA) and constraint-satisfaction problems (CSP) in optimizing academic scheduling.
- Studies in *IEEE Access* (2024) highlighted the effectiveness of reinforcement learning (RL) models in dynamically adapting timetables based on real-time institutional constraints.
- Papers published in *Applied AI in Higher Education* (2022-2024) focused on integrating predictive analytics to anticipate student demand, improving course availability and classroom allocation.

However, most of these approaches focus primarily on backend optimization and lack user-driven adaptability. Additionally, few studies explore the integration of AI with real-time institutional data to ensure continuous updates and conflict resolution.

R.#	Paper Title	Author Name	Year	Findings	Limitation	Source	Models Used
[1]	From Integer Programming to Machine Learning: A Technical Review on Solving University Timetabling Problems	Xin Gu, Muralee Krish, Shaleeza Sohail, Sweta Thakur, Fariza Sabrina, Zongwen Fan	2025	The paper reviews 95 integer programming models used for university timetabling, identifying CPLEX as the most common solver. It discusses machine learning's role in optimizing scheduling constraints and suggests hybrid solutions that combine IP and ML for better adaptability.	Scalability is a concern for larger datasets, and full ML integration is still limited in scheduling solutions. Hybrid models need further development for practical implementation.	Computation Journal, 2025	Integer Programming (IP) Machine Learning (ML) Hybrid Models – Combining IP + ML for better scheduling efficiency.
[2]	Curriculum-Based University Course Timetabling Considering Individual Course of Studies	Elmar Steiner, Ulrich Pfersch, Andrea Schaerf	2024	The paper presents a multi-stage timetabling system using Integer Linear Programming (ILP) to address complex scheduling challenges. It optimizes student allocations, ensures fair course distribution, and resolves infeasibility issues. The approach balances optimization and fairness, making it scalable for real-world applications.	The model relies on estimated student enrollment, which can lead to scheduling inefficiencies. It does not consider classroom assignments, making it less applicable to space-constrained institutions. Computational complexity may increase for larger datasets.	Central European Journal of Operations Research, 2024	Integer Linear Programming (ILP) Fairness Criterion Multi-Stage Optimization
[3]	Smart Timetable Generation using Genetic Algorithm	Sahith Siddharth Paramatmuni, Dumpala Yashwanth Reddy, Elakurthi Sai Spoorthi, Akhil Dharani, K. Venkatesh Sharma	2024	The paper introduces a Genetic Algorithm (GA)-based system for smart timetable generation, optimizing conflict resolution, resource utilization, and execution time. The approach achieves up to 95% scheduling efficiency, integrating a web-based user interface for real-time adjustments.	The model faces scalability challenges for very large datasets, and extreme resource constraints may reduce flexibility. Computational cost remains a concern.	Macaw International Journal of Advanced Research in Computer Science and Engineering (MIJARCSE), Volume 10, Special Issue 1, December 2024	Genetic Algorithm (GA) Web-Based User Interface Performance Metrics
[4]	Overview of Machine Learning Methods for Academic Scheduling	O. Zanevych, V. Kukharskyy	2024	The paper explores various machine learning techniques for academic scheduling, comparing supervised, unsupervised, and reinforcement learning models. It evaluates their efficiency in optimizing schedules, reducing conflicts, and handling constraints. The study highlights hybrid models as the most promising approach for real-time adaptability and data-driven decision-making.	High computational requirements for ML-based scheduling. Data quality issues can affect predictions, and interpretability of complex models remains a challenge.	Electronics and Information Technologies, 2024, Issue 27, Pages 102–117	Supervised Learning Unsupervised Learning Reinforcement Learning Hybrid Approaches
[5]	Optimisation of University Examination Timetable Using Hybridised Genetic and	Sunday J. Agbolade, Babatunde I. Ayinla, Latifat A.	2024	The paper proposes a hybrid Genetic and Greedy Algorithm for university examination timetable scheduling. It ensures	Computational cost is high for large-scale scheduling, and soft constraints may require	International Journal of Computer (IJC), Volume	Hybrid Genetic and Greedy Algorithm Constraint

	Greedy Algorithms	Odeniyi, Akinola S. O		efficient resource utilization, minimizes exam conflicts, and optimizes scheduling constraints. The approach improves scheduling fairness and adaptability.	further refinement. Venue allocation still faces optimization challenges.	51, No. 1, June 2024	Handling Mechanisms Fitness Function
[6]	Smart Timetable System Using AI and ML	Rutuja Kavade, Sohail Qureshi, Nikita Veer, Vaishnavi Ugale, Priyanka Agrawal	2023	The paper presents an AI and machine learning-based smart timetable system that automates scheduling for professional colleges. It employs Genetic Algorithms (GA) for optimization, ensuring no conflicts in faculty schedules. The system is designed using Django and SQL databases, with an interface to display and manage timetables dynamically. Additional features include holiday management and automatic rescheduling when a faculty member is absent.	While effective, the system is limited to semester-wise scheduling and is primarily desktop-based. The accuracy of schedule optimization is lower compared to pure GA-based solutions, and real-time adaptability is still a challenge.	International Journal of Creative Research Thoughts (IJCRT), Volume 11, Issue 5, May 2023	Django Framework (for web-based deployment). SQL Database (for data storage and retrieval). Python Libraries (for algorithmic processing and GUI development).
[7]	Automated University Timetable Generation using Prediction Algorithm	K R Rashmi, Dr Abhishek	2021	The paper presents an automated timetable generation system using a hybrid approach that combines Genetic Algorithm (GA) and Particle Swarm Optimization (PSO). It optimizes scheduling by minimizing conflicts and improving efficiency while considering hard and soft constraints. A GUI-based system allows users to input data, set constraints, and export timetables in CSV format.	The approach may require expert knowledge to fine-tune GA and PSO parameters. Scalability could be a concern for larger institutions with highly complex scheduling needs.	International Research Journal of Engineering and Technology (IRJET), Volume 08, Issue 06, June 2021	Genetic Algorithm (GA) Particle Swarm Optimization (PSO) By merging the strengths of both, the system efficiently generates optimized timetables, reducing clashes while considering various constraints.
[8]	Task scheduling based on deep reinforcement learning in a cloud manufacturing environment	Tingting Dong, Fei Xue, Chuangbai Xiao, Juntao Li	2020	The study introduces RLTS, a Deep Reinforcement Learning-based task scheduling method for cloud manufacturing, outperforming traditional heuristics in efficiency and flexibility. While effective, it requires extensive training and real-world validation.	RLTS is limited by its focus on execution time optimization, overlooking cost and deadline constraints. It requires extensive offline training, making it unsuitable for immediate scheduling. Scalability is an issue in complex environments, and fine-tuning is necessary for model convergence and stability.	Concurrency and Computation: Practice and Experience, 2020	Deep Reinforcement Learning (DQN) Comparison with Heuristic Models Hybrid Approach

Gaps in Existing Literature

1. **Limited real-time adaptability:** Most AI-driven models are trained on historical datasets but fail to dynamically adjust to real-time changes, such as faculty absences or emergency rescheduling needs.
2. **Scalability concerns:** Current solutions often work well for small-scale institutions but struggle with scalability when applied to large universities with multiple departments and variable constraints.
3. **User Experience & Decision Support:** Many systems focus on optimization algorithms but lack an interactive user interface that allows administrators to manually adjust schedules when needed.

Addressing the Research Gap

This research aims to bridge these gaps by developing a Timetable AI system that:

- **Leverages real-time institutional data** to continuously refine schedules.
- **Uses adaptive AI models** (such as reinforcement learning) to handle dynamic scheduling needs.
- **Provides an intuitive interface**, allowing administrators to override AI-generated schedules when necessary.
- **Incorporates predictive analytics**, enabling institutions to proactively plan for scheduling conflicts.

By focusing on AI-driven automation, real-time adaptability, and user-centric scheduling, this study seeks to advance existing research in AI-based timetable management and offer a practical, scalable solution for academic institutions.

Research methodology

This study aims to develop an AI-driven university timetable optimization system (ClassSync) that enhances scheduling efficiency while addressing institutional constraints. The research follows a structured methodology comprising data collection, preprocessing, model development, validation, and deployment.

Phase 1: Data Collection and Preprocessing

This phase focuses on gathering, cleaning, and structuring data for machine learning models. Since ClassSync is an AI-powered university scheduling system, the dataset must capture real-world academic constraints to generate efficient timetables.

Step 1: Data Collection

The dataset will be sourced from academic institutions, focusing on the following key attributes:

1. Classroom Availability & Capacity

- List of available classrooms and their seating capacity.
- Information on special-purpose rooms (e.g., labs, auditoriums).
- Constraints:
 - No overbooking (class size cannot exceed room capacity).
 - Lab classes must be assigned to appropriate facilities.

2. Instructor Schedules & Constraints

- List of all instructors and their teaching availability.

- Constraints:
 - No instructor should be double-booked at the same time.
 - Instructors may have preferred/unavailable time slots.
- 3. Student Enrollment Data**
 - Student registrations for each course and semester.
 - Constraints:
 - Students should not have overlapping classes.
 - Maximum courses per day should be limited to avoid burnout.
- 4. Course Requirements & Dependencies**
 - Course prerequisites (e.g., students must complete Course A before taking Course B).
 - Course types (lecture, lab, seminar).
 - Constraints:
 - Labs should be scheduled after lectures when required.
 - Course sections should be evenly distributed to balance workload.
- 5. Time Slot Preferences & Restrictions**
 - Institutional rules regarding valid scheduling hours.
 - Preferred class timings based on student and instructor surveys.
 - Constraints:
 - Avoid scheduling classes on weekends or public holidays.
 - Ensure adequate breaks between classes.
- 6. Historical Timetables & Conflict Analysis**
 - Collect previous semester schedules to analyze common conflicts.
 - Identify frequent scheduling issues, such as:
 - Popular courses clashing with each other.
 - Overuse of certain time slots, leading to overcrowded periods.

Dataset Example (Structured Format):

The following columns will be included in the dataset:

student_id	year_semester	course_id	course_name	weekday	start_time	end_time	room_address	instructor_id	constraints_applied
12345	2019_1	CS101	Algorithms	Monday	8:00	9:30	BLD_301	567	No conflicts
67890	2019_2	MATH202	Calculus II	Tuesday	10:00	11:30	LAB_A2	890	Room change needed

Step 2: Data Preprocessing

Once collected, the data will be cleaned and structured to ensure it is suitable for machine learning models.

1. Data Cleaning

- Remove inconsistencies (e.g., missing course IDs, duplicate entries).
- Fix formatting issues (e.g., ensuring time is in 24-hour format).
- Standardize course names to maintain uniformity across institutions.

2. Data Normalization

- Convert room capacity, student limits, and instructor hours into standard units.
- Ensure all time values follow a common format (e.g., HH:MM).

- Map categorical values (e.g., instructor names → unique IDs).

3. Data Augmentation (Feature Engineering)

New features will be added to better represent real-world constraints:

- **Time Constraints:**
 - Convert start_time and end_time into numeric values for easier comparisons.
 - Add a binary flag (1 = valid slot, 0 = invalid slot) based on working hours.
- **Student Constraints:**
 - Assign a max_courses_per_day variable to limit daily workload.
 - Create a conflict_score (higher score = higher likelihood of scheduling issues).
- **Instructor Constraints:**
 - Map instructor availability to a weekly timetable.
 - Flag instructors with excessive workload (e.g., more than 5 classes/day).
- **Room Constraints:**
 - Track room utilization rates (used in model training to optimize assignments).
 - Identify room conflict zones (popular time slots where rooms are often full).

4. Dataset Splitting

The dataset will be divided into three parts:

- **Training Set (70%)** → Used to train machine learning models.
- **Validation Set (15%)** → Used to fine-tune hyperparameters and prevent overfitting.
- **Testing Set (15%)** → Used to evaluate final model performance

Phase 2: Model Development and Validation

Model Development

To automate timetable generation and ensure conflict-free scheduling, the study will explore multiple machine learning approaches. The following models will be implemented and tested:

1. Constraint Satisfaction Models (CSM)

- Used to verify whether a generated schedule adheres to institutional constraints.
- Ensures no student, instructor, or room conflicts by applying hard constraints (e.g., no double booking of rooms or instructors).
- Implemented using Constraint Programming (CP) frameworks.

2. Genetic Algorithms (GA)

- Used for schedule optimization, aiming to generate an optimal timetable with minimal conflicts.
- Each schedule is represented as a chromosome, and evolutionary techniques (selection, crossover, mutation) are used to find the best scheduling solution.
- Fitness function considers factors such as:
 - **Minimizing scheduling conflicts** (no overlapping classes).
 - **Balancing instructor workload** (avoiding excessive classes in a single day).
 - **Maximizing student satisfaction** (reducing back-to-back classes and late-evening lectures).

3. Reinforcement Learning (RL)

- Used for adaptive scheduling that improves over time.
- The AI learns from scheduling history and user feedback to refine the timetable generation process.
- Agent (AI model) interacts with the scheduling environment and receives rewards/penalties based on:
 - Successfully assigning all courses without conflicts (+1 reward).
 - Assigning a class to an instructor who is already scheduled (-1 penalty).
 - Scheduling a class outside valid working hours (-2 penalty).
- RL will be particularly useful for handling real-time changes, such as instructor unavailability or course cancellations.

Feature Engineering

To enhance model performance, additional features will be created based on dataset attributes:

- **Instructor availability scores** → Prevent overloading instructors.
- **Student course load limits** → Prevent students from having too many classes in a day.
- **Classroom utilization metrics** → Ensure room assignments are efficient.

Model Validation

To evaluate the effectiveness of the AI scheduling system, multiple validation techniques will be used:

Metric	Description	Target Goal
Scheduling Accuracy	% of schedules generated without conflicts	≥ 95%
Conflict Resolution Rate	% of overlapping classes successfully fixed	≥ 90%
Optimization Efficiency	Time required to generate a valid schedule	≤ 10 sec
Instructor Satisfaction	% of instructors who approve of their schedule	≥ 85%
Student Satisfaction	% of students who find their schedule manageable	≥ 80%

- Cross-validation techniques (such as K-Fold Validation) will be used to assess model robustness.
- If a model fails to meet the performance criteria, hyperparameter tuning and algorithm modifications will be applied.

Phase 3: Deployment and Evaluation

After model validation, the best-performing algorithm will be deployed in a live testing environment. This phase will include real-world evaluation using institutional data and direct user interaction.

Deployment Steps

1. Automated Timetable Generation

- The model will generate schedules based on real-time constraints.
- Instructors and students will receive their assigned schedules.
- Any conflicts detected will be automatically adjusted using predefined optimization rules.

2. User Interaction & Customization

- A web-based dashboard will be developed for students and faculty to interact with the system.
- Features will include:
 - **Instructor Rescheduling Requests** → Allow instructors to modify time slots within constraints.
 - **Student Schedule Adjustments** → Provide alternative course slots if conflicts arise.
 - **Classroom Changes** → Adapt schedules based on room availability.

3. Performance Monitoring & Refinement

- Data will be collected over multiple academic terms to track:
 - **Error rates** (unexpected conflicts that were not detected by the model).
 - **User complaints and satisfaction scores** (feedback collected via surveys).
 - **Schedule adherence** (how closely generated timetables match actual university requirements).
- The AI model will be **iteratively refined** using feedback from students and faculty.

Final Evaluation & Institutional Adoption

- If pilot testing is successful, the system will be fully implemented at the university level.
- Institutions will be given training sessions on using ClassSync for scheduling.
- Long-term goal: Expand the system to multiple universities, integrating more complex scheduling factors.

Reference and Bibliography

- [1] Gu, X., Krish, M., Sohail, S., Thakur, S., Sabrina, F., & Fan, Z. (2025). From Integer Programming to Machine Learning: A Technical Review on Solving University Timetabling Problems. *Computation*, 13(1), 10.
- [2] Steiner, E., Pferschy, U., & Schaerf, A. (2024). Curriculum-based university course timetabling considering individual course of studies. *Central European Journal of Operations Research*, 1-38.
- [3] Paramatmuni, S. S., Reddy, D. Y., Spoorthi, E. S., Dharani, A., & Sharma, K. V. (2024). Smart Timetable Generation using Genetic Algorithm. *Macaw International Journal of Advanced Research in Computer Science and Engineering*, 10(1s), 204-215.
- [4] Zanevych, O., & Kukharskyy, V. (2024). OVERVIEW OF MACHINE LEARNING METHODS FOR ACADEMIC SCHEDULING. *Electronics and information technologies/Електроніка та інформаційні технології*, (27).
- [5] Sunday, J. A., Ayinla, B. I., Odeniyi, L. A., & Akinola, S. O. Optimisation of University Examination Timetable Using Hybridised Genetic and Greedy Algorithms: A Case Study of Computer Science Department, University of Ibadan. *International Journal of Computer (IJC)*, 51(1), 1-16.
- [6] Wasnik, D. (2024). *Smart Timetable Generator* (Doctoral dissertation, Sant Gadge Baba Amravati University, Amravati).
- [7] Rashmi, K. R., & Abhishek, M. B. (2021). Automated University Timetable Generation using Prediction Algorithm.
- [8] Dong, T., Xue, F., Xiao, C., & Li, J. (2020). Task scheduling based on deep reinforcement learning in a cloud manufacturing environment. *Concurrency and Computation: Practice and Experience*, 32(11), e5654.