

Use Case Specification Template*

Number		
Name		
Summary		
Priority		
Preconditions		
Postconditions		
Primary Actor(s)		
Secondary Actor(s)		
Trigger		
Main Scenario	Step	Action
Extensions	Step	Branching Action
Open Issues		

Use Case Specification Template*

Number	<i>Unique use case number</i>	
Name	<i>Brief verb-noun phrase</i>	
Summary	<i>Brief summary of use case major actions</i>	
Priority	<i>1-5 (1 = lowest priority, 5 = highest priority)</i>	
Preconditions		
Postconditions		
Primary Actor(s)		
Secondary Actor(s)		
Trigger		
Main Scenario	Step	Action
Extensions	Step	Branching Action
Open Issues		

Use Case Specification Template*

Number		
Name		
Summary		
Priority		
Preconditions	<i>What needs to be true before the use case “executes”</i>	
Postconditions	<i>What will be true after the use case successfully “executes”</i>	
Primary Actor(s)		
<pre> Precondition: $y \neq 0$ Postcondition: x / y double divide(double x, double y) { return (x / y); } </pre> <pre> Precondition: None Postcondition: if $y == 0$ “Illegal”, else x / y double divide(double x, double y) { if (y == 0) cout << “Illegal\n”; else return (x / y); } </pre>		
Extensions	Step	Branching
Open Issues		

Use Case Specification

Number		
Name		
Summary		
Priority		
Preconditions		
Postconditions		
Primary Actor(s)	<i>Primary actor name(s)</i>	
Secondary Actor(s)	<i>Secondary actor name(s)</i>	
Trigger		
Main Scenario	Step	Action
Extensions	Step	Branching Action
Open Issues		

Actor

- Anyone or anything with behavior
- May be a person or system
- **Primary:** The stakeholder who or which initiates an interaction with the system to achieve a goal. Is generally a category of individuals (a **role**).
- **Secondary:** Provides a service to the system. Is almost never a person.

Use Case Specification Template*

Number		
Name		
Summary		
Priority		
Preconditions		
Postconditions		
Primary Actor(s)		
Secondary Actor(s)		
Trigger	<i>The action that caused the use case to be invoked</i>	
Main Scenario	Step	Action
	<i>Step #</i>	<i>This is the “main success scenario” or “happy path”</i>
	<i>Step #</i>	<i>Description of steps in successful use case “execution”</i>
	<i>Step #</i>	<i>This should be in a “system-user-system, etc.” format</i>
Extensions	Step	Branching Action
Open Issues		

Use Case Specification Template*

Number		
Name		
Summary		
Priority		
Preconditions		
Postconditions		
Primary Actor(s)		
Secondary Actor(s)		
Trigger		
Main Scenario	Step	Action
Extensions	Step	Branching Action
	<i>Step #</i>	<i>Alternative paths that the use case may take</i>
Open Issues		

Extension

- Could be an optional path(s)
- Could be an error path(s)
- Denoted in use case diagrams (UML) by <<extend>>

Use Case Specification Template*

Number		
Name		
Summary		
Priority		
Preconditions		
Postconditions		
Primary Actor(s)		
Secondary Actor(s)		
Trigger		
Main Scenario	Step	Action
Extensions	Step	Branching Action
Open Issues	<i>Issue #</i>	<i>Issues regarding the use case that need resolution</i>

Use Case Specification Template*

Number	<i>Unique use case number</i>	
Name	<i>Brief noun-verb phrase</i>	
Summary	<i>Brief summary of use case major actions</i>	
Priority	<i>1-5 (1 = lowest priority, 5 = highest priority)</i>	
Preconditions	<i>What needs to be true before use case “executes”</i>	
Postconditions	<i>What will be true after the use case successfully “executes”</i>	
Primary Actor(s)	<i>Primary actor name(s)</i>	
Secondary Actor(s)	<i>Secondary actor name(s)</i>	
Trigger	<i>The action that causes this use case to begin</i>	
Main Scenario	Step	Action
	<i>Step #</i>	<i>This is the “main success scenario” or “happy path.”</i>
	<i>...</i>	<i>Description of steps in successful use case “execution”</i>
	<i>...</i>	<i>This should be in a “system-user-system, etc.” format.</i>
Extensions	Step	Branching Action
	<i>Step #</i>	<i>Alternative paths that the use case may take</i>
Open Issues	<i>Issue #</i>	<i>Issues regarding the use case that need resolution</i>

Use Case Specification Template Example

Number	1
Name	Withdraw Money
Summary	User withdraws money from one of his/her accounts
Priority	5
Preconditions	User has logged into ATM
Postconditions	User has withdrawn money and received a receipt
Primary Actor(s)	Bank Customer
Secondary Actor(s)	Customer Accounts Database

Continued ...

Trigger	User has chosen to withdraw money	
Main Scenario	Step	Action
	1	System displays account types
	2	User chooses account type
	3	System asks for amount to withdraw
	4	User enters amount
	5	System debits user's account and dispenses money
	6	User removes card
	7	System prints and dispenses receipt
	8	User removes receipt
	9	System displays closing message and dispenses user's ATM card
	11	User removes money
	10	System displays welcome message
Extensions	Step	Branching Action
	5a	System notifies user that account funds are insufficient
	5b	System gives current account balance
	5c	System exits option
Open Issues	1	Should the system ask if the user wants to see the balance?