

Test No	Test Case Description	Initial State (top of the stack is on the left hand side)	Operations	Expected Output (top of the stack is on the left hand side)
1	Basic Undo and Redo Sequence	Empty Undo/Redo stacks	1. Perform: Study (9AM), Play (10AM), Procrastinate (11AM) 2. Undo 2 actions 3. Redo 2 actions	Undo: [Procrastinate, Play, Study], Redo: []
2	Perform Action after Undo	Undo: [Study] Redo: [Play]	1. Perform: Study, Play 2. Undo: Play 3. Perform: Procrastinate (11AM)	Undo: [Procrastinate, Study, Study], Redo: []
3	Redo after Clear Undo Stack	Undo: [Study, Play] Redo: [Procrastinate]	1. Perform: Study, Play, Procrastinate 2. Undo all 3. Perform: New Action	Undo: [New Action], Redo: []
4	No Undo to Perform	Empty Undo stack Empty Redo stack	1. Try to undo with no actions available	No action to undo, nothing changes
5	No Redo to Perform	Empty Redo stack	1. Try to redo with no actions in Redo stack	No action to redo, nothing changes
6	Mixed Perform, Undo, and Redo Operations	Empty Undo/Redo stacks	1. Perform: Study, Play, Procrastinate, Study 2. Undo 2 action 3. Redo 1 action	Undo: [Study, Play, Procrastinate], Redo: [Study]
7	Undo All Actions	Empty Undo stack	1. Perform: Study, Play, Procrastinate 2. Undo all actions	Undo: [], Redo: [Procrastinate, Play, Study]
8	Redo All Actions	Undo: [Study, Play] Redo stack empty	1. Perform: Study, Play, Procrastinate 2. Undo all actions 3. Redo all actions	Undo: [Study, Play, Study, Play, Procrastinate], Redo: []
9	Perform After Redo Stack is Empty	Undo: [Study] Redo: []	1. Perform: Study, Play, Procrastinate 2. Undo all actions 3 actions 3. Perform: New Action	Undo: [Study, New Action], Redo: []
10	Edge Case: Large Number of Undo/Redo	Empty Undo/Redo stacks	1. Perform 50 actions 2. Undo 25 times 3. Redo 25 times 4. Undo 10 times	40 actions in Undo stack, 10 actions in Redo stack