


INTRODUCTION TO INFO. & COMM. TECHNOLOGY


23-11-2023

Single Alternative Selection Structure


If-Then Structure



Dual Alternative Selection Structure



Multiple Alternative Selection Structure



Ex-1


- Ask the user if he is vaccinated or not. If the user enters “Y” then display a message that he is allowed to enter the university. Otherwise don’t do anything.

Solution - Ex-1

Input

Are you vaccinated? Enter Y/N

OK



MasterConsole

Font Font Size Edit Help

You are allowed to enter the university
----Run complete. 5 symbols evaluated.----

Solution - Ex-1

```
#include <iostream>
using namespace std;

int main()
{
    char Ans;
    cout<<" Are you vaccinated? Enter Y/N :   ";
    cin>>Ans;

    if (Ans == 'Y')
    {
        cout<<"You are allowed to enter the university "<<endl;
    }

    return 0;
}
```

```
Are you vaccinated? Enter Y/N :   Y
You are allowed to enter the university

-----
Process exited after 4.185 seconds with return value 0
Press any key to continue . . .
```

Ex-2


- Ask the user to enter an integer value. The program displays “”You have entered an even number” if it is even. Otherwise the program displays “You have entered odd number”

Solution - Ex-2

Input

Enter an integer value :

OK



 MasterConsole

Font Font Size Edit Help

You have entered an even number
----Run complete. 5 symbols evaluated.----

Solution

- Ex-2

```
#include <iostream>
using namespace std;

int main()
{
    int num;
    cout<<" Enter an integer :  ";
    cin>>num;

    if (num%2 == 0)
    {
        cout<<endl<<"You have entered an EVEN number "<<endl;
    }
    else
    {
        cout<<endl<<"You have entered an ODD number"<<endl;
    }
    return 0;
}
```

Enter an integer : 31

You have entered an ODD number

Process exited after 4.028 seconds with return value 0
Press any key to continue . . .

Ex-3

Write C++ code for the following situation:

- Ask the user to enter a number. If the number is greater than 100 then calculate the answer by multiplying the input value by 5.
- Otherwise your program should calculate the answer by dividing the input value by 5.

Ex-4

- Write C++ code for the following:
- Get two numbers from user as input, Display the bigger/larger number out of the two.

Ex-5

- Write a program in C++ that accepts user input for temperature. If the temperature is between 0 and 26 (inclusive), print “Normal Temperature” otherwise it should print “Extreme Temperature” .
- Hint: use Logical operator

Solution - Ex - 5

```
#include <iostream>
using namespace std;

int main()
{
    int T;
    cout<<" Enter the temperature :  ";
    cin>>T;

    if (T >=0 && T <= 26)
    {
        cout<<endl<<"NORMAL TEMPERATURE... "<<endl;
    }
    else
    {
        cout<<endl<< "EXTREME TEMPERATURE..."<<endl;
    }
    return 0;
}
```

Ex - 6

- A program in C++ that accepts a salesperson's Name and number of insurance policies sold in the last month. It then displays sales person's name, number of policies sold and a message : "HIGH Performer..." if the salesperson sells more than 25 policies in the month. Otherwise display a message "You need to work harder.."

Ref Chapters

- Book 3
- Chp 3