



SUPERFAN

INTERACTIVE

EXPERIENCE

The logo features the word "SUPERFAN" in large, bold, yellow letters with a black outline. The letters are partially obscured by a graphic of a megaphone with blue and white diagonal stripes. Below "SUPERFAN", the words "INTERACTIVE" and "EXPERIENCE" are stacked in a smaller, bold, yellow font with a black outline. The entire graphic is set against a solid black background.

BRAINSTORM

come up with three different ideas of themes + interactive features



Idea 1: Yakuza Character Info

Theme

My web page is Yakuza themed and explains the story of the main characters in the game series. I'll have multiple images and gifs around the character clicked.

Interactive JS Feature #1

Click on character profiles and info, images, and gifs are shown.

Interactive JS Feature #2

Add audio of the character when user clicks on the character profile.

Interactive JS Feature #3

Click on the gifs and they will change to another gif





Idea 2: Interactive Red Dead Redemption 2 Story

Theme

Grab one side mission from RDR2 and make it an interactive story, like almost a point and click game.

Interactive JS Feature #1

Click on certain parts of the web page to change the characters image.

Interactive JS Feature #2

Add audio to those clicks and add buttons to continue the story.

Interactive JS Feature #3

Click on different things multiple times and get different audio.



Idea 3: God Of War Lore Journal

Theme

Use the journal Atreus uses in the game to inform users of monsters and myths like in the game, with included images or gifs.

Interactive JS Feature #1

Click on journal entries and a text to speech audio could play.

Interactive JS Feature #2

Click on the images to see other images of the same monster or person

Interactive JS Feature #3

Click on the images and they change to other images

EVALUATE

think about the good and bad for each idea then choose one

Pros/Cons of Each Idea:

	Pros	Cons
Idea 1:	<ul style="list-style-type: none">• Simple• Fun• Has really good music	<ul style="list-style-type: none">• Not much to do• Will not catch much attention
Idea 2:	<ul style="list-style-type: none">• Really fun• Interactive• Full with audio	<ul style="list-style-type: none">• Maybe difficult to code• Might be hard to found good quality images.
Idea 3:	<ul style="list-style-type: none">• Informational• Also pretty easy to accomplish	<ul style="list-style-type: none">• Also not very interactive• A lot of information to write

CONTENT

gather and edit essential content for your site



1位	2位	3位	4位	5位
得点	得点	得点	得点	得点
314,025 黒	308,891 黒	199,149 黒	168,287 黒	154,426 黒
吉田 昌徳	柄田 一郎	吉島 駿介	秋山 駿	柴義平
6位	7位	8位	9位	10位
得点	得点	得点	得点	得点
162,451 黒	162,420 黒	141,675 黒	139,640 黒	133,951 黒
寺田 崇山	高山 彰	上本 真	西谷 齐	佐藤 勇







Of the myths and legends Mimir has unfolded to us, none have so inspired Atreus as the life of Týr. Once the god of war in these lands, he dedicated himself to peace. A hero not only to mortals of Midgard, but to those of the far-off lands of other pantheons, to which he traveled in the name of diplomacy. Even the Jötunn revere him—it is believed his aid is what made the Giants disappear, escaping Odin's wrath (at least for a time).





- I am not certain he will prove as useful to us as Atreus hoped, either as a leader or as a source of information. Though perhaps, with patience, he will recover himself. Most importantly, he seeks neither war nor revenge for the suffering visited upon him. In this, I am grateful.

DESIGN

create three possible responsive designs for your chosen idea


EM

Yakuza Character Info



MOCKUP

choose your final layout and create a digital mockup






ANNOTATE

add explanations, colors, percentages, and display properties + draw your dom


Annotated wireframe

Design 1.

Desktop




Tablet



Phone



- body • columnLR • columnM • body • columnLR
- inner inner inner inner inner
- h: 100vh h: 100% h: 100% h: 20% h: 20%
- w: 100vw w: 25% w: 50% w: 100% w: 100%
- d: flex d: block d: block
- box • Row • big box • columnM • columnM
- h: 33.33% h: 15% h: 83% h: 60% h: 20%
- w: 100% w: 100% w: 100% w: 100% w: 100%



HTML



CSS



BUILD

create your desktop divs using html and css then make it responsive

The screenshot shows a browser's developer tools open, specifically the Elements tab. The DOM tree on the left displays the structure of the page, including various div elements with specific classes and styles applied. The styles panel on the right lists the CSS rules for each element, with a focus on the ".lightred" class which has a background color of light salmon. The element inspector at the bottom highlights the current element being examined.

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>flex
    <!-- children of the body element -->
    <div class="columnLeft grey">
      ...
        <div class="box1 lightred center-content"></div>flex
        == $0
        <div class="box1 red center-content"></div>flex
        <div class="box1 lightblue center-content"></div>flex
      </div>
    <div class="columnMiddle grey">
      <div class="boxTop darkred center-content"></div>flex
      <div class="boxBottom black center-content"></div>flex
    </div>
    <div class="columnMiddle2 grey">::</div>
    <div class="columnRight dark-grey">::</div>
  <div class="rowBottom grey">::</div>flex
  <script crossorigin type="text/javascript" src="https://codandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
  <script type="text/javascript" src="https://zzgc5y.csb.app/83e99c4.../loader.js?fn=inject.js"></script>
<iframe id="sb_open-sandbox56" style="position: fixed; margin: 0; padding: 0; border: none; width: 118px; height: 36px; z-index: 999999999999; ">
</iframe>
<#document (about:blank)>
  <html>
    <head></head>
    <body style="margin: 0;"></body>
  </html>
</iframe>
</body>
</html>
```

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights ▾

Styles Computed Layout Event Listeners >

Filter Show □ □ □

```
element.style { }
```

```
@media (max-width: 800px) { style.css:115
  .box1 {
    height: 100%;
    width: 100%;
  }
}
```

```
.lightred {
  background-color: lightsalmon;
} style.css:67
```

```
.box1 {
  height: 33.33333333333333%; width: 100%; style.css:42
}
```

```
.center-content {
  justify-content: center; align-items: center; display: flex; style.css:12
}
```

```
div { user agent stylesheet
  display: block; unicode-bidi: isolate;
}
```

margin - border - padding - 0x0 - - - - -

html body div.columnLeft.grey div.box1.lightred.center-content

```
<!DOCTYPE html>
<html lang="en">
  <head> </head>
  <body>
    <!-- children of the body element -->
    <div class="columnLeft grey">
      <div class="box1 lightred center-content"></div> (flex) == $0
      <div class="box1 red center-content"></div> (flex)
      <div class="box1 lightblue center-content"></div> (flex)
    </div>
    <div class="columnMiddle grey">
      <div class="boxTop darkred center-content"></div> (flex)
      <div class="boxBottom black center-content"></div> (flex)
    </div>
    <div class="columnMiddle2 grey"> (flex)
    <div class="columnRight dark-grey"> (flex)
    <div class="rowBottom grey"> (flex)
    <script crossorigin="anonymous" type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
    <script type="text/javascript" src="https://zzg5v.csb.app/83e09c4.../loader.js?fn=inject.js"></script>
    <iframe id="sb__open-sandbox56" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 9999999999999999;">
    </iframe>
  </body>
</html>
```

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

Styles Computed Layout Event Listeners

Filter

```
<!DOCTYPE html>
<html lang="en">
  <head> ... </head>
  <body>
    <!-- children of the body element -->
    <div class="columnLeft grey">
      ...
      <div class="box1 lightred center-content"></div> (flex) == $0
      <div class="box1 red center-content"></div> (flex)
      <div class="box1 lightblue center-content"></div> (flex)
    </div>
    <div class="columnMiddle grey">
      <div class="boxTop darkred center-content"></div> (flex)
      <div class="boxBottom black center-content"></div> (flex)
    </div>
    <div class="columnMiddle2 grey">...</div>
    <div class="columnRight dark-grey">...</div>
    <div class="rowBottom grey">...</div> (flex)
    <script crossorigin type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
    <script type="text/javascript" src="https://zgC5v.csb.app/83e09c4-/loader.js?fn=inject.js"></script>
    <iframe id="sb_open-sandbox56" style=">
      position: fixed;
      margin: 0;
      padding: 0;
      bottom: 16px;
      right: 16px;
      border: none;
      width: 118px;
      height: 36px;
      z-index: 9999999999999999;
    ">
  </div>
  <!-- document (about:blank) -->
  <div>
    <html>
      <head></head>
      <body style="margin: 0;"></body>
    </html>
  </div>
</body>
</html>
```

element.style { }
@media (max-width: 400px) { style.css:149
.box1 { height: 100%; width: 100%; }
}
@media (max-width: 800px) { style.css:115
.box1 { height: 100%; width: 100%; }
}
.lightred { background-color: #lightsalmon; }
.box1 { height: 33.33%; width: 33.33%; }
.center-content { justify-content: center; align-items: center; display: flex; }
div { display: block; unicode-bidi: isolate; }

margin border padding 0x0

CONTENT

insert all images and text into your site



A screenshot of a browser's developer tools (Elements tab) showing the DOM structure and CSS styles for the Kazuma Kiryu title card. The title card is displayed on a red background with a yellow border. The DOM structure includes a header, a central column with three sections (left: grey, middle: dark grey, right: dark grey), and a footer. The CSS styles define colors, fonts, and layout properties for each element. A detailed zoomed-in view of the bottom right corner shows the pixelated texture of the title card's background.

KAZUMA KIRYU

EX-TOJO CLAN FOURTH CHAIRMAN



Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights 11

Styles Computed Layout Event Listeners

Filter show .cls +


```
<!DOCTYPE html>
<html lang="en">
  <head> ...</head>
  <body>
    <!-- children of the body element -->
    <div class="columnLeft grey">...</div>
    <div class="columnMiddle"> $0
      <div class="boxTop darkred center-content" style="flex">...</div>
      <div class="boxBottom bottom" style="flex">...</div>
    </div>
    <div class="columnMiddle2 grey">...</div>
    <div class="columnRight dark-grey">...</div>
    <div class="rowBottom grey">...</div>
    <script crossorigin="anonymous" type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
    <script type="text/javascript" src="https://mwdv32.csb.app/83e09c4.../loader.js?fn=inject.js"></script>
    <div id="sb_open-sandbox44" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 999999999999; ">...</div>
    <#document (about:blank)>
      <html>
        <head></head>
        <body style="margin: 0;"></body>
      </html>
    </div>
  </body>
</html>
```

margin border padding 770×546.594

html body div.columnMiddle

KAZUMA KIRYU

EX-TOJO CLAN FOURTH CHAIRMAN



Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

```
<!DOCTYPE html>
<html lang="en">
  <head> </head>
  <body>
    <!-- children of the body element -->
    <div class="columnLeft grey"></div>
    <div class="columnMiddle" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 999999999999;">
      <#document (about:blank)>
        <html>
          <head></head>
          <body style="margin: 0;"></body>
        </html>
    </div>
    <div class="boxTop darkred center-content" style="flex">
      <div class="boxBottom bottom" style="flex">
        <div class="columnMiddle2 grey"></div>
        <div class="columnRight dark-grey"></div>
        <div class="rowBottom grey"></div>
        <script crossorigin="anonymous" type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
        <script type="text/javascript" src="https://mudv32.csb.app/83e09c4_.loader.js?fn=inject.js"></script>
    </div>
    <div id="sb_open-sandbox44" style="display: block; unicode-bidi: isolate;">
      <iframe id="sb_iframe44" style="width: 100%; height: 100%; border: none; margin: 0; padding: 0;">
        <#document (about:blank)>
          <html>
            <head></head>
            <body style="margin: 0;"></body>
          </html>
      </iframe>
    </div>
  </body>
</html>
```

html body div.columnMiddle

```
Styles Computed Layout Event Listeners >>
Filter show cls + >
element.style { }
@media (max-width: 400px) { style.css:177
  .columnMiddle {
    height: 55px;
    width: 100px;
  }
}
@media (max-width: 800px) { style.css:133
  .columnMiddle {
    height: 60px;
    width: 100px;
  }
}
@media (max-width: 800px) { style.css:115
  .columnMiddle {
    height: 30px;
    width: 100px;
  }
}
.columnMiddle {
  height: 100px;
  width: 60px;
}
div {
  user agent stylesheet
  display: block;
  unicode-bidi: isolate;
}
```



JAVASCRIPT

add behavior to your page by inserting two pieces of javascript



ENHANCE UX

add in effects when the user hovers and clicks to make the page intuitive and fun



TEST + ITERATE

get feedback from users then make revisions to your user interface

