Cucumber Report

| Start : abr. 03, 3:15:37.487 p. m.	End : abr. 03, 3:15:49.581 p. m.	Duration : 12.094 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 3

Features: 2

Scenarios: 2

Steps: 7

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 28 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login User	7.024 s	1	0	1	0	4	2	1	1
Profile User	5.020 s	1	0	1	0	3	0	1	2

#	Feature Name	Scenario Name
1	*Login User*	*login a user*
2	*Profile User*	*select a profile*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@scenario1	1	0	1	0	1	0	1	0
@scenario2	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Login User*	1	0	1	0	7.024 s
2	*Profile User*	1	0	1	0	5.020 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login User	login a user	4	2	1	1	7.021 s
2	Profile User	select a profile	3	0	1	2	5.020 s

Login User

FAILED	DURATION - 7.024 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
	/ 3:15:37.487 p. m. // 3:15:44.511 p. m. /				

login a user

FAILED	DURATION - 7.021 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
	/ 3:15:37.490 p. m. // 3:15:44.511 p. m. /			
	Login User			
	@scenario1			

| #	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.918 s
2	When guest select MR services	PASSED	5.160 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	FAILED	0.914 s

	org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fd7419ec2bb5afee4fa310465cf850d, findElement {using=id, value=user}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60773/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4fd7419ec2bb5afee4fa310465cf850d
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.authenticacion.pages.LoginPage.fillOutForm(LoginPage.java:17) at com.authenticacion.steps.StepsGeneralUser.user_enters_credentials_and(StepsGeneralUser.java:53) at ?.user enters credentials "andres_v13@hotmail.com" and "Vuce0424."(file:///C:/Workspace/SeleniumWebDriver/ SeleniumAutenticacionBDD/src/test/resources/features/1-login.feature:11) * Not displayable characters are replaced by '?'.		
4	Then user can see MR2 page	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fd7419ec2bb5afee4fa310465cf850d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60773/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4fd7419ec2bb5afee4fa310465cf850d
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)
	  at com.authenticacion.utils.Hooks.tearDown(Hooks.java:69)		

Profile User

FAILED	DURATION - 5.020 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:15:44.561 p. m. // 3:15:49.581 p. m. /						

select a profile

FAILED	DURATION - 5.020 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:15:44.561 p. m. // 3:15:49.581 p. m. /				
Profile User				
@scenario2				

#	Step / Hook Details	Status	Duration
1	Given page of MR2 is all ready	FAILED	5.014 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fd7419ec2bb5afee4fa310465cf850d, getWindowHandles {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60773/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4fd7419ec2bb5afee4fa310465cf850d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandles(RemoteWebDriver.java:442) at com.authenticacion.pages.MercanciaPage.switchWindow(MercanciaPage.java:23) at com.authenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:70) at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/2-profile. feature:9) * Not displayable characters are replaced by '?'.		
2	When user select option a profile	SKIPPED	0.000 s
3	Then user can see profile list	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fd7419ec2bb5afee4fa310465cf850d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60773/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4fd7419ec2bb5afee4fa310465cf850d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at com.authenticacion.utils.Hooks.tearDown(Hooks.java:69)		