# Cucumber Report

| Start : abr. 04, 2:31:20.613 a. m. | End : abr. 04, 2:31:38.344 a. m. | Duration : 17.731 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 1<br>SKIPPED - 1 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Logear y Cerrar sesion* | 17.731 s | 1 | 0 | 1 | 0 | 4 | 2 | 1 | 1 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Logear y Cerrar sesion* | *logear y cerrar sesion* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Logear_y_Cerrar_sesion | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Logear y Cerrar sesion | 1 | 0 | 1 | 0 | 17.731 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Logear y Cerrar sesion | logear y cerrar sesion | 4 | 2 | 1 | 1 | 17.729 s |

## Logear y Cerrar sesion

| FAILED | DURATION - 17.731 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 | |
|---|---|---|---|---|---|
| / 2:31:20.613 a. m. // 2:31:38.344 a. m. / | | | | | |

## logear y cerrar sesion

| FAILED | DURATION - 17.729 s | | Steps<br>Total - 4<br>Pass - 2<br>Fail - 1<br>Skip - 1 | |
|---|---|---|---|---|
| / 2:31:20.615 a. m. // 2:31:38.344 a. m. / | | | | |
| Logear y Cerrar sesion | | | | |
| @Logear_y_Cerrar_sesion | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given page of autenticacion is all ready | PASSED | 0.882 s |
| 2 | When guest select MR services | PASSED | 3.151 s |
| 3 | And user enters credentials "andres_v13@hotmail.com" and "Vuce0424." | FAILED | 13.668 s |
| | org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: user For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: driver.version: RemoteWebDriver<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>    at com.authenticacion.pages.LoginPage.fillOutForm(LoginPage.java:33)<br>    at com.authenticacion.steps.StepsGeneralUser.user_enters_credentials_and(StepsGeneralUser.java:57)<br>    at ?.user enters credentials "andres_v13@hotmail.com" and "Vuce0424."(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/4-loginClose.feature:11)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | Then user can see MR2 page | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e206e3849237c01459966c0dd54521a7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52966}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52966/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e206e3849237c01459966c0dd54521a7<br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)<br>  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)<br>  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)<br>  at com.authenticacion.utils.Hooks.tearDown(Hooks.java:69) | | |