# Cucumber Report

3 abr. 2025, 3:40:58 p. m.

| Start : abr. 03, 3:40:15.930 p. m. | End : abr. 03, 3:40:58.481 p. m. | Duration : 42.551 s |
|---|---|---|

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 0<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 2<br>SKIPPED - 3 |






| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Login User | 22.324 s | 1 | 0 | 1 | 0 | 4 | 2 | 1 | 1 |
| Profile User | 20.179 s | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 2 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | Login User | login a user |
| 2 | Profile User | select a profile |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @scenario1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @scenario2 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Login User | 1 | 0 | 1 | 0 | 22.324 s |
| 2 | Profile User | 1 | 0 | 1 | 0 | 20.179 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Login User | login a user | 4 | 2 | 1 | 1 | 22.320 s |
| 2 | Profile User | select a profile | 3 | 0 | 1 | 2 | 20.179 s |

## Login User

| FAILED | DURATION - 22.324 s |
|---|---|
| / 3:40:15.930 p. m. // 3:40:38.254 p. m. / | |
| | |

Scenarios
Total - 1
Pass - 0
Fail - 1
Skip - 0

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

### login a user

| FAILED | DURATION - 22.320 s |
|---|---|
| / 3:40:15.934 p. m. // 3:40:38.254 p. m. / | |
| Login User | |
| @scenario1 | |




Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given page of autenticacion is all ready | PASSED | 0.916 s |
| 2 | When guest select MR services | PASSED | 6.180 s |
| 3 | And user enters credentials "andres_v13@hotmail.com" and "Vuce0424." | FAILED | 15.069 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#user"}
(Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0eef4822eacc0182d65b3168c50860ca, findElement {value=user, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61583}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61583/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0eef4822eacc0182d65b3168c50860ca
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)<br>at com.authenticacion.pages.LoginPage.fillOutForm(LoginPage.java:25)<br>at com.authenticacion.steps.StepsGeneralUser.user_enters_credentials_and(StepsGeneralUser.java:54)<br>at ?.user enters credentials "andres_v13@hotmail.com" and "Vuce0424."(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/1-login.feature:11)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | Then user can see MR2 page | SKIPPED | 0.001 s |
| | AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)<br>login a user<br> | PASSED | 0.136 s |

## Profile User

| | | | | | |
|---|---|---|---|---|---|
| *FAILED* | *DURATION - 20.179 s* | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 3<br>Pass - 0<br>Fail - 1<br>Skip - 2 | |
| */ 3:40:38.302 p. m. // 3:40:58.481 p. m. /* | | | | | |
| | | | | | |

## select a profile

| FAILED | DURATION - 20.179 s |
|---|---|
| / 3:40:38.302 p. m. // 3:40:58.481 p. m. / | |
| Profile User | |
| @scenario2 | |




Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given page of MR2 is all ready | FAILED | 20.049 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.id: dropdownField (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:61583}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61583/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0eef4822eacc0182d65b3168c50860ca<br>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)<br>at com.authenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:76)<br>at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/2-profile.feature:9)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | When user select option a profile | SKIPPED | 0.000 s |
| 3 | Then user can see profile list | SKIPPED | 0.000 s |
| | AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.125 s |
| | select a profile | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | | | |