Cucumber Report

| Start : abr. 04, 2:36:53.835 a. m.	End : abr. 04, 2:37:12.202 a. m.	Duration : 18.367 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Logear y Cerrar sesion	18.367 s	1	0	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	*Logear y Cerrar sesion*	*logear y cerrar sesion*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Logear_y_Cerrar_sesion	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Logear y Cerrar sesion*	1	0	1	0	18.367 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Logear y Cerrar sesion	logear y cerrar sesion	4	2	1	1	18.364 s

Logear y Cerrar sesion

FAILED	DURATION - 18.367 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	4
/ 2:36:53.835 a. m. // 2:37:12.202 a. m. /					

logear y cerrar sesion

FAILED	DURATION - 18.364 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	4
/ 2:36:53.838 a. m. // 2:37:12.202 a. m. /				
Logear y Cerrar sesion				
@Logear_y_Cerrar_sesion				

#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.826 s
2	When guest select MR services	PASSED	3.141 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	FAILED	14.364 s

	org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c1d8ae9c939c59bf7bc5aec9907f0cf, findElement {using=id, value=user}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53144}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53144/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c1d8ae9c939c59bf7bc5aec9907f0cf
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.authenticacion.pages.LoginPage.fillOutForm(LoginPage.java:33) at com.authenticacion.steps.StepsGeneralUser.user_enters_credentials_and(StepsGeneralUser.java:57) at ?.user enters credentials "andres_v13@hotmail.com" and "Vuce0424."(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/4-loginClose.feature:11) * Not displayable characters are replaced by '?'.		
4	Then user can see MR2 page	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.016 s
	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=113.0.5672.63) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c1d8ae9c939c59bf7bc5aec9907f0cf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\Admin\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53144}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53144/devtoo..., se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c1d8ae9c939c59bf7bc5aec9907f0cf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at com.authenticacion.utils.Hooks.tearDown(Hooks.java:69)		