Cucumber Report

4 abr. 2025, 3:03:33 a.m.

Duration: 31.760 s Start: abr. 04, 3:03:01.382 a.m. End: abr. 04, 3:03:33.142 a.m. Scenarios Steps **Features** PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 5 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 70 20 80 20 20 80 80 90 90 10 60 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Logear y Cerrar sesion	31.760 s	1	0	1	0	5	3	1	1

FAIL & SKIP SCENARIOS -- 3 --

;	Feature Name	Scenario Name
	Logear y Cerrar sesion	logear y cerrar sesion

TAG		Scei	nario		Feature			
Name	T	P	F	S	T	P	F	S
@Logear_y_Cerrar_sesion	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Logear y Cerrar sesion	1	0	1	0	31.760 s

SCENARIOS SUMMARY -- 6 --




# Feature Nan	IC	Scenario Name	T	P	F	S	Duration
Logear y Cerra	ar sesion	logear y cerrar sesion	5	3	1	1	31.757 s

DETAILED SECTION -- 7

Logear y Cerrar sesion

FAILED	DURATION - 31.760 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 3:03:01.382 a. m.	. // 3:03:33.142 a. m. /	Pass - 0	1	Pass - 3	5
		Fail - 1		Fail - 1	👅 ŭ 📕
		Skip - 0		Skip - 1	

logear y cerrar sesion



#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.867 s
2	When guest select MR services	PASSED	3.132 s
3	And user enters credentials "backus@gmail.com" and "Vuce0424."	PASSED	3.096 s
4	And user close sesion	FAILED	24.500 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"swal2-confirm"} (Session info: chrome=113.0.5672.63) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91c6770ae49a38768931cdee01ecff32, findElement {using=xpath, value=swal2-confirm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.63, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: C:\Users\Admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:55941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55941/devtoo, se:cdpVersion: 113.0.5672.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 91c6770ae49a38768931cdee01ecff32 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.authenticacion.pages.MercanciaPage.closeSesion(MercanciaPage.java:36) at com.authenticacion.steps.StepsGeneralUser.user_close_sesion(StepsGeneralUser.java:64) at ?.user close sesion(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/4-loginClose.feature:12) * Not displayable characters are replaced by '?'.		
5	Then user can see MR2 page	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.139 s
	logear y cerrar sesion NOT FOUND		