


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login User</u>	6.040 s	1	1	0	0	4	4	0	0
Profile User	5.243 s	1	0	1	0	3	0	1	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Profile User	select a profile


TAG	Scenario				Feature			
Name T		P	F	S	T	P	F	S
@scenario1	1	1	0	0	1	1	0	0
@scenario2	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Login User</u>	1	1	0	0	6.040 s
2	<u>Profile User</u>	1	0	1	0	5.243 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login User	login a user	4	4	0	0	6.036 s
2	Profile User	select a profile	3	0	1	2	5.243 s

DETAILED SECTION -- 7 --

Login User


PASSED	DURATION - 6.040 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 9:52:18.696 PM // 9	9:52:24.736 PM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	7
		Skip - 0		Skip - 0	

login a user




#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.675 s
2	When guest select MR services	PASSED	5.133 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	PASSED	0.194 s
4	Then user can see MR2 page	PASSED	0.001 s

Profile User



select a profile

DETAILED SECTION



-- 8 --

#	Step / Hook Details	Status	Duration
1	Given page of MR2 is all ready	FAILED	5.098 s
	java.lang.AssertionError: Resultado expected [Mercancías Restringidas] but found [] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.authenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:77) at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/ProyectoAutenticacion/src/test/resources/features/2-profile.feature:9) * Not displayable characters are replaced by '?'.		
2	When user select option a profile	SKIPPED	0.000 s
3	Then user can see profile list	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario) select a profile NOT FOUND	PASSED	0.141 s