

# Cucumber Report

Jul 29, 2024, 9:42:09 PM

Start : Jul 29, 9:41:52.884 PM

End : Jul 29, 9:42:09.045 PM

Duration : 16.161 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login User</u>	6.069 s	1	1	0	0	4	4	0	0
<u>Profile User</u>	10.051 s	1	0	1	0	3	0	1	2

#	Feature Name	Scenario Name
1	<u>Profile User</u>	<u>select a profile</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@scenario1	1	1	0	0	1	1	0	0
@scenario2	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login User	1	1	0	0	6.069 s
2	Profile User	1	0	1	0	10.051 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login User</u>	<u>login a user</u>	4	4	0	0	6.065 s
2	<u>Profile User</u>	<u>select a profile</u>	3	0	1	2	10.051 s

**Login User**



<b>PASSED</b>	DURATION - 6.069 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:41:52.884 PM // 9:41:58.953 PM /					

**login a user**



<div>PASSED</div> <div>DURATION - 6.065 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:41:52.888 PM // 9:41:58.953 PM /</div>				
<div>Login User</div>				
<div>@scenario1</div>				

#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.762 s
2	When guest select MR services	PASSED	5.083 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	PASSED	0.192 s
4	Then user can see MR2 page	PASSED	0.000 s

**Profile User**

<b>FAILED</b>	DURATION - 10.051 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:41:58.994 PM // 9:42:09.045 PM /					

**select a profile**

<div>FAILED</div> <div>DURATION - 10.051 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
<div>/ 9:41:58.994 PM // 9:42:09.045 PM /</div>				
<div>Profile User</div>				
<div>@scenario2</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given page of MR2 is all ready</p> <p>org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=115.0.5790.170) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [43c81cfb3398a7d070a68a5098d358f8, findElement {value=loginButton, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\lingjo\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58091}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58091/devtoo..., se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43c81cfb3398a7d070a68a5098d358f8</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)  at com.autenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:76)  at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/ProyectoAutenticacion/src/test/resources/features/2-profile.feature:9)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	10.042 s



#	Step / Hook Details	Status	Duration
2	When user select option a profile	SKIPPED	0.001 s
3	Then user can see profile list	SKIPPED	0.000 s
	<p>AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=115.0.5790.170) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [43c81cfb3398a7d070a68a5098d358f8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\lingjo\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58091}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:58091/devtoo..., se.cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43c81cfb3398a7d070a68a5098d358f8</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)  at com.authenticacion.utils.Hooks.tearDown(Hooks.java:64)</p>	FAILED	0.004 s