Cucumber Report

| Start : Jul 29, 9:42:42.906 PM	End : Jul 29, 9:43:04.445 PM	Duration : 21.539 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 2

Features

2

50 %

Scenarios

2

50 %

Steps

7

57 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login User	*6.314 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*
Profile User	*15.179 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*

#	Feature Name	Scenario Name
1	Profile User	select a profile

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@scenario1	1	1	0	0	1	1	0	0
@scenario2	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login User	1	1	0	0	6.314 s
2	Profile User	1	0	1	0	15.179 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login User	login a user	4	4	0	0	6.311 s
2	Profile User	select a profile	3	0	1	2	15.178 s

Login User

PASSED	DURATION - 6.314 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:42:42.906 PM // 9:42:49.220 PM /					

login a user

PASSED	DURATION - 6.311 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:42:42.909 PM // 9:42:49.220 PM /				
Login User				
@scenario1				

#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	1.000 s
2	When guest select MR services	PASSED	5.089 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	PASSED	0.191 s
4	Then user can see MR2 page	PASSED	0.001 s

Profile User

FAILED	DURATION - 15.179 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 9:42:49.266 PM // 9:43:04.445 PM /					

select a profile

FAILED	DURATION - 15.178 s
/ 9:42:49.266 PM // 9:43:04.444 PM /	
Profile User	
@scenario2	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given page of MR2 is all ready	FAILED	15.167 s

org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer   (failed to check if window was closed: disconnected: not connected to DevTools)   (Session info: chrome=115.0.5790.170) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f223f221287b6eaf7e39d2df81da3a3, findElement {using=id, value=loginButton}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\ingjo\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58241/devtoo..., se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f223f221287b6eaf7e39d2df81da3a3
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
    at com.authenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:76)
    at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/ProyectoAutenticacion/src/test/resources/features/2-profile.feature:9)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
2	When user select option a profile	SKIPPED	0.000 s
3	Then user can see profile list	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s

	org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=115.0.5790.170) Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f223f221287b6eaf7e39d2df81da3a3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.170, chrome: {chromedriverVersion: 115.0.5790.170 (cc0d30c2ca5..., userDataDir: C:\Users\ingjo\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58241}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58241/devtoo..., se:cdpVersion: 115.0.5790.170, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f223f221287b6eaf7e39d2df81da3a3
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321)
	    at com.authenticacion.utils.Hooks.tearDown(Hooks.java:64)		